

© Crown copyright 2018 Do not scale from drawings. Verify all dimensions on site prior to construction. This drawing is to be read in conjunction with all relevant documents and drawings. No unauthorised use, disclosure, storage or copying. FIRE LEGEND Wall Fire Rating Minimum of 30 Minutes Wall Fire Rating Minimum of 60 Minutes Floor and Ceiling Void Cavity Barrier 30 minutes Compartment floor Cavity Barrier 30 minutes FD30S 30 min Fire Door with Smoke seal (S) 30 min cavity Barrier 60 min cavity Barrier Refuge call point Final Fire Exit P01 18/02/2019

Rev Date Project Status Strategic Design Advisor Phase 1 Project DEOP Defence Infrastructure Organisation Defence Infrastructure Organisation, Kingston Road, Sutton Coldfield, B75 7RL Project Description / Site Defence Estate Organisation Programme SiteName Project Address **Building Type** Drawing Title FIRST FLOOR FIRE STRATEGY ST Date 12.02.19 Originator Logo Drawn By III mace Checked By Approved By Drawing Number WHIT10104500-MAC-B304-01-DR-A-1002 Sheet No. | Scale Orig. Sheet Size Rev. 2 of 3 As indicated @ A1 P01

Data Security Classification

OFFICIAL SENSITIVE

Suitability