Areej Najd
For cosmetics



MEMORY BOOST

Citicoline & Omega-3 Syrup · 120 ml

Complete brain nutrition — neuronal membranes, neurotransmitters, energy and homocysteine control — in one 10 ml daily dose.

13 active ingredients · Sugar-free sweeteners · No fishy taste · Food supplement

250 mg
DHA
Contributes to the maintenance of normal brain function

250 mg
Citicoline (CDP-choline)
Choline + cytidine donor for phosphatidylcholine and acetylcholine

50 mg
L-Theanine
Relaxed alertness without sedation

SCIENTIFIC RATIONALE

- **Membrane building blocks**
  DHA is the main omega-3 of neuronal membranes; citicoline supplies choline + cytidine for phosphatidylcholine.
- **Omega-3 + B-vitamins synergy**
  B6, folate and B12 lower homocysteine; their brain benefit depends on adequate omega-3 status.[6]
- **Acetylcholine support**
  Two choline sources feed acetylcholine, the key neurotransmitter of memory and learning.
- **Iron, zinc, tyrosine & PS**
  Iron and zinc contribute to normal cognitive function; tyrosine and PS complete the profile.

CLINICAL EVIDENCE ON THE INGREDIENTS

MIDAS trial[1]
Yurko-Mauro, 2010
485 healthy older adults with age-related cognitive decline · DHA 900 mg/day vs placebo, 24 weeks → significant improvement in **learning and episodic memory**.

Citicoline & attention[2]
McGlade, 2012
60 healthy women (40–60 y) · citicoline **250 mg** or 500 mg/day vs placebo, 28 days → **fewer attention errors** in the 250 mg group.

Citicoline & memory[3]
Nakazaki, 2021
100 healthy older adults with age-associated memory impairment · citicoline 500 mg/day, 12 weeks → improved **overall and episodic memory** vs placebo (RCT).

L-Theanine & alpha waves[4]
Nobre, 2008
L-theanine **50 mg** increased **alpha-wave activity** on EEG vs placebo — a marker of relaxed, attentive mental state.

COMPOSITION PER 10 ML

Fish oil (omega-3)	**1100 mg**	Phosphatidylserine	**50 mg**	Vitamin B6	**1.5 mg**
EPA	**350 mg**	N-acetyl-L-tyrosine	**50 mg**	Folic acid	**200 mcg**
DHA	**250 mg**	L-Theanine	**50 mg**	Vitamin B12	**6 mcg**
Citicoline	**250 mg**	Iron	**7 mg**		
Choline bitartrate	**100 mg**	Zinc	**5 mg**		

Dose: 10 ml once daily — Preferably in the morning after breakfast

1. Yurko-Mauro K, et al. Alzheimers Dement. 2010;6(6):456–64.
2. McGlade E, et al. Food Nutr Sci. 2012;3(6):769–73.
3. Nakazaki E, et al. J Nutr. 2021;151(8):2153–60.
4. Nobre AC, et al. Asia Pac J Clin Nutr. 2008;17(S1):167–8.
5. Fioravanti M, Yanagi M. Cochrane Database Syst Rev. 2005;(2):CD000269.
6. Jernerén F, et al. Am J Clin Nutr. 2015;102(1):215–21.

SFDA Reg. FOM-24-272344-FOP-251125-1028812-C-12688-881856 · Dr. Organic

Areej Najd
For cosmetics



Fem-Arosa

Herbal Drops for Women · 30 ml

A complete botanical formula combining L-arginine with maca, damiana, muira puama, ginseng, ginkgo and saffron to support vitality and well-being in adult women.

12 active ingredients · Natural mixed-berry flavour · Adult women · Food supplement

L-Arginine
Nitric-oxide precursor
Supports healthy blood flow

6
Traditional botanicals
Maca · Damiana · Muira puama · Ginseng · Ginkgo · Saffron

B6 + B3
Vitamins
Hormonal activity · reduction of tiredness and fatigue

SCIENTIFIC RATIONALE

- **L-Arginine**
  Substrate of nitric-oxide synthase; nitric oxide mediates vascular smooth-muscle relaxation and genital blood flow.
- **Ginseng & Ginkgo**
  Adaptogenic and microcirculatory botanicals; Korean red ginseng improved arousal in menopausal women.[4]
- **Muira puama, Fenugreek, Ginger, Cinnamon**
  Traditional botanicals that round out the vitality and warming profile of the formula.
- **Maca (Lepidium meyenii)**
  Andean root traditionally used for energy and libido; studied in women with antidepressant-related sexual complaints.[2]
- **Saffron & Damiana**
  Saffron improved arousal and lubrication domains in an RCT;[3] damiana is a traditional female tonic.
- **Vitamin B6 & Niacin**
  B6 contributes to the regulation of hormonal activity; niacin to the reduction of tiredness and fatigue.

CLINICAL EVIDENCE ON THE INGREDIENTS

L-Arginine + Ginseng + Ginkgo + Damiana[1] Ito, 2001 · RCT	**77 women** · combination supplement vs placebo, 4 weeks → **73.5%** reported improved satisfaction with their sexual life vs **37.2%** on placebo; improvements in desire, frequency of intercourse and satisfaction, with no significant side effects.
Maca root[2] Dording, 2015 · RCT	**45 women** with antidepressant-induced sexual dysfunction · maca 3 g/day, 12 weeks → higher remission rates vs placebo, mainly in **postmenopausal** women; well tolerated.
Saffron[3] Kashani, 2013 · RCT	**38 women** on fluoxetine · saffron 30 mg/day, 4 weeks → significant improvement in total FSFI, **arousal, lubrication and pain** domains vs placebo.
Korean red ginseng[4] Oh, 2010 · RCT	**Menopausal women** (crossover, double-blind) · 8 weeks → significant improvement in **sexual arousal** vs placebo.

For adult women — Use as directed on the pack · not recommended during pregnancy or lactation

1. Ito TY, et al. J Sex Marital Ther. 2001;27(5):541–9.
2. Dording CM, et al. Evid Based Complement Alternat Med. 2015;2015:949036.
3. Kashani L, et al. Hum Psychopharmacol. 2013;28(1):54–60.
4. Oh KJ, et al. J Sex Med. 2010;7(4 Pt 1):1469–77.

SFDA Reg. FOM-24-56091-FOP-110126-10077-C-12688-5160 · Dr. Organic



Femina

Feminine Hygiene Foaming Cleanser · 200 ml

A pH-balanced intimate foam (pH 3.5–4.5) that cleanses gently while combining antiseptic botanicals with soothing and barrier-supporting ingredients.

pH 3.5–4.5 · Alcohol-free · Paraben-free · Gluten-free · Daily use

pH 3.5–4.5
Physiological acidity
Matches the healthy vaginal pH range

0.2%
Chlorhexidine
Broad-spectrum antiseptic

Lactic acid
+ Glycolic acid
Acidifying system supporting the natural acidic mantle

SCIENTIFIC RATIONALE

- **Acidic pH preserves the microbiota**
  A healthy, lactobacilli-dominated vaginal environment is acidic; alkaline soaps can disturb it. Femina is buffered to pH 3.5–4.5.[1]
- **Soothing & anti-itch**
  Chamomile, bisabolol, aloe vera, licorice root and menthol calm irritation and itching.
- **Antiseptic botanicals**
  Tea tree oil 1%, thyme oil 1% and neem oil 3% — documented antibacterial and antifungal activity — plus chlorhexidine 0.2%.[2]
- **Moisture & barrier**
  Glycerin 5%, ceramide 2%, D-panthenol 1%, allantoin, vitamin E and collagen help relieve dryness.

EVIDENCE & GUIDELINES

Intimate hygiene review[1]
Chen, 2017 · Women's Health
International guidelines support **gentle daily cleansing of the vulva**; women should choose **carefully formulated, pH-appropriate** external washes that do not disrupt the natural vulvovaginal microbiota.

Tea tree oil[2]
Carson, 2006 · Clin Microbiol Rev
Comprehensive review: **Melaleuca alternifolia** oil shows broad **antibacterial, antifungal (incl. Candida) and anti-inflammatory** activity, mainly via terpinen-4-ol.

Dexpanthenol[3]
Proksch, 2017 · J Dermatolog Treat
Topical dexpanthenol acts as a **moisturizer and skin-barrier restorer** and supports healing of irritated skin.

RECOMMENDED FOR

Daily intimate hygiene · Menstrual hygiene · During pregnancy & postpartum · Dryness at menopause · Odour & discomfort · Adjunct hygiene alongside prescribed therapy

Use twice daily — Apply diluted or directly to the external intimate area, then rinse

1. Chen Y, et al. Womens Health (Lond). 2017;13(3):58–67.
2. Carson CF, Hammer KA, Riley TV. Clin Microbiol Rev. 2006;19(1):50–62.
3. Proksch E, et al. J Dermatolog Treat. 2017;28(8):766–73.

SFDA Notification CN-2023-36519 · AVIANCE



Octo

Anti-Dandruff Shampoo · 200 ml

A quadruple-action formula: two antifungals, a cytostatic and a keratolytic — combined with tea tree, neem and soothing oils at scalp-friendly pH 5.5.

4 anti-dandruff actives | pH 5.5 | Dandruff & seborrhoeic scalp

4
Anti-dandruff actives
Targets the yeast, the scaling and the itch

0.7%
Piroctone olamine
+ Zinc pyrithione 1%

2%
Salicylic acid
+ Selenium sulfide 0.5%

MECHANISM — WHY FOUR ACTIVES

- **Piroctone olamine 0.7%**
  Antifungal against Malassezia, the yeast central to dandruff and seborrhoeic dermatitis.[1,2]
- **Selenium sulfide 0.5%**
  Cytostatic — slows excessive scalp-cell turnover — with antifungal activity.[3]
- **Tea tree 1% · Neem 3% · Ginger**
  Botanical antifungals; tea tree oil shampoo significantly reduced dandruff vs placebo.[4]
- **Zinc pyrithione 1%**
  Antifungal/antimicrobial; reference active in dandruff shampoos.[2]
- **Salicylic acid 2%**
  Keratolytic — loosens and removes scales so the antifungals reach the scalp.[5]
- **Panthenol · Jojoba · Squalene · Menthol**
  Moisturise the scalp and hair, reduce dryness and give a cooling anti-itch effect.

CLINICAL EVIDENCE ON THE INGREDIENTS

Piroctone olamine vs ZPT[2]
Schmidt-Rose, 2011
Moderate–severe dandruff, split-head design · piroctone olamine-based shampoo showed **dandruff reduction comparable to 1% zinc pyrithione**; ~90% reported less itching after 4 weeks.

Selenium sulfide[3]
Danby, 1993 · RCT
246 patients with moderate–severe dandruff · selenium sulfide and ketoconazole shampoos were both **significantly superior to placebo** at all visits, with reduced itching.

Tea tree oil[4]
Satchell, 2002 · RCT
126 patients · 5% tea tree oil shampoo daily for 4 weeks → **41% improvement** in dandruff severity vs 11% with placebo; itch and greasiness also improved.

Treatment: 2–3 times weekly for 3 weeks
Prevention: once weekly · Lather, leave 3–5 min, rinse

1. Borda LJ, Wikramanayake TC. J Clin Investig Dermatol. 2015;3(2):10.
2. Schmidt-Rose T, et al. Int J Cosmet Sci. 2011;33(3):276–82.
3. Danby FW, et al. J Am Acad Dermatol. 1993;29(6):1008–12.
4. Satchell AC, et al. J Am Acad Dermatol. 2002;47(6):852–5.
5. Arif T. Clin Cosmet Investig Dermatol. 2015;8:455–61.



E-Panthen

Moisturizing Cream · 40 g

A concentrated barrier-repair moisturizer: 5% D-panthenol with vitamin E, ceramide and natural oils for dry, rough and irritated intact skin.

5% D-Panthenol · + Vitamin E · + Ceramide · Face & body

5%
D-Panthenol
Provitamin B5 — hydration & barrier repair

1%
Ceramide
Restores the lipid barrier

10
Skin-care actives
Oils, butters and humectants

SCIENTIFIC RATIONALE

- **D-Panthenol 5%**
  Converted in the skin to pantothenic acid (part of coenzyme A); increases stratum-corneum hydration and reduces water loss.[1,2]
- **Vitamin E**
  The skin's major lipophilic antioxidant, protecting barrier lipids from oxidative stress (e.g. UV).[4]
- **Almond 3% · Shea · Argan · Wheat germ**
  Emollient oils and butters that soften and nourish dry skin.
- **Ceramide 1%**
  Ceramides are the main lipids of the stratum-corneum barrier; replenishing them helps restore barrier function.[3]
- **Allantoin 1% · Glycerin 2%**
  Allantoin soothes and smooths rough skin; glycerin is a humectant that binds water.
- **Dimethicone**
  Light occlusive film that reduces water loss without a greasy feel.

CLINICAL EVIDENCE ON THE INGREDIENTS

Dexpanthenol & barrier[1] Gehring & Gloor, 2000 · RCT	Double-blind, vehicle-controlled human study · topical dexpanthenol for 1 week → **increased stratum-corneum hydration** and **reduced transepidermal water loss** vs vehicle.
Dexpanthenol review[2] Proksch, 2017	70 years of clinical use: established as a **moisturizer, skin-barrier restorer** and aid to healing of irritated skin; modulates wound-healing gene expression.
Ceramides[3] Coderch, 2003 · Am J Clin Dermatol	Topical ceramide-containing lipids help **repair the barrier** and improve dry, compromised skin.

RECOMMENDED FOR

Dry & rough skin · Hands, elbows & feet · Redness after sun exposure · Pressure marks · Mild superficial burns · Pairs with Octo for scalp-skin care

Apply 1–2 times daily or as needed — Massage gently into clean skin

1. Gehring W, Gloor M. Arzneimittelforschung. 2000;50(7):659–63.
2. Proksch E, et al. J Dermatolog Treat. 2017;28(8):766–73.
3. Coderch L, et al. Am J Clin Dermatol. 2003;4(2):107–29.
4. Thiele JJ, Ekanayake-Mudiyanselage S. Mol Aspects Med. 2007;28(5–6):646–67.

SFDA Notification CN-2026-65086

Areej Najd
For cosmetics



MEBONOL

Ultimate Healing Technology · Cream 40 g

17 natural ingredients in a liposome delivery system — supporting the recovery of cracked, irritated and damaged skin.

17
Natural ingredients
Healing · soothing · anti-infective · anti-inflammatory

Liposome
Delivery system
Enhanced penetration of actives into the skin

4
Phases of skin repair
Cleansing · inflammation · regeneration · remodelling

INGREDIENTS BY FUNCTION

- **Promote healing**
  Calendula, honey, panthenol, emu oil, aloe vera, olive & sesame oils, beeswax.
- **Anti-inflammatory**
  Arnica oil, vitamin E, propolis, aloe vera.
- **Anti-infective**
  Chlorhexidine, tea tree oil, garlic oil, bee propolis.
- **Soothing & emollient**
  Glycerin, jojoba oil, rose oil, vitamin E.

EVIDENCE ON THE INGREDIENTS

Honey[1] Jull, 2015 · Cochrane review	High-quality evidence (2 trials, **992 patients**): honey dressings healed partial-thickness burns about **4.7 days faster** than conventional dressings.
Calendula[2] Preethi & Kuttan, 2009	Calendula flower extract accelerated wound closure (**~90% vs ~51%** by day 8) and increased collagen markers (hydroxyproline) in an experimental model.
Tea tree oil[3] Carson, 2006 · Clin Microbiol Rev	Broad-spectrum **antibacterial and antifungal** activity with anti-inflammatory effects.
Dexpanthenol[4] Proksch, 2017	Established role in **skin-barrier restoration** and support of superficial wound healing.
Liposomes[5] El Maghraby, 2008	Liposomal carriers **improve delivery of actives into the skin** compared with conventional vehicles.

RECOMMENDED FOR

Heel fissures · Nipple fissures · Diaper rash · Minor burns & sunburn · Minor cuts & abrasions · Dry, scaly & irritated skin

Apply 2–3 times daily — Thin layer on clean, dry skin

1. Jull AB, et al. Cochrane Database Syst Rev. 2015;(3):CD005083.
2. Preethi KC, Kuttan R. J Basic Clin Physiol Pharmacol. 2009;20(1):73–9.
3. Carson CF, et al. Clin Microbiol Rev. 2006;19(1):50–62.
4. Proksch E, et al. J Dermatolog Treat. 2017;28(8):766–73.
5. El Maghraby GM, et al. Eur J Pharm Sci. 2008;34(4–5):203–22.

SFDA Notification CN-2026-65103