

# The **startrek** package\* for use with L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub>

Gerd Neugebauer  
Mainzer Str. 16  
56321 Rhens  
gerd@informatik.uni-koblenz.de

1996/08/12

! \*package!

## 1 Introduction

This package provides a means to use some PostScript fonts with L<sup>A</sup>T<sub>E</sub>X. The fonts are similar to some fonts used in the context of the startrek films.

The PostScript fonts are not contained in the distribution but have to be a got separately.

## 2 Usage

**\la** The command **\la** changes the current font family to la and the encoding to T1. Usually this should be used in a T<sub>E</sub>X group only.

## 3 Implementation

**\TNG** The macro **\TNG** selects the StarTrekTNGCrilleA family.

```
1 \DeclareRobustCommand\TNG{\fontfamily{ftc}\selectfont}
```

**\textTNG** The macro **\textTNG** typesets its arguments in the StarTrekTNGCrilleA font.

```
2 \DeclareTextFontCommand\textTNG{\fontfamily{ftc}\selectfont}
```

**\STClassic** The macro **\STClassic** selects the StarTrekClassicA family.

```
3 \DeclareRobustCommand\STClassic{\fontfamily{fsc}\selectfont}
```

**\textSTClassic** The macro **\textSTClassic** typesets its arguments in the StarTrekClassicA font.

```
4 \DeclareTextFontCommand\textSTClassic{\fontfamily{fsc}\selectfont}
```

---

\*This file has version number v1.0, dated 1996/08/12.

`\STMovie` The macro `\STMovie` selects the `StarTrekClassicMoviesA` family.  
5 `\DeclareRobustCommand\STMovie{\fontfamily{fsm}\selectfont}`

`\textSTMovie` The macro `\textSTMovie` typesets its arguments in the `StarTrekClassicMoviesA` font.  
6 `\DeclareTextFontCommand\textSTMovie{\fontfamily{fsm}\selectfont}`

`\TNGtitle` The macro `\TNGtitle` selects the `StarTrekTNGTitleA` family.  
7 `\DeclareRobustCommand\TNGtitle{\fontfamily{ftt}\selectfont}`

`\textTNGtitle` The macro `\textTNGtitle` typesets its arguments in the `StarTrekTNGTitleA` font.  
8 `\DeclareTextFontCommand\textTNGtitle{\fontfamily{ftt}\selectfont}`

`\TNGmon` The macro `\TNGmon` selects the `TNGMonitorsPlain` family.  
9 `\DeclareRobustCommand\TNGmon{\fontfamily{ftm}\selectfont}`

`\textTNGmon` The macro `\textTNGmon` typesets its arguments in the `TNGMonitorsPlain` font.  
10 `\DeclareTextFontCommand\textTNGmon{\fontfamily{ftm}\selectfont}`

`i/package; i*map;`  
11 `ftc0 StarTrekTNGCrilleA <ftc0.pfb`  
12 `fsc0 StarTrekClassicA <fsc0.pfb`  
13 `fsm0 StarTrekClassicMoviesA <fsm0.pfb`  
14 `ftt0 StarTrekTNGTitleA <ftt0.pfb`  
15 `ftm0 TNGMonitorsPlain <ftm0.pfb`  
`i/map;`