A source edit changes a recalled conditional

$A = 0$: selected population $\qquad$ $B = 0$: recorded event

Actual initial assertions

`Group 00 contains 4 records with A=0 and B=0.`

`Group 01 contains 1 records with A=0 and B=1.`

$n_{00} = 4,\ n_{01} = 1, \quad P(B = 0 \mid A = 0) = 4/5.$

Correct the first source

`Group 00 contains 3 records with A=0 and B=0.`

Located assertion: source 00, revision 2.
The count changes $4 \to 3$.

Total $W = 9$. Root weight $P(A = 0) = 4/9$.
Suffix message $P(B = 0 \mid A = 0) = 3/4$.

Counts $\longrightarrow$ conditional transition $\longrightarrow$ adjoint message $\longrightarrow$ recalled ratio

Source operation	**Counts** (n_{00}, n_{01})	**Root×suffix**	**Joint / condition**
Correct $4 \to 3$ at$(0,0)$	$(3,1)$	$\frac{4}{9} \times \frac{3}{4} = \frac{1}{3}$	$\frac{1/3}{4/9} = \frac{3}{4}$
Add distinct new batch 02	$(3,2)$	$\frac{1}{2} \times \frac{3}{5} = \frac{3}{10}$	$\frac{3/10}{1/2} = \frac{3}{5}$
Remove *old* batch 01	$(3,1)$	$\frac{4}{9} \times \frac{3}{4} = \frac{1}{3}$	$\frac{1/3}{4/9} = \frac{3}{4}$

Affected path: root $\to A \quad = \quad 0$ prefix $\to (0,0)$ leaf.
The $A \ = \ 1$ conditional suffix is unchanged and reused. Root probabilities change.
Terminal message is 1. Removing all $A \ = \ 0$ support makes the conditional undefined.