

## GUIDELINE TO GET CODE AND TO RUN SCRIPT

Name: Le Kim Phung

Phone: 0779088696

Email: [phungle3001@gmail.com](mailto:phungle3001@gmail.com)

- In your PC, open folder which will content test scripts
- Right-click on the space in folder, select **"Git Bash here"**
- Open cmd GIT bash
- Input:

```
$git clone https://github.com/phungle3001/TestShopee.git
```


(For login: [phungle3001@gmail.com](mailto:phungle3001@gmail.com)/P@ssword3001)

Wait few minute until clone completely


```
Admin@DESKTOP-S6UVQG8 MINGW64 /e/MyScript/New folder
$ git clone https://github.com/phungle3001/TestShopee.git
Cloning into 'TestShopee'...
remote: Enumerating objects: 94, done.
remote: Counting objects: 100% (94/94), done.
remote: Compressing objects: 100% (71/71), done.
remote: Total 94 (delta 5), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (94/94), done.

Admin@DESKTOP-S6UVQG8 MINGW64 /e/MyScript/New folder
```


- Verify visible of TestShopee in local PC




- Access to folder: **../TestShopee/Test**



- Open cmd GIT bash




A terminal window titled 'MINGW64:/e/MyScript/New folder/TestShopee/Test'. The prompt is 'Admin@DESKTOP-S6UVQG8 MINGW64 /e/MyScript/New folder/TestShopee/Test (main)'. The cursor is on a new line after the prompt.

```
MINGW64:/e/MyScript/New folder/TestShopee/Test
Admin@DESKTOP-S6UVQG8 MINGW64 /e/MyScript/New folder/TestShopee/Test (main)
$
```

- Input:

`$mvn clean install`

(Note: Using this command for Maven project built/ Run script at the first time)  
Wait few minute until running completely

A terminal window titled 'MINGW64:/e/MyScript/New folder/TestShopee/Test' showing the output of the 'mvn clean install' command. The output includes information about scanning for projects, building Test 0.0.1-SNAPSHOT, deleting the target directory, copying resources, and compiling 7 source files. There are also warnings about deprecated APIs.

```
MINGW64:/e/MyScript/New folder/TestShopee/Test
Admin@DESKTOP-S6UVQG8 MINGW64 /e/MyScript/New folder/TestShopee/Test (main)
$ mvn clean install
[INFO] Scanning for projects...
[INFO]
[INFO] -----< Request:Test >-----
[INFO] Building Test 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ Test ---
[INFO] Deleting E:\MyScript\New folder\TestShopee\Test\target
[INFO]
[INFO] --- maven-resources-plugin:2.6:resources (default-resources) @ Test ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory E:\MyScript\New folder\TestShopee\Tes
t\src\main\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.1:compile (default-compile) @ Test ---
[INFO] Changes detected - recompiling the module!
[INFO] Compiling 7 source files to E:\MyScript\New folder\TestShopee\Test\target
\classes
[WARNING] /E:/MyScript/New folder/TestShopee/Test/src/main/java/Test/Object/Base
Class.java: E:\MyScript\New folder\TestShopee\Test\src\main\java\Test\Object\Bas
eClass.java uses or overrides a deprecated API.
[WARNING] /E:/MyScript/New folder/TestShopee/Test/src/main/java/Test/Object/Base
Class.java: Recompile with -Xlint:deprecation for details.
[INFO]
```

```
MINGW64:/e/MyScript/New folder/TestShopee/Test
INFO: Detected dialect: OSS
Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 38.06 sec

Results :


Tests run: 1, Failures: 0, Errors: 0, Skipped: 0

[INFO]
[INFO] --- maven-jar-plugin:2.4:jar (default-jar) @ Test ---
[INFO] Building jar: E:\MyScript\New folder\TestShopee\Test\target\Test-0.0.1-SNAPSHOT.jar
[INFO]
[INFO] --- maven-install-plugin:2.4:install (default-install) @ Test ---
[INFO] Installing E:\MyScript\New folder\TestShopee\Test\target\Test-0.0.1-SNAPSHOT.jar to C:\Users\Admin\.m2\repository\Request\Test\0.0.1-SNAPSHOT\Test-0.0.1-SNAPSHOT.jar
[INFO] Installing E:\MyScript\New folder\TestShopee\Test\pom.xml to C:\Users\Admin\.m2\repository\Request\Test\0.0.1-SNAPSHOT\Test-0.0.1-SNAPSHOT.pom
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 49.182 s
```

- Input:









`$mvn test`

(Note: Using this command for Maven project built/ Run script from the second time)



```
Admin@DESKTOP-S6UVQG8 MINGW64 /e/MyScript/New folder/TestShopee/Test (main)
$ mvn test
[INFO] Scanning for projects...
[INFO]
[INFO] -----< Request:Test >-----
[INFO] Building Test 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- maven-resources-plugin:2.6:resources (default-resources) @ Test ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory E:\MyScript\New folder\TestShopee\Test\src\main\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.1:compile (default-compile) @ Test ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-resources-plugin:2.6:testResources (default-testResources) @ Test ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory E:\MyScript\New folder\TestShopee\Test\src\test\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.1:testCompile (default-testCompile) @ Test ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-surefire-plugin:2.12.4:test (default-test) @ Test ---
[INFO] Surefire report directory: E:\MyScript\New folder\TestShopee\Test\target\surefire-rep
```

- Open report file by web:  
Access to **test-output** folder: .../TestShopee/Test/test-output  
Click on “index.html” file to open report by web browser

Name	
 emailable-report	
 failed	
 index	
 jquery-1.7.1.min	
 navigator-bullet	
 passed	
 skipped	
 testng	