

FRESHER ACADEMY JPE Quiz 1 Option 1

Testing date: Allowed time: 30'	Testing score (/10):
Account:	CODE: JPE.Q1.Opt1

Testing notes

- You are not allowed to use mobile or other communicating devices during the test
- This is book-closed testing. You are not allowed to use any reference while doing the test.
- Select one answer for each question. Don't answer or note on the question book.
- Fill your answers into the Answer sheet.

Testing questions & answers

#	Question & Answer Group	ANS
1	What are the values of x and y? $x = 5$; $y = ++x$;	D
	A. $x = 5, y = 5$	
	B. $x = 5, y = 6$	
	C. $x = 6$; $y = 5$	
	D. $x = 6$; $y = 6$	
2	Which is valid declaration of a float variable?	Α
	A. float f = 1F;	
	B. float f = 1.0;	
	C. float f = "1";	
	D. float f = 1.0d;	
3	Which of the following declarations is/are valid:	D
	1.bool b = null;	
	<pre>2.boolean b = 1;</pre>	
	<pre>3.boolean b = true false;</pre>	
	4.bool b = (10<11);	
	<pre>5.boolean b = true false;</pre>	
	A. 1 and 4	
	B. 2, 3, and 5	
	C. 2 and 3	
	D. 3 and 5	
4	Consider the code shown below:	D
	<pre>public class TestClass {</pre>	
	<pre>public static int switchTest (int k){</pre>	
	int j = 1;	
	<pre>switch(k){</pre>	
	case 1: j++;	
	case 2: j++;	
	case 3: j++;	
	case 4: j++;	
	case 5: j++;	
	default : j++;	
	}	
	return j + k;	

JPE Quiz – Internal use Page 1 of 4

```
public static void main(String[] args){
           System.out.println( switchTest(4) );
       }
     }
     What will it print when compiled and run?
         A. 5
         B. 6
         C. 7
         D. 8
5
     Types of Java Comments include:
                                                                                                 Ε
         A. Single Line Comment
         B. Multi Line Comment
         C. Documentation Comment
         D. A and B are TRUE
         E. A, B and C are TRUE
6
     What will the following code print?
                                                                                                 Α
       int i = 0;
       int j = 1;
       if((i++==0) & (j++==2)){
           i = 12;
       System.out.println(i + " " +j);
         A. 12
         B. 23
         C. 122
         D. 121
         E. It will not compile
7
     What will be the output of the following code snippet?
                                                                                                 В
             int a = 1;
             int[] iarr = new int[10];
             int b = iarr[a];
             int c = b + a;
            System.out.println(b = c);
         A. 0
         B. 1
         C. 2
         D. TRUE
         E. FALSE
8
     What is JDK stands for?
                                                                                                 Α
         A. Java Development Kit
         B. Java Development Kat
         C. Java Developer Kit
         D. Java Developer Kat
         E. Java Deployment Kit
     Which component is used to compile, debug and execute java program?
                                                                                                 В
         A. JVM
         B. JDK
         C. JIT
         D. JRE
         E. None of the above
```

JPE Quiz – Internal use Page 2 of 4

10	Which component is responsible for converting bytecode into machine specific code?	Α
10	A. JVM	A
	B. JDK	
	C. JIT	
	D. JRE	
	E. None of the above	
11	Which component is responsible to run java program?	D
	A. JVM	U
	B. JDK	
	C. JIT	
	D. JRE	
	E. None of the above	
12	Which statement is true about java?	Α
	A. Platform independent programming language	
	B. Platform dependent programming language	
	C. Code dependent programming language	
	D. Sequence dependent programming language	
	E. All of the above	
13	What is the extension of java code files?	В
	Aclass	
	Bjava	
	Ctxt	
	Djs	
14	What is the extension of compiled java classes?	Α
	Aclass	
	Bjava	
	Ctxt	
	Djs	
15	Consider the following method:	D
	static int mx(int s){	
	for(int i=0; i<3; i++){	
	S = S + i;	
	}	
	return s;	
	}	
	and the following code snippet:	
	int s = 5;	
	s += s + mx(s) + ++s;	
	System.out.println(s);	
	What will it print?	
	A. 21	
	B. 22	
	C. 23	
	D. 24	
16	E. 25 Which of these for statements are valid?	D
10		
	1. for (int i=5; i=0; i) { }	
	2. int j=5;	
	for(int i=0, j+=5; i <j ;="" i++)="" j;="" td="" {="" }<=""><td></td></j>	
	3. int i, j;	
	for (j=10; i <j; +="2;" i="" j)="" td="" {="" }<=""><td></td></j;>	

JPE Quiz – Internal use Page 3 of 4

	4. int i=10;	
	for (; i>0 ; i) { }	
	5. for (int i=0, j=10; i <j; i++,j)="" td="" {;}<=""><td></td></j;>	
	A. 1, 2	
	B. 3, 4	
	C. 1, 5	
	D. 4, 5	
	E. 5	
17	What is the output of this code fragment?	В
	1. int $x = 3$;	
	2. int $y = 10$;	
	3. System.out.println(y % x);	
	A. 0	
	B. 1	
	C. 2	
	D. 3	
18	Class in Java:	Е
	A. is a group of objects which have common properties	
	B. is a template or blueprint from which objects are created	
	C. is a logical entity	
	D. can't be physical	
	E. All of the above are TRUE	
19	Which one correct about an object is?	Е
	A. is a real world entity	
	B. is a run time entity	
	C. is an entity which has state and behavior	
	D. is an instance of a class	
	E. All of the above are TRUE	
20	The private access modifier is accessible:	В
	A. within package only	
	B. within class only	
	C. outside the package but through inheritance only	
	D. everywhere	

-- THE END --

JPE Quiz – Internal use Page 4 of 4