

GraphEditor Introduction

Phuse EU Connect 2018

User interface – Start view



User interface – Start view




Functions

- Nodes
 - Add node
 - Edit node
 - Delete node
- Links
 - Create link
 - Edit link
 - Reverse link direction


- Save/Load/Export the graph
 - Save as file (JSON and TTL)
 - Save current state
 - Restore
 - Load pre-configured graph

Add node

1. Click • in upper left corner




2. A new node is created on the whiteboard




Edit node

1. Double click a node to get into edit mode




- 3. In edit area:
- Select *Type*
- Select *Prefix*
- Type in *Label*




Click *Update/Hide* to save changes

2. Node is highlighted and the edit area is displayed




4. Node prefix and label is updated




Delete node


1. Double click a node to get into edit mode




2. Node is highlighted and the edit area is displayed



3. Click Delete




3. The node and any attached links are removed




Create link


1. Shift+click a node to select it as source of link




3. Shift click the target link



2. Node is highlighted




4. A new link is created




Edit link


1. Double click a link to get into edit mode



2. Edge label is highlighted and the edit area is displayed




- 3. In edit area:
- Select a *Predicate* in the dropdown list




Click *Update/Hide* to save changes


4. Node predicate is updated




Edit link – reverse link direction

1. If a link is between two IRI's, the direction can be reveresed









Wrong: Study1 has study Drug1

Correct: Drug1 has study Study1

2. Links between an IRI node and String/Integer node cannot be reversed





Save/Load/Export the graph

