Question	Python	C++
E1	1 min 36 sec	2 min 56 sec
E2	1 min 41sec	2 min 1sec
E3	1 min 27sec	2 min 57sec
M1	5 min 17sec	6 min 37sec
M2	4 min 40sec	7 min 50sec
M3	3 min 45sec	4 min 55sec
H1	7 min 45sec	10 min 45sec
H2	5 min 1sec	8 min 1sec
H3	4 min 12sec	7 min 12sec

E1(pyhton)

:

```
num1 = int(input())
num2 = int(input())
num3 = int(input())

total = num1 + num2 + num3

print(total)
```

E1(C++)

```cpp
#include <iostream>
using namespace std;

int main() {
    int num1, num2, num3;

    cin >> num1 >> num2 >> num3;

    cout << num1 + num2 + num3;

    return 0;
}
```

E2(python)

```python
celsius = float(input())

fahrenheit = (celsius * 9 / 5) + 32

print(f"{fahrenheit:.2f}")
```

E2(C++)

```cpp
#include <iostream>
#include <iomanip>

using namespace std;

int main() {
    double celsius;

    cin >> celsius;

    double fahrenheit = (celsius * 9 / 5) + 32;

    cout << fixed << setprecision(2) << fahrenheit;

    return 0;
}
```

E3(python)

```python
number = int(input())

if number % 2 == 0:
    print("GENAP")
else:
    print("GANJIL")
```

E3(C++)

```cpp
#include <iostream>

using namespace std;

int main() {
    int number;

    cin >> number;

    if (number % 2 == 0)
        cout << "GENAP";
    else
        cout << "GANJIL";

    return 0;
}
```

M1(python)

```python
scores = list(map(int, input().split()))

average = sum(scores) / 5

if average >= 80:
    grade = "A"
elif average >= 70:
    grade = "B"
elif average >= 60:
    grade = "C"
elif average >= 50:
    grade = "D"
else:
    grade = "E"

print(f"{average:.2f}")
print(grade)
```

M1(C++)

```cpp
#include <iostream>
#include <iomanip>

using namespace std;

int main() {
    int scores[5];
    int total = 0;

    for (int i = 0; i < 5; i++) {
        cin >> scores[i];
        total += scores[i];
    }

    double average = total / 5.0;
    char grade;

    if (average >= 80)
        grade = 'A';
    else if (average >= 70)
        grade = 'B';
    else if (average >= 60)
        grade = 'C';
    else if (average >= 50)
        grade = 'D';
    else
        grade = 'E';

    cout << fixed << setprecision(2) << average << endl;
    cout << grade;

    return 0;
}
```

M2(python)

```python
n = int(input())

a, b = 0, 1

for i in range(n):
    print(a, end=" ")
    a, b = b, a + b

print()
print(a)
```

M2(C++)

```cpp
#include <iostream>

using namespace std;

int main() {
    int n;
    cin >> n;

    int a = 0;
    int b = 1;

    for (int i = 0; i < n; i++) {
        cout << a << " ";

        int temp = a + b;
        a = b;
        b = temp;
    }

    cout << endl;
    cout << a;

    return 0;
}
```

M3(python)

```python
n = int(input())

for i in range(1, n + 1):

    if i % 3 == 0 and i % 5 == 0:
        print("FizzBuzz")

    elif i % 3 == 0:
        print("Fizz")

    elif i % 5 == 0:
        print("Buzz")

    else:
        print(i)
```

M3(C++)

```cpp
#include <iostream>

using namespace std;

int main() {
    int n;
    cin >> n;

    for (int i = 1; i <= n; i++) {

        if (i % 3 == 0 && i % 5 == 0)
            cout << "FizzBuzz";

        else if (i % 3 == 0)
            cout << "Fizz";

        else if (i % 5 == 0)
            cout << "Buzz";

        else
            cout << i;

        cout << endl;
    }

    return 0;
}
```

H1(python)

```python
n = int(input())

data = list(map(int, input().split()))

data.sort()

minimum = min(data)
maximum = max(data)
average = sum(data) / n

print(*data)
print(minimum)
print(maximum)
print(f"{average:.2f}")
```

```cpp
#include <iostream>
#include <iomanip>

using namespace std;

int main() {
    int n;
    cin >> n;

    int data[n];

    for (int i = 0; i < n; i++)
        cin >> data[i];

    for (int i = 0; i < n - 1; i++) {
        for (int j = 0; j < n - i - 1; j++) {

            if (data[j] > data[j + 1]) {
                int temp = data[j];
                data[j] = data[j + 1];
                data[j + 1] = temp;
            }

        }
    }

    int sum = 0;

    for (int i = 0; i < n; i++) {
        cout << data[i] << " ";
        sum += data[i];
    }

    cout << endl;
    cout << data[0] << endl;
    cout << data[n - 1] << endl;

    cout << fixed << setprecision(2);
    cout << (double)sum / n;

    return 0;
}
```

H1(C++)

H2(python)

```python
rows, cols = map(int, input().split())

matrix = []

for i in range(rows):
    matrix.append(list(map(int, input().split())))

for row in matrix:
    print(*row)

for j in range(cols):
    for i in range(rows):
        print(matrix[i][j], end=" ")
    print()
```

H2(C++)

```cpp
#include <iostream>

using namespace std;

int main() {

    int rows, cols;

    cin >> rows >> cols;

    int matrix[100][100];

    for (int i = 0; i < rows; i++) {
        for (int j = 0; j < cols; j++) {
            cin >> matrix[i][j];
        }
    }

    for (int i = 0; i < rows; i++) {

        for (int j = 0; j < cols; j++) {
            cout << matrix[i][j] << " ";
        }

        cout << endl;
    }

    for (int j = 0; j < cols; j++) {

        for (int i = 0; i < rows; i++) {
            cout << matrix[i][j] << " ";
        }

        cout << endl;
    }

    return 0;
}
```

H3(python)

```python
def factorial(n):
    if n == 0 or n == 1:
        return 1

    return n * factorial(n - 1)


def power(a, b):
    if b == 0:
        return 1

    return a * power(a, b - 1)


n = int(input())
a, b = map(int, input().split())

print(factorial(n))
print(power(a, b))
```

H3(C++)

```cpp
#include <iostream>

using namespace std;

int factorial(int n) {

    if (n == 0 || n == 1)
        return 1;

    return n * factorial(n - 1);
}

int power(int a, int b) {

    if (b == 0)
        return 1;

    return a * power(a, b - 1);
}

int main() {

    int n;
    int a, b;

    cin >> n;
    cin >> a >> b;

    cout << factorial(n) << endl;
    cout << power(a, b);

    return 0;
}
```