

CMPortal Protocol Upload Form

Purpose

V@â•Á~[! { Áâ•Áæçæð|æà|ÁæcÁÔTÚ[!cæ|ÁÇ@cc]KDD]æ]æ}ç|æàÈ&[{ Ð& { }] [!cæ|DÉÁÇÁæ&c•Áæ•ÁæÁ•cæ}âæ!ââ•ÁâÁc[[!Á~[!Á!•Á•æ!&@•!•Á c[Á~]] [!æâÁæ}ââ•Á•&@ { æ!Ác@•â!Á&æ!ââæ&Á•c^ { Á&^|Á}! [c[& [!•ÉÁW•^!•Á&æ}Á•^|•&cÁ}! [c[& [!Á~•æc~!••ÉÁ!•^] [!c^âÁ~HÁcâ { ^•Á â}ÁHGGA] ~à|â•@•âÁ}! [c[& [!•ÉÁc[Á&[{ }]æ!Áæ*æâ}•cÁ\^~Á&@æ!æ&c^!â•câ&•Á~Á { æc~!âc^Áâ}ââ&æc[!•ÉÁæ}âÁc@ [•^Á [~Á [c@•^!Á]æ!æ { ^c^!•Á [-Áâ}c^!•cÁ!•c^•æ!âÁâ}Á [~!ÁâæcæÁ { â}â} *ÉÁY [~!Á^ç}•^!â { ^}cæ|ÁâæcæÁ&æ}Áâ^Á~]] [!æâ•âÁ , âc@Áæ} [c@•^!ÁÚÖØÁ ~â|ÉÁ

<c k'hc' l gy

- Ü•Çâ^ , Á^æ&@ÁØ^æc~!ÁÁÔæc^* [!~ÁÇ•cæ!câ} *Á~! [{ Á}æ*^ÁGDÈ
- W}â^!Á^æ&@Á&æc^* [!~ÉÁ~ [~q||Á~â}ââ~•æc~!Á^|æà^|•Á*! [~]•^âÁ [!~â&æ||^ÁÇ^É•ÉÉÁ { ^ââæÁc^] ^ÉÁcâ { ^Á} [â}c•DÉÁÚ•^|•&cÁæ||Á ~•æc~!•^Á []câ []•Áæ []]|â&æà|Ác[Á^ [~!Á}! [c[& [!ÉÁV@•^Á}~ { â^!Áâ}Áâ!æ&\c•Áâ•Ác@•^Á}~ { â^!Á [-Á•c~ââ•Á [-~cÁ [-ÁHGGA]^] [!câ} *Ác@æcÁçæ!âæà|ÁÉÁÇE||Á []câ []•Á , ^!•^!•^] [!c^âÁ~HÁcâ { ^•É
- W•^Ác@•^Á&@•^&\Éâ [ç^•Ác[Á•^|•&cÁæ||Á []câ []•Ác@æcÁæ]] ^Ác[Á^ [~!Á}! [c[& [!ÉÁØ [!Á^çæ { }]|ÉÁ&@•^&\ÁÔTÚ!Á!•^*æ!â|••Á [-Á ^ [~!Áâ [•æ*^Á [-ÁÓ []^ÁT [!]@ [! [!~â&æ|ÁÚ! [c^â}Á!ÉÁÚ~!Á•c~â^Áâ^•â*}ÉÁæ}âÁæ|* [!âc@ { •Á& []•ââ^!Áçæ!âæà|Á^~•^&c•Áæ•Á [] *Ác@•^!Áâ•ÁæÁ•â*}â~â&æ}cÁ!•^|æcâ []•@â]Áâ^c , ^^}Á~•æc~!•^Áæ}âÁ [~c& [{ ^ðæ]]|â&æcâ []ÉÁV@â•Áâ} &|~â^•Á& []c^ðcÈ â^]•^}â^}cÁ~•^&c•ÉÁâ} &|~ââ} *Á& []&^}c!æcâ []È
- Q•ÁæÁ []^&â~â&Áâc^ { Áâ•Á} [c|â•c^âÉÁ] |^æ•^Á•\â]Ác@•^Á~â|â•Ác@æcÁæ!•^Á~}æçæð|æà|•^Á} [cÁæ]]|â&æà|•^Á~} \ [, }ÉÁ [!Á~}â^•â!•ââ ~-[!Á~ [~!Áâ^]•&@ { æ!Áâ} *É

Outcome

ÖæcæÁ , â||Áâ^Á~•^âÁâ}ÁÔTÚ[!cæ|Ác[Á•~]] [!cÁ&[{ }]æ!æcçç^Áæ}æ|^câ&•ÉÁc!•^}â•ÉÁæ}âÁâ^]•&@ { æ!ÁÁ}•^!• [! { æ} &^Áâ}ââ&æc[!•ÉÁ QcÁ , â||Á []~!Áâ^Á~•^âÁ~ [!Á!•^•æ!&@Á}~!] [•^•ÉÁW•^!•Áæ!•^Á^} & [~!æ*^âÁc[Á•^]ââæÁ& []^Á [-Ác@•^Áâæcæ~•cÁ•@ [, }Áâ}Á ÄÖæcæâæ•^ÁXâ^ , ^!Áââ~Ác@•^Á , æ}cÁc[Áâ}c^*!æc^Ác@•^Á!Á}! [c[& [!Áâ}c[ÁÔTÚ[!cæ|É

Submission

Ú|•æ•^Á&[{ }]|c^•Ác@•^Á~ [! { Áæ}âÁ~]] [!æâÁcÁçæÁc@•^ÁÔTÚ[!cæ|Á•~à { â••â []Áâ}c^!~æ&^Á~}â^!ÁcÚ! [c[& [!ÁÓ•} &@ { æ!Áâ} *CÉÁ P []^Á [-Ác@â•Á [-Ác@•^Á^ç}•^!â { ^}cæ|ÁâæcæÁ~ [! { Á , â||Áâ^Á•c[!•^âÁ]]ÁÔTÚ[!cæ|É

Support

Ø [!Áæâââ} *Á~ [~!Á}! [c[& [!Ác[ÁÔTÚ[!cæ|ÉÁ [!Á~ [!Ác^&@]â&æ|Á•~]] [!cÁæ}âÁ~•^•câ []•ÉÁ& []cæ&cÁ}È]æ]æ}cO~•Éâ~Éæ~Á [!Á &É•É~É&@ [, O~•Éâ~Éæ~

Feature Category: Protocol Variable

hiPSC Matrix Coating

- ☐ EBs (18)
- ☐ Geltrex (33)
- ☐ Matrigel (163)
- ☐ MEF feeder cells (8)
- ☐ Vitronectin (10)

hiPSC Backbone Media

- ☐ Conditioned (12)
- ☐ DMEM/F12 (10)
- ☐ Embryonic Stem Cell (127)
- ☐ Essential 8 (82)
- ☐ mTeSR (106)
- ☐ StemFit (5)
- ☐ StemFlex (5)

hiPSC-CM Backbone Media

- ☐ Commercial CM Kit (12)
- ☐ Cor.4U Complete (6)
- ☐ DMEM (18)
- ☐ iCell Maintenance (86)
- ☐ RPMI-1640 (167)
- ☐ StemPro-34 (14)

hiPSC-CM Media Supplement

- ☐ 1-thioglycerol (14)
- ☐ Albumin (28)
- ☐ Ascorbic Acid (41)
- ☐ B27 (180)
- ☐ bFGF (3)
- ☐ FBS (16)
- ☐ GlutaMax (8)
- ☐ HEPES (16)
- ☐ iCell Maintenance Medium (41)
- ☐ L-glutamine (19)
- ☐ Lipid Mix (5)
- ☐ Lipids (9)
- ☐ Mercaptoethanol (10)

Feature Category: Protocol Variable

hiPSC-CM Media Supplement

- ☐ Nonessential Amino Acids (8)
- ☐ Polyvinylalcohol (6)
- ☐ Selenium (7)
- ☐ Transferrin (11)
- ☐ VEGF (4)

Wnt Induction

- ☐ Activin A (80)
- ☐ bFGF (45)
- ☐ BMP4 (74)
- ☐ CHIR99021 (184)
- ☐ StemCell Diff Kit (4)
- ☐ Wnt3a (3)

Seeding Confluency Regardless of 2D or 3D (%)

- ☐ 70 to 79 (11)
- ☐ 80 to 84 (12)
- ☐ 85 to 89 (43)
- ☐ 90 to 94 (26)
- ☐ 95 to 100 (23)

Seeding Confluency Specifically for 2D Protocols (%)

- ☐ 70 to 79 (6)
- ☐ 80 to 84 (5)
- ☐ 85 to 89 (26)
- ☐ 90 to 94 (12)
- ☐ 95 to 100 (6)

Seeding Confluency Specifically for 3D Protocols (%)

- ☐ 70 to 79 (3)
- ☐ 80 to 84 (5)
- ☐ 85 to 89 (12)
- ☐ 90 to 94 (13)
- ☐ 95 to 100 (13)

Feature Category: Protocol Variable

Wnt Induction Duration (days)

- ☐ 3 days (38)
- ☐ 4 days (15)
- ☐ 5 days (8)

Wnt Induction Duration (days) Quantiles

- ☐ Q1 (>2 and ≤ 5) (61)
- ☐ Q2 (>1 and ≤ 2) (75)
- ☐ Q3 (>0 and ≤ 1) (186)

Wnt Inhibitor

- ☐ bFGF (8)
- ☐ BMP4 (7)
- ☐ DS-I-7 (9)
- ☐ IWP (112)
- ☐ IWR (56)
- ☐ KY02111 (7)
- ☐ VEGF (3)
- ☐ Wnt-C59 (30)
- ☐ XAV939 (24)

Wnt Inhibitor Duration (days)

- ☐ 3 days (17)
- ☐ 4 days (19)
- ☐ 5 days (6)
- ☐ 6 days (4)
- ☐ >6 days (12)

Wnt Inhibitor Duration (days) Quantiles

- ☐ Q1 (>2 and ≤ 9) (58)
- ☐ Q2 (>1 and ≤ 2) (156)
- ☐ Q3 (>1 and ≤ 1) (108)

Insulin Start Day

- ☐ 0 (7)
- ☐ 1 (19)
- ☐ 2 (4)
- ☐ 3 (5)

Feature Category: Protocol Variable

Insulin Start Day

- ☐ 4 (11)
- ☐ 5 (14)
- ☐ 6 (20)
- ☐ 7 (85)
- ☐ 8 (15)
- ☐ 9 (10)
- ☐ 10 (6)
- ☐ 11 (3)
- ☐ After 11 (7)

Insulin Withdrawal Duration (days) Quantiles

- ☐ Q1 (>4 and ≤ 10) (11)
- ☐ Q2 (>2 and ≤ 4) (25)

Insulin Withdrawal Duration (days)

- ☐ 3 days (6)
- ☐ 4 days (18)
- ☐ 6 days (3)
- ☐ 8 days (3)

Purification Protocol

- ☐ Antibiotic (4)
- ☐ Cell Sorting (7)
- ☐ Glucose and Lactate (85)
- ☐ Metabolic (8)

hiPSC-CM Purification Duration (days)

- ☐ 3 days (13)
- ☐ 4 days (29)
- ☐ 5 days (6)
- ☐ 6 days (10)
- ☐ 7 days (6)
- ☐ 8 days (4)
- ☐ <3 days (31)
- ☐ >9 days (5)

Feature Category: Protocol Variable

hiPSC-CM Purification Duration (days) Quantiles

- ☐ Q1 (>4 and ≤20) (31)
- ☐ Q2 (>1 and ≤4) (61)

Differentiation Purity (%) Quantiles

- ☐ Q1 (>95 and ≤99) (22)
- ☐ Q2 (>90 and ≤95) (27)
- ☐ Q3 (>85 and ≤90) (34)
- ☐ Q4 (>79 and ≤85) (40)
- ☐ Q5 (>30 and ≤79) (32)

New Media for Maturation

- ☐ Commercial Kit (5)
- ☐ DMEM (21)
- ☐ F12 (7)
- ☐ RPMI-1640 (30)

hiPSC-CM Maturation Media

- ☐ Commercial Kit (27)
- ☐ Cor.4U Complete (6)
- ☐ DMEM (35)
- ☐ F12 (10)
- ☐ iCell Maintenance (83)
- ☐ RPMI-1640 (153)
- ☐ StemPro-34 (14)

Coating for Replating

- ☐ Fibronectin (32)
- ☐ Gelatin (43)
- ☐ Geltrex (10)
- ☐ Laminin (5)
- ☐ Matrigel (65)
- ☐ Synthemax (3)
- ☐ Vitronectin (3)

Maturation Strategy

- ☐ Cell Alignment (59)
- ☐ ECM (21)

Feature Category: Protocol Variable

Maturation Strategy

- ☐ Elastomeric (33)
- ☐ Electrical (39)
- ☐ Mechanical (36)
- ☐ Metabolic (33)
- ☐ Other Cells (80)
- ☐ Tension (64)

Metabolic Maturation Component

- ☐ Albumax (3)
- ☐ Ascorbic Acid (3)
- ☐ B27 (3)
- ☐ Biotin (3)
- ☐ Creatine (7)
- ☐ Dexamethasone (7)
- ☐ Fatty Acid (13)
- ☐ Galactose (4)
- ☐ IGF-1 (3)
- ☐ Insulin-Transferrin-Selenium (3)
- ☐ KOSR (3)
- ☐ L-carnitine (6)
- ☐ Lactate (4)
- ☐ Nonessential Amino Acids (6)
- ☐ Palmitic Acid (11)
- ☐ T3 (14)
- ☐ Taurine (7)
- ☐ Vitamin B12 (3)

Metabolic Maturation Component Category

- ☐ Amino Acids and Derivatives (9)
- ☐ Fatty Acids and Lipids (21)
- ☐ Hormonal Stimulation (14)
- ☐ Kinase Inhibitors (3)
- ☐ Metabolic Modulation (20)
- ☐ Signaling Pathway Regulators (6)
- ☐ Sugars and Carbohydrates (9)

Feature Category: Protocol Variable

2D Surface

- ☐ Decellularized ECM (3)
- ☐ ECM-coated (115)
- ☐ Electrospun (13)
- ☐ Hydrogel (17)
- ☐ Microelectrode Array (9)
- ☐ Microparticle/fluid (3)
- ☐ Micropatterned (27)
- ☐ Nanotopography (6)

3D Platform

- ☐ 3D printed (9)
- ☐ Collagen (38)
- ☐ Extracellular Scaffold (18)
- ☐ Fibrin (50)
- ☐ Fibronectin (3)
- ☐ Gelatin (6)
- ☐ Matrigel (33)
- ☐ Nanotechnology (3)
- ☐ Polyethylene Glycol (8)
- ☐ Scaffold Free (43)

3D Tissue Media

- ☐ Commercial Kit (21)
- ☐ DMEM (53)
- ☐ Growth Factor (12)
- ☐ High-glucose DMEM (9)
- ☐ iCell Maintenance (12)
- ☐ Iscove (5)
- ☐ MEM- α (60)
- ☐ RPMI-1640 (72)

Feature Category: Analysis Method

Differentiation Purity Assessment

- ☐ Flow Cytometry a-actinin+ (9)
- ☐ Flow Cytometry cTnI+ (3)
- ☐ Flow Cytometry cTnT+ (135)
- ☐ Flow Cytometry SIRPA+ (4)
- ☐ Flow Cytometry VCAM1+ (4)
- ☐ IHC a-actinin (8)
- ☐ IHC cTnT (7)
- ☐ Visual Inspection (6)

Immunofluorescent Imaging

- ☐ Yes (268)

Electron Imaging

- ☐ Scanning (22)
- ☐ Transmission (62)

Sacromere or Cellular Alignment Analysis

- ☐ Yes (72)

Contractile Analysis Method

- ☐ Deflection (39)
- ☐ Force Transducer (27)
- ☐ Motion Tracking (93)
- ☐ Traction Force Microscopy (9)

Calcium Handling Analysis Method

- ☐ Genetic (23)
- ☐ Visual (104)

Electrophysiology Analysis Method

- ☐ Genetic (3)
- ☐ Microelectrode (31)
- ☐ Motion-Contrast Reconstruction (5)
- ☐ Optical Mapping (39)
- ☐ Patch Clamp (59)

Feature Category: Analysis Method

Metabolic Analysis Method

- ☐ Flux Rates (13)
- ☐ Genetic (3)
- ☐ Mitochondrial (4)
- ☐ Seahorse (35)

Fatty Acid Metabolism Assessed

- ☐ Yes (20)

Gene Analysis Method

- ☐ RNA (169)

Feature Category: Cell Profile

Cell Line

- ☐ 201B6 (3)
- ☐ 201B7 (9)
- ☐ 253G1 (10)
- ☐ ATCC (5)
- ☐ BJ1 (7)
- ☐ BJ RiPS (4)
- ☐ C25 (6)
- ☐ Cellapy (4)
- ☐ Cor.4U (16)
- ☐ DF19-9-11T.H (16)
- ☐ Gibco episomal (10)
- ☐ iCell2 (8)
- ☐ iCell (47)
- ☐ IMR90 (19)
- ☐ PGP1 (11)
- ☐ SCVI-273 (8)
- ☐ WTC11 (30)

Number of Cell Lines

- ☐ 1 (225)
- ☐ 2 (50)
- ☐ 3 (29)
- ☐ 4 (11)
- ☐ >5 (9)

Cell Line Sex

- ☐ Both (118)
- ☐ Female (40)
- ☐ Male (64)

Cell Line Ancestry

- ☐ Asian (28)
- ☐ Caucasian (41)

Cell Coculture

- ☐ Cardiomyocyte (157)
- ☐ Endothelial Cell (35)

Feature Category: Cell Profile

Cell Coculture

☐ Stromal Cell (78)

3D CM Ratio (CM-EC-SC) Quantiles

☐ Q1 (>91 and ≤ 100) (74)

☐ Q2 (>75 and ≤ 91) (28)

☐ Q3 (>9 and ≤ 75) (48)

3D EC Ratio (CM-EC-SC) Quantiles

☐ Q1 (>0 and ≤ 91) (31)

☐ Q2 (>0 and ≤ 0) (119)

3D SC Ratio (CM-EC-SC) Quantiles

☐ Q1 (>10 and ≤ 50) (47)

☐ Q2 (>0 and ≤ 10) (29)

☐ Q3 (>0 and ≤ 0) (74)

3D Stromal Cell Source

☐ Cardiac Fibroblast (32)

☐ Dermal Fibroblast (7)

☐ hiPSC-CardiacF (8)

☐ hiPSC-MuralC (3)

☐ hiPSC-SmoothMC (3)

☐ Human Fibroblast (38)

☐ Mesenchymal Stem Cell (12)

☐ Stromal Cell (35)

3D Endothelial Cell Source

☐ Cardiac Microvascular EndothelialC (5)

☐ hiPSC-EndothelialC (16)

☐ Umbilical Vein EndothelialC (10)