Conditional screen-model comparison | O1 | medians of 3 noise draws
Positive values in UNIFORM controls diagnose false physical rejection; not a geometry detection

near clear | seeing

Mixed SKIRT Hours per band	0.1	0.3	0.6	1.0
4	-26.1	-4.3	9.4	11.4
1	-25.9	-5.3	9.6	10.7
0.25	-26.1	-4.9	10.4	1.3

Artificial redshift

near clear | glao

Mixed SKIRT Hours per band	0.1	0.3	0.6	1.0
4	-25.8	-4.9	10.2	13.8
1	-25.4	-4.9	9.5	8.5
0.25	-27.1	-5.4	7.7	-0.3

Artificial redshift

broad | seeing

Mixed SKIRT Hours per band	0.1	0.3	0.6	1.0
4	-22.5	-4.6	6.1	4.6
1	-22.5	-5.4	6.7	4.3
0.25	-22.7	-4.8	5.6	0.4

Artificial redshift

broad | glao

Mixed SKIRT Hours per band	0.1	0.3	0.6	1.0
4	-22.6	-4.8	6.1	3.6
1	-22.5	-4.5	5.6	4.3
0.25	-22.5	-4.5	5.2	0.2

Artificial redshift

near clear | seeing

Uniform-screen control Hours per band	0.1	0.3	0.6	1.0
4	-28.3	-13.5	8.1	29.5
1	-28.7	-13.4	8.2	23.0
0.25	-32.3	-13.8	6.7	8.1

Artificial redshift

near clear | glao

Uniform-screen control Hours per band	0.1	0.3	0.6	1.0
4	-28.2	-13.5	8.0	32.6
1	-28.9	-13.2	7.3	20.2
0.25	-32.9	-13.7	5.7	6.8

Artificial redshift

broad | seeing

Uniform-screen control Hours per band	0.1	0.3	0.6	1.0
4	-33.2	-6.4	-3.0	2.6
1	-33.1	-6.2	-3.1	3.2
0.25	-32.6	-6.3	-1.2	1.6

Artificial redshift

broad | glao

Uniform-screen control Hours per band	0.1	0.3	0.6	1.0
4	-33.2	-6.3	-3.4	0.3
1	-33.1	-6.0	-3.3	0.6
0.25	-33.1	-5.6	-0.9	1.7

Artificial redshift

near clear | seeing

Variable-screen control Hours per band	0.1	0.3	0.6	1.0
4	-29.5	1.2	15.6	15.8
1	-30.5	-0.6	14.4	11.1
0.25	-32.9	1.1	13.8	2.2

Artificial redshift

near clear | glao

Variable-screen control Hours per band	0.1	0.3	0.6	1.0
4	-30.0	1.3	15.5	18.6
1	-30.6	0.8	17.6	15.8
0.25	-33.5	-0.6	14.8	5.3

Artificial redshift

broad | seeing

Variable-screen control Hours per band	0.1	0.3	0.6	1.0
4	-27.8	-5.9	8.8	4.3
1	-28.2	-6.5	9.1	1.6
0.25	-27.7	-4.6	6.9	0.3

Artificial redshift

broad | glao

Variable-screen control Hours per band	0.1	0.3	0.6	1.0
4	-28.4	-6.3	9.5	3.1
1	-28.5	-7.0	9.7	0.7
0.25	-29.1	-5.6	7.1	1.7

Artificial redshift

ln evidence ratio: varying / uniform extra screen
30
20
10
0
−10
−20
−30