

Precipitable-Water Model Analysis Tool: An open source package for estimating precipitable water

Spencer Riley^{*1} and Vicki Kelsey^{†2}

¹ Physics Department, New Mexico Institute of Mining and Technology ² Atmospheric and Environmental Sciences Program, South Dakota School of Mines and Technology

DOI: [DOIunavailable](#)

Software

- [Review](#) ↗
- [Repository](#) ↗
- [Archive](#) ↗

Editor: [Pending Editor](#) ↗

Reviewers:

- [@Pending Reviewers](#)

Submitted: N/A

Published: N/A

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

In this paper we will adapt a common definition of precipitable water vapor (PWV) as defined by (get citation) which states that PWV is the integrated amount of water vapor for a vertical column of air with height from the surface to the top of the atmosphere. The Precipitable-Water Model Analysis Tool (PMAT) is a software suite designed to analyze the relationship between zenith sky temperature and precipitable water vapor and develop correlation profiles for this relationship. The dependence of the zenith sky temperature on PWV has been well documented and defined in both South-Central New Mexico (Kelsey et al., 2021) and Eastern Texas (Mims et al., 2011).

Statement of Need

PMAT has been developed to address the need for an easy-to-use pipeline to generate localized correlation profiles. With a defined relationship between the atmospheric brightness temperature and PWV for a target region, precipitation forecasts can be improved.

Software Architecture and Design

The PMAT suite contains a series of each modules, each handles There are currently four primary modules: Deployment, Preprocessing, and Analysis module. Together the three modules can pre-process data collected in the field and aggregate with selected atmospheric science databases, process the data, conduct primary analysis functions, and then visualize the results (Riley & Kelsey, 2021).

Prerequisites for the full deployment of PMAT are minimal but do exist. There are two major requirements that need to be fulfilled:

- (1) A data file consisting of measurements that include ground and sky temperatures in addition to time and date stamps and the visual condition of the sky (either clear sky or overcast)
- (2) A configuration file that details the sensor information, site IDs that are needed to retrieve the atmospheric data from the NOAA database, and analysis parameters.

Deployment Module

The Deployment module utilizes a docker environment to run the remaining workflow. There are currently two methods to interface with PMAT, the first is through GitHub and the second involves a local installation of Docker. The first of the two deployment methods can

^{*}corresponding author

[†]co-first author

be configured via a template repository¹. The prebuilt repository is equipped with correct directory trees and two empty data files: the raw data file and the configuration file.

Preprocessing Module

The Preprocessing module consists of an algorithm to acquisition and organize data that are required to complete the analysis. This component of the algorithm consists of a Python script and a collection of R functions. that will first read-in the aforementioned data file and then acquisition atmospheric data from the University of Wyoming Upper Air database, which contains the measurements conducted by radiosondes at National Weather Service sites, and the NOAA database. From these sources we collect PWV measurements from the radiosondes and surface relative humidity from NOAA.

Analysis Module

The function of the analysis component of PMAT is to present the relationship between PWV and zenith sky temperature in terms of regression statistics. The PWV and temperature subsets of the data undergo a linearization in the form of the exponential relationship

$$PWV = ae^{bT_b}. \quad (1)$$

With sufficient data, the correlation profile generated by PMAT can approximate the amount of PWV. As apart of this process we have implemented a data partition and mean filter function to both minimize measurement errors and refine the data for the regression model. In addition, to reduce the random bias that is carried with the data partition process we have implemented an iterative process for computing the exponential regression statistics and coefficients. All results are saved to a human-readable file for all steps in this process.

Software Products

The PMAT suite can generate a variety of data products. There are currently five major plot sets:

- time series
- analytics
- instrumentation time series
- charts
- poster style

Also, the program can generate a series of data products including: - clear sky and overcast data files containing the date, temperature, and mean PWV - a machine learning data set containing the date, temperature, mean PWV, and the corresponding data label

Future Developments

As we continue to develop and maintain the PMAT software, we intend to add additional modules and optional analytical functions. One of the major developments is a machine learning module that utilizes TensorFlow's support vector machine framework to classify the dataset into a binary weather condition scheme.

Acknowledgements

¹<https://template.pmat.app>

References

- Kelsey, V., Riley, S., & Minschwaner, K. (2021). Atmospheric precipitable water and its correlation with clear sky infrared temperature observations. *Atmospheric Measurement Techniques Discussions*, 2021, 1–19. <https://doi.org/10.5194/amt-2021-130>
- Mims, F. M., Chambers, L. H., & Brooks, D. R. (2011). Measuring total column water vapor by pointing an infrared thermometer at the sky. *Bams*, 92(10), 1311–1320. <https://doi.org/10.1175/2011bams3215.1>
- Riley, S., & Kelsey, V. (2021). Precipitable-water model analysis tool. In *GitHub repository*. GitHub. <https://github.com/physicsgoddess1972/Precipitable-Water-Model>