AP PRECALCULUS

Unit 1 • Lesson 1.3 practice

Lesson 1.3 • Rates of Change in Linear and Quadratic Functions

4 multiple-choice questions and 1 free-response question

Question 1

Each list gives the outputs of a function at $x = 0, 1, 2, 3$. Which list could come from a linear function?

(A) $3, 5, 9, 15$

(B) $4, 7, 10, 13$

(C) $1, 2, 4, 8$

(D) $2, 3, 5, 8$

Question 2

For a quadratic $f(x) = ax^2 + bx + c$, the second differences of $f(0), f(1), f(2), \ldots$ are all -4. What is a?

(A) -4

(B) 4

(C) -2

(D) 2

Question 3

Let $f(x) = -(x - 2)^2 + 5$. What is the average rate of change of f on $[2, 4]$?

(A) 2

(B) 0

(C) -4

(D) -2

Question 4

At what value of x does the rate of change of $f(x) = 3x^2 - 12x + 1$ change from negative to positive?

(A) $x = 2$

(B) $x = -2$

(C) $x = 4$

(D) $x = 12$

Question 5 (Free response)

x	0	1	2	3	4
y	5	2	1	2	5

(a) Show that a quadratic function models these data exactly.

(b) Write an equation for this quadratic function.

(c) Find the average rates of change on $[0, 1]$, $[1, 2]$ and $[2, 3]$, and explain what they show about the concavity of the graph.