


jobid: 2111948	uid: 96820	nprocs: 1	runtime: 26 seconds
----------------	------------	-----------	---------------------

I/O performance *estimate* (at the POSIX layer): transferred **0.0 MiB** at **10.28 MiB/s**
I/O performance *estimate* (at the STDIO layer): transferred **124.9 MiB** at **1033.22 MiB/s**




Most Common Access Sizes
(POSIX or MPI-IO)

	access size	count
POSIX	92	1
	268	1
	300	1
	569	1

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	5	25MiB	125MiB
read-only files	1	1.3KiB	1.3KiB
write-only files	3	42MiB	125MiB
read/write files	0	0	0
created files	3	42MiB	125MiB




Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MiB)
Independent reads	3.3e-05	0.00126075744628906
Independent writes	0.118891	124.896368980408
Independent metadata	0.002078	N/A
Shared reads	0	0
Shared writes	0	0
Shared metadata	0	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
UNKNOWN	0.00039	0.00000	0.00000	0.00000
/	124.89598	1.00000	0.00126	1.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes