

# Elements: Improving tools based on data-description standards for gigabyte-scale data sets

March 26, 2019

Amy Roberts

*University of Colorado Denver*

## Project Summary

### **Elements: Improving tools based on data-description standards for gigabyte-scale data sets**

**Overview:** The PI proposes to improve a set of data-analysis tools that require a description of the data format - rather than requiring a particular data format - to handle the gigabyte-scale datasets common in nuclear physics. The long-term goal of this work is to increase the accessibility of science analysis for both active researchers and science students.

In pursuit of this goal, this proposal has three objectives: (1) Improve existing software that provides access to data in any user-described format so that it works well with gigabyte-scale datasets. (2) Build community adoption and support of these tools. (3) Increase access to analysis of scientific data sets for undergraduate students, early-career researchers, and scientists who do not have access to dedicated software support. These objectives will be met as follows:

(1) *Improving standards-based analysis software:* Scientists who wish to analyze custom-format data can already do so with existing open-source software, e.g. kaitai-struct. However, this software has poor performance for files larger than a gigabyte, limiting its usefulness to the nuclear physics community. The PI proposes to improve this software to allow responsive analysis of gigabyte-scale datasets in python. This work is feasible thanks to libraries built and maintained by the IRIS-HEP collaboration that provide an intuitive interface to data structures optimized for rapid access to large, event-based data sets.

(2) *Building community:* The PI proposes yearly workshops to bring together developers and scientists for training, user feedback, and development of this software.

(3) *Increasing Access:* To fully participate in nuclear physics research, students must have extensive scientific computing skills. Mentor networks help some students through this maze but are not equally available. The PI requests funding for undergraduate students to develop and test documentation and training materials for the standards-based analysis tools and for fundamental scientific computing concepts.

**Intellectual merit:** This work supports the science effort of the Super Cryogenic Dark Matter Search, an experiment that seeks to better understand the nature of dark matter. This work supports additional high-priority science in the nuclear physics community such as the origin of the elements in the universe, fundamental symmetry testing, and radiation monitoring for national security.

**Broader impacts:** The PI proposes this work because it would be immediately useful to her own work on dark matter and because software that can provide easy access to any user-described data format would meet an urgent need of communities dealing with gigabyte-scale data. The PI requests funds to develop and field-test documentation for this software to maximize its usefulness to the community.

Right now, the necessity for local development of analysis code restricts participation in science analysis. With a small set of well-documented community tools based on data-description standards, along with open-access material introducing the computing concepts required to use those tools, the PI hopes to increase research access to a much wider group of individuals and increase the time expert scientists can spend doing science.

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	The Problem . . . . .	1
1.2	Building a Solution . . . . .	1
1.3	Long-term research goals . . . . .	2
1.4	The Team . . . . .	2
<b>2</b>	<b>Plan of Work</b>	<b>2</b>
2.1	Into (1.5 pages) . . . . .	2
<b>3</b>	<b>Schedule</b>	<b>3</b>
<b>4</b>	<b>Management</b>	<b>3</b>
4.1	Facilities Management . . . . .	4
4.1.1	NEXUS . . . . .	4
4.1.2	CUTE . . . . .	4
4.1.3	SNOLAB . . . . .	4
<b>5</b>	<b>Broader Impacts</b>	<b>5</b>
<b>6</b>	<b>Results from Prior NSF Support</b>	<b>6</b>
6.0.1	Intellectual merit . . . . .	7
6.0.2	Accomplishments . . . . .	7
6.0.3	Broader impacts . . . . .	7
	<b>References</b>	<b>1</b>

# 1 Introduction

## 1.1 The Problem

The PI proposes improvement and community building for a common set of tools to make it easier for scientists to access their data.

In nuclear physics, in neuroscience, in remote sensing applications, custom data formats are commonplace both for existing and newly-recording datasets. This fractures the software ecosystem. Even though the nuclear physics community performs largely similar analyses on largely similar datasets, groups typically develop their software locally. Poor documentation of these isolated code bases can have real, negative impact on science progress.

**S has a data set that would be valuable to include in an analysis** that combines different types of carbon scattering data. Because the data was taken with a polarized beam, it would provide a valuable constraint to her global fit. But she can't include it because the only code that can read the data won't compile on her machine. She's not familiar enough with Fortran to fix it and the original author died a few years ago. She can write a paper without the data, but the science is much less interesting.

**P would like to add an additional detector to his setup** – this would allow him to set a stronger limit on a reaction rate that effects how stars create heavy elements. A colleague offered to lend him a digitizer to instrument his extra detector, but the data acquisition code he has is for CAEN instruments and the loaner digitizer is from XIA. After burning a weekend trying and failing to adapt his code to handle the XIA data, he decides to try the experiment without the extra detector. It won't be as useful without angular information but it might give a reasonable constraint on the integrated cross section.

**All Q wants to do is look at the data from a detector used to search for dark matter.** He knows where the files are, but when he tried to open it in Word it looked like a bunch of garbage symbols. Three frustrating days later, he now knows the data is “binary” and he's downloaded “source code” that should allow him to look at the data. When none of the commands in the readme file seem to work, he asks his professor for help, who tells him to talk to the postdoc, who apparently doesn't respond to emails. It takes almost an entire summer, but Q does eventually figure out how to compile the code, run the code, and look at a single event trace.

## 1.2 Building a Solution

One way to solve this problem is to define a standard way to describe a data format. This allows development of tools that provide access to that data based on its description. Scientists can then keep their custom-format data and by providing a description of that data gain access to analysis tools that are supported by a broader community. The work I propose here works towards this solution in two ways:

The long-term goal of this work is to build and create community buy-in for a set of tools for the nuclear physics community to access binary data. The intent is to address one piece of a common software need in the community that is repeatedly solved in isolation and that costs the entire community unnecessary time and limits access to data and science. In pursuit of this goal, this proposal has four objectives: (1) Define a data-description language that allows scientists to describe any binary data format. (2) Improve existing software that automatically builds a convenient data-

access library for any user-described data so that it works well with gigabyte-scale datasets. (3) Build community and support adoption of these community tools. (4) Increase access to analysis of original scientific data sets for undergraduate students, graduate students and postdocs, early career researchers, and scientists whose labs do not have access to dedicated software support. These objectives will be met as follows:

(1) *Defining a data-description standard:* The PI will use two already-existing standards that both have broad user support, DFDL and Kaitai-Struct. Kaitai-Struct will be used and where necessary further defined as the software created around this standard is better-suited to the needs of data analysis.

(2) *Improving standards-based analysis software:* Scientists who wish to generate a convenient library that allows them to read custom-format data can already do so using the existing Kaitai software. However, this software has poor performance in python for files larger than a gigabyte and this significantly limits the usefulness of this software to the nuclear physics community, particularly as data acquisition systems move to storing digitized pulses rather than pre-processed data. The PI proposes to create another Kaitai target that allows scientists to auto-generate a library that targets the awkward-array interface built and maintained by the IRIS-HEP collaboration. This data structure is designed to give rapid data-analysis access to the high energy physics community and is routinely tested on data sets that exceed several hundred gigabytes.

(3) *Building community:* The PI proposes to hold yearly workshops to bring together developers and scientists for training, user feedback, and software development. In addition, the PI has requested funds for graduate and undergraduate stipends and travel awards to foster community participation.

(4) *Increasing Access:* Many students who have the interest and ability to participate in science analysis are blocked by a lack of training in scientific computing. The often-complex scientific computing ecosystem is poorly represented in most physics curriculum and even computer science courses do not usually prepare students for the variety of systems they need to navigate to do typical data analysis. The PI requests funding for undergraduate students to develop and test documentation and training materials for fundamental scientific computing concepts and skills in addition to testing the documentation for the standards-based analysis tools.

### 1.3 Long-term research goals

### 1.4 The Team


**This paragraph needs to be added after we do decide on the sections** This project description is organized as follows. Sections ??–?? summarize the science and hardware of the SuperCDMS SNOLAB experiment. Section ?? describes the underground facilities to be used in the pre-operations portion of this proposal. Section ?? describes the plan of work of this effort, and Section 3 describes the schedule. Section 4 gives an overview of the management for this proposed grant, and Section 5 describes the broader impacts of the work. Finally, Section 6 summarizes the results from previous support.

## 2 Plan of Work

### 2.1 Into (1.5 pages)

### 3 Schedule

Figure 1 gives a broad view of the activities of the SuperCDMS collaboration centered on the SuperCDMS SNOLAB experiment, including the DOE/NSF G2 Project, the pre-operations and commissioning period covered by this proposal, the actual operation of SuperCDMS SNOLAB (also detailed in the Experimental Operations Plan), and the R&D program that will naturally lead to upgrades for SuperCDMS SNOLAB that allow it to probe the low-mass dark matter region down to the neutrino floor.



**Figure 1:** Schedule for the SuperCDMS SNOLAB Experiment.

#### Year 1: 7/2018–6/2019

During the first year the focus will be on calibration of the small HV test detectors from Stanford University with the Northwestern ADR at TUNL. These detectors will then be taken to NEXUS, to perform cross-calibration measurements in preparation for the large detector calibrations. The first pre-production detectors arrive at CUTE in January 2018, and the performance and background measurement campaign begins soon after.

#### Year 2: 7/2019–6/2020

The second year is dominated by runs of pre-production detectors at NEXUS for calibration and at CUTE for performance testing and background measurements. The first production SuperCDMS SNOLAB HV tower arrives at CUTE in 12/2018, with testing commencing in 1/2019. Performance and run optimization of all six detectors of the HV tower will continue until 6/2020.

#### Year 3: 7/2020–6/2021

There is no activity planned for NEXUS on this grant in the third year. At CUTE, the SuperCDMS SNOLAB HV tower science run will be taking data until 11/2019, when the tower will be taken out of CUTE to prepare it for installation in the SuperCDMS SNOLAB experiment. Commissioning activities for SuperCDMS SNOLAB will be the main focus of this grant in the last six months of the award, along with the collaboration-wide effort in analysis and publication of all the data products from this work.

### 4 Management

The management team of this NSF collaborative proposal will be chaired by the Northwestern PI and consist of all the PI's and Co-PI's of the proposal. They will interact with the NEXUS, CUTE, and SNOLAB facility managers to coordinate all the activities delineated in this proposal, as well as with the SuperCDMS Collaboration for science analyses and training of students and postdocs.

The work funded by this proposal is part of the full set of SuperCDMS SNOLAB operations and commissioning activities, some of which are outside the scope of this proposal and are funded by DOE or Canadian funds. The management team for this proposal will be in close coordination

with all parties involved in the SuperCDMS SNOLAB Project and Operations, as well as R&D, and other SuperCDMS Collaboration activities. These multi-agency collaboration-wide activities will be coordinated by a team consisting of the SuperCDMS SNOLAB Project and Operations Managers, the SuperCDMS Spokesperson, and the NSF Operations PI. This team will meet regularly to coordinate activities.

The early operations phase of the SuperCDMS SNOLAB experiment covered by this proposal is when it is both necessary and appropriate to ramp up the operations management and support functions for SuperCDMS SNOLAB, which should all be in place for the commissioning phase of the experiment in order to ensure a smooth transition to the operations phase as quickly as possible.

The detailed planning for commissioning of SuperCDMS SNOLAB will be led by a scientist identified to be the SuperCDMS SNOLAB Commissioner, with this role naturally evolving into that of a Run Coordinator during the operations phase. Details of the operations phase functions and management (which are outside the scope and period of performance of this project) are given in the SuperCDMS SNOLAB Experimental Operations Plan.

#### **4.1 Facilities Management**

Since much of the work in this proposal occurs in dedicated underground facilities, we outline here the management of these facilities and their relationship to this grant's management.

##### **4.1.1 NEXUS**

The NEXUS facility will receive primary management oversight from the Northwestern PI. In addition, SuperCDMS collaborators at Fermilab will provide support to interface with Fermilab as needed. A fraction of an FTE will be provided by this grant for an operations manager, to oversee the activities delineated in this proposal.

##### **4.1.2 CUTE**

The CUTE facility will receive primary management oversight from our collaborators at Queen's University. This grant's management team will coordinate with Queen's to oversee the CUTE activities delineated in this proposal.

##### **4.1.3 SNOLAB**

As mentioned above, the commissioning of SuperCDMS SNOLAB is an activity coordinated at the collaboration level. The PI of this grant will be part of the Operations Management team and will work closely with the SuperCDMS SNOLAB Operations Manager to coordinate and integrate the NSF-sponsored commissioning work with the overall multi-agency commissioning effort. SNOLAB conducts a Gateway review process for projects which includes pre-operations activities, operation of the experiment, and decommissioning. For Gateway 1 and 2, the Project Director is the primary contact for review of the design and fabrication of the SuperCDMS SNOLAB experiment. For Gateway 3 and 4, the Operations Manager is the primary contact for review of the experiment pre-operations and operations. The Collaboration Canadian PI is involved in all interfaces between SuperCDMS SNOLAB project and operations and SNOLAB management. This grant's PI will be in close coordination with the Project Director, the Operations Manager and the Canadian PI to oversee the commissioning activities supported by this proposal.

## 5 Broader Impacts

The fundamental goal of the proposed work is to make data easily accessible to individuals who want to answer science questions.

This work is immediately useful to the PI's own collaboration and - if the work is successful - useful to practicing scientists who can more-easily extract information from their datasets.

But this work extends beyond the community of active scientists to scientific learners.

**Technical Development** CDMS and SuperCDMS have developed, and continue to advance detector technologies that have significant impact both inside and outside of the dark matter community. These technologies include electrothermal feedback, transition-edge sensors (TESs); detection and utilization of athermal phonons; large, kilogram-scale phonon-mediated germanium and silicon-based detectors; arrays of large-scale, low-noise SQUIDs; and usage of LPN HEMPTs for ionization readout.

The field of direct detection of dark matter has benefited from these advances. The EDELWEISS and CRESST collaborations have both implemented some of these concepts. In addition, SuperCDMS pioneering of very-low-mass WIMP detection has had a strong impact on the field. There are now many R&D efforts focused on very-low-mass WIMP detection. Multiple of these programs are run by PIs who were primarily engaged in liquid noble direct detection. The concepts developed by SuperCDMS have had far reaching impacts benefiting even direct detection experiments using the liquid nobles.

The broader, basic-science community has benefited from SuperCDMS technology advances. The TES technology is now a core technology for multiple cosmic microwave background experiments including APEX, South Pole Telescope, and PolarBear. It is being rapidly adapted for far-infrared instruments including Super-SCUBA, single-photon spectroscopy, and large X-ray calorimetry experiments at NIST and NASA GSFC including the forthcoming Micro-X, which will launch the first TES into space. In addition, the TES technology is beginning to impact industry as TESs are being adapted for use in electron microscope sensitive surface element analysis and are being investigated for use in quantum coherence and computing.

The direct impact of SuperCDMS research is underscored by the number of graduate students impacted and the number and quality of the SuperCDMS publications. In the past three years, SuperCDMS has produced 12 Ph.D. theses and 11 science publications not including conference proceedings. The impact of these publications is underscored by their many citations (over 3,000 since 2011).

**Undergraduate, Graduate, and Postgraduate Education** Direct detection of dark matter is multidisciplinary and therefore creates a broad spectrum of opportunities for students to explore and advance in many fields. From year to year, numerous undergraduates, graduate students and postdoctoral researchers from the SuperCDMS NSF-funded institutions have benefited from these collaborative opportunities and have been guided to develop precise simulations of semiconductor-based detectors, sensitive analysis techniques, statistical applications, and application of advanced software techniques. These opportunities combined with regular mentoring have afforded many high-visibility talks for students and postdocs.

Sadoulet is the director of Berkeley Connect in Physics, a mentoring program within the physics department that accepts undergraduate students at all levels. The course is a small seminar class



led by a physics graduate student, under the guidance of the director. The goals of the program are to help students develop understanding, community, and career preparedness that go beyond what traditional courses provide. Interactions with graduate students and faculty play a large role throughout the semester. Under Sadoulets leadership, this course has significantly gained in enrollment with every succeeding semester since its launch in Spring 2014.

The Physics Department at CU Denver maintains an undergraduate-only program committed to providing students with hands-on research experience at this urban campus. The Department operates in close collaboration with the Physics Department at Metropolitan State University of Denver, and students from both institutions participate in the CU Denver groups activities, broadening the reach of the research program beyond a single institution. Underrepresented groups and first-generation college students are well represented in the PIs group, and many of his mentees have proceeded to graduate school in physics and other disciplines, or embarked on careers in industry at companies such as Northrop Grumman. Currently, there are eight undergraduates in the CU Denver group majoring in Physics, Electrical Engineering, and Mechanical Engineering.

Southern Methodist U. typically funds one to three undergraduate students to work with the Cooley group each year. In the past five years, the eight undergraduates who have participated in the groups research have either entered graduate programs in physics or engineering or embarked on careers in industry at companies such as Texas Instruments and AT&T.

**K-12 Education** SuperCDMS institutions provide strong support for K-12 education through programs for both teachers and students. Too numerous to describe in detail in this proposal, these programs take place in local schools, on campus and directly in the lab. At the core of many of the programs is engagement of students from disadvantaged backgrounds and underrepresented groups, including women.

CU Denver, U. Florida, SMU, and USD engage middle school students in physics learning through lab tours, classroom visits and science camp. Northwestern U., UC Berkeley, U. Florida, TAMU, SMU, and SD School of Mines and Technology support a range of high school programs, including summer research internships for students and teachers, hands-on research projects for underserved high school students of color, mini-courses to prepare Native American students for postsecondary education in science and engineering, interviews with physicists conducted by high school students, and structured physics courses for high school teachers.

## 6 Results from Prior NSF Support

In this section we describe the results from prior NSF support.

### **PHY-1809769**

*Collaborative Research: The SuperCDMS SNOLAB Experiment*

Period of Support: 8/2018–7/2021

Amount of Support: \$340,000

Publications: [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]

Data products from this work are available at the SuperCDMS collaboration’s publications website [12].

### 6.0.1 Intellectual merit

This grant supports students and scientists working on an experiment that addresses one of the most fundamental problems of modern science, the nature of dark matter. The SuperCDMS SNOLAB experiment will achieve world-leading sensitivity for dark matter searches in the 1–10 GeV/c<sup>2</sup> mass range.

Analyses of CDMS II data demonstrated the power of improved analysis techniques [7, 4], and provided limits for alternate dark matter models [8]. It also revealed a possible signal on Si [13], the analysis and publication of which was lead by the Figueroa Group, then at MIT. Operation of 15 SuperCDMS “iZIP” detectors at Soudan since 2012 demonstrated the detectors’ rejection capabilities [14] and yielded world-leading sensitivity to low-mass DM [15, 11, 2].

The first operation of a single (“CDMSlite”) detector with a high voltage bias provided the world’s most constraining limits for DM masses below 6 GeV/c<sup>2</sup> by achieving an extremely low energy threshold of 170 eV electron-recoil energy [15]. A second run of the detector reached an energy threshold for electron recoils as low as 56 eV and demonstrated the power of a fiducialization cut [2]. The Figueroa Group developed key data quality cuts for the first two CDMSlite run analyses, and is currently involved in the analysis of the third run.

### 6.0.2 Accomplishments

The Roberts group is funded primarily for contributions to the data acquisition and data quality systems.

A critical need facing the collaboration as we move to larger data sets is transitioning our analysis platform to computing clusters where we can submit jobs to batch queues. This requires a re-working of existing analysis software, which is primarily MatLab-based and cannot be run at SLAC.

The group began testing and documenting the installation requirements of prototype python software and has since developed the first isolated build environment, allowing reliable installation of the analysis tools across platforms.

Josh Elsarboukh has worked closely with SLAC computing division to successfully deploy this analysis environment via a web interface. This work represents an unprecedented ease of access within the collaboration and has made it possible for test facilities working on crucial R&D and calibration efforts to efficiently analyze their data.

### 6.0.3 Broader impacts

The SuperCDMS experimental and R&D efforts advance phonon-mediated detectors and new active veto concepts, which have already found many applications in cosmology, astronomy and industry.

This grant strongly contributes to the training of undergraduate researchers. The CU Denver Physics Department maintains an undergraduate-only program committed to providing students with hands-on research experience at this urban campus. Electrical Engineering and Mechanical Engineering students have also participated in internships in the CU Denver lab. Minorities and first-generation college students have been well represented in these internships.

## References

- [1] R. Agnese, A. J. Anderson, T. Aramaki, I. Arnquist, W. Baker, D. Barker, R. Basu Thakur, D. A. Bauer, A. Borgland, M. A. Bowles, P. L. Brink, R. Bunker, B. Cabrera, D. O. Caldwell, R. Calkins, C. Cartaro, D. G. Cerdeño, H. Chagani, Y. Chen, J. Cooley, B. Cornell, P. Cushman, M. Daal, P. C. F. Di Stefano, T. Doughty, L. Esteban, S. Fallows, E. Figueroa-Feliciano, M. Fritts, G. Gerbier, M. Ghaith, G. L. Godfrey, S. R. Golwala, J. Hall, H. R. Harris, T. Hofer, D. Holmgren, Z. Hong, E. Hoppe, L. Hsu, M. E. Huber, V. Iyer, D. Jardin, A. Jastram, M. H. Kelsey, A. Kennedy, A. Kubik, N. A. Kurinsky, A. Leder, B. Loer, E. Lopez Asamar, P. Lukens, R. Mahapatra, V. Mandic, N. Mast, N. Mirabolfathi, R. A. Moffatt, J. D. Morales Mendoza, J. L. Orrell, S. M. Oser, K. Page, W. A. Page, R. Partridge, M. Pepin, A. Phipps, S. Poudel, M. Pyle, H. Qiu, W. Rau, P. Redl, A. Reisetter, A. Roberts, A. E. Robinson, H. E. Rogers, T. Saab, B. Sadoulet, J. Sander, K. Schneck, R. W. Schnee, B. Serfass, D. Speller, M. Stein, J. Street, H. A. Tanaka, D. Toback, R. Underwood, A. N. Villano, B. von Krosigk, B. Welliver, J. S. Wilson, D. H. Wright, S. Yellin, J. J. Yen, B. A. Young, X. Zhang, and X. Zhao. Projected Sensitivity of the SuperCDMS SNOLAB experiment. *arXiv:1610.00006 [physics.ins-det]*, September 2016.
- [2] SuperCDMS Collaboration, R. Agnese, A. J. Anderson, T. Aramaki, M. Asai, W. Baker, D. Balakishiyeva, D. Barker, R. Basu Thakur, D. A. Bauer, J. Billard, A. Borgland, M. A. Bowles, P. L. Brink, R. Bunker, B. Cabrera, D. O. Caldwell, R. Calkins, D. G. Cerdano, H. Chagani, Y. Chen, J. Cooley, B. Cornell, P. Cushman, M. Daal, P. C. F. Di Stefano, T. Doughty, L. Esteban, S. Fallows, E. Figueroa-Feliciano, M. Ghaith, G. L. Godfrey, S. R. Golwala, J. Hall, H. R. Harris, T. Hofer, D. Holmgren, L. Hsu, M. E. Huber, D. Jardin, A. Jastram, O. Kamaev, B. Kara, M. H. Kelsey, A. Kennedy, A. Leder, B. Loer, E. Lopez Asamar, P. Lukens, R. Mahapatra, V. Mandic, N. Mast, N. Mirabolfathi, R. A. Moffatt, J. D. Morales Mendoza, S. M. Oser, K. Page, W. A. Page, R. Partridge, M. Pepin, A. Phipps, K. Prasad, M. Pyle, H. Qiu, W. Rau, P. Redl, A. Reisetter, Y. Ricci, A. Roberts, H. E. Rogers, T. Saab, B. Sadoulet, J. Sander, K. Schneck, R. W. Schnee, S. Scorza, B. Serfass, B. Shank, D. Speller, D. Toback, R. Underwood, S. Upadhyayula, A. N. Villano, B. Welliver, J. S. Wilson, D. H. Wright, S. Yellin, J. J. Yen, B. A. Young, and J. Zhang. New Results from the Search for Low-Mass Weakly Interacting Massive Particles with the CDMS Low Ionization Threshold Experiment. *Phys. Rev. Lett.*, 116(7):071301, 2016.
- [3] Ciaran A. J. O’Hare, Anne M. Green, Julien Billard, Enectali Figueroa-Feliciano, and Louis E. Strigari. Readout strategies for directional dark matter detection beyond the neutrino background. *Phys. Rev.*, D92(6):063518, 2015.
- [4] R. Agnese, A. J. Anderson, M. Asai, D. Balakishiyeva, D. Barker, R. Basu Thakur, D. A. Bauer, J. Billard, A. Borgland, M. A. Bowles, D. Brandt, P. L. Brink, R. Bunker, B. Cabrera, D. O. Caldwell, R. Calkins, D. G. Cerdeño, H. Chagani, Y. Chen, J. Cooley, B. Cornell, C. H. Crewdson, P. Cushman, M. Daal, P. C. F. Di Stefano, T. Doughty, L. Esteban, S. Fallows, E. Figueroa-Feliciano, G. L. Godfrey, S. R. Golwala, J. Hall, H. R. Harris, S. A. Hertel, T. Hofer, D. Holmgren, L. Hsu, M. E. Huber, D. Jardin, A. Jastram, O. Kamaev, B. Kara, M. H. Kelsey, A. Kennedy, M. Kiveni, K. Koch, A. Leder, B. Loer, E. Lopez Asamar, P. Lukens, R. Mahapatra, V. Mandic, K. A. McCarthy, N. Mirabolfathi, R. A. Moffatt, S. M. Oser, K. Page, W. A. Page, R. Partridge, M. Pepin, A. Phipps, K. Prasad, M. Pyle, H. Qiu, W. Rau, P. Redl, A. Reisetter, Y. Ricci, H. E. Rogers, T. Saab, B. Sadoulet, J. Sander, K. Schneck, R. W. Schnee, S. Scorza, B. Serfass, B. Shank, D. Speller, D. Toback, S. Upadhyayula, A. N.

- Villano, B. Welliver, J. S. Wilson, D. H. Wright, X. Yang, S. Yellin, J. J. Yen, B. A. Young, J. Zhang, and SuperCDMS Collaboration. Improved WIMP-search reach of the CDMS II germanium data. *Physical Review D*, 92(7):072003, October 2015.
- [5] K. Schneck, B. Cabrera, D. G. Cerdeno, V. Mandic, H. E. Rogers, R. Agnese, A. J. Anderson, M. Asai, D. Balakishiyeva, D. Barker, R. Basu Thakur, D. A. Bauer, J. Billard, A. Borgland, D. Brandt, P. L. Brink, R. Bunker, D. O. Caldwell, R. Calkins, H. Chagani, Y. Chen, J. Cooley, B. Cornell, C. H. Crewdson, P. Cushman, M. Daal, P. C. F. Di Stefano, T. Doughty, L. Esteban, S. Fallows, E. Figueroa-Feliciano, G. L. Godfrey, S. R. Golwala, J. Hall, H. R. Harris, T. Hofer, D. Holmgren, L. Hsu, M. E. Huber, D. M. Jardin, A. Jastram, O. Kamaev, B. Kara, M. H. Kelsey, A. Kennedy, A. Leder, B. Loer, E. Lopez Asamar, P. Lukens, R. Mahapatra, K. A. McCarthy, N. Mirabolfathi, R. A. Moffatt, J. D. Morales Mendoza, S. M. Oser, K. Page, W. A. Page, R. Partridge, M. Pepin, A. Phipps, K. Prasad, M. Pyle, H. Qiu, W. Rau, P. Redl, A. Reisetter, Y. Ricci, A. Roberts, T. Saab, B. Sadoulet, J. Sander, R. W. Schnee, S. Scorza, B. Serfass, B. Shank, D. Speller, D. Toback, S. Upadhyayula, A. N. Villano, B. Welliver, J. S. Wilson, D. H. Wright, X. Yang, S. Yellin, J. J. Yen, B. A. Young, J. Zhang, and SuperCDMS Collaboration. Dark matter effective field theory scattering in direct detection experiments. *Physical Review D*, 91(9):092004, May 2015.
- [6] M. Pyle, E. Figueroa-Feliciano, and B. Sadoulet. Optimized Designs for Very Low Temperature Massive Calorimeters. *ArXiv e-prints*, March 2015.
- [7] R. Agnese, A. J. Anderson, D. Balakishiyeva, R. Basu Thakur, D. A. Bauer, J. Billard, A. Borgland, M. A. Bowles, D. Brandt, P. L. Brink, R. Bunker, B. Cabrera, D. O. Caldwell, D. G. Cerdeno, H. Chagani, Y. Chen, J. Cooley, B. Cornell, C. H. Crewdson, P. Cushman, M. Daal, P. C. F. Di Stefano, T. Doughty, L. Esteban, S. Fallows, E. Figueroa-Feliciano, M. Fritts, G. L. Godfrey, S. R. Golwala, M. Graham, J. Hall, H. R. Harris, S. A. Hertel, T. Hofer, D. Holmgren, L. Hsu, M. E. Huber, A. Jastram, O. Kamaev, B. Kara, M. H. Kelsey, A. Kennedy, M. Kiveni, K. Koch, A. Leder, B. Loer, E. Lopez Asamar, R. Mahapatra, V. Mandic, C. Martinez, K. A. McCarthy, N. Mirabolfathi, R. A. Moffatt, D. C. Moore, R. H. Nelson, S. M. Oser, K. Page, W. A. Page, R. Partridge, M. Pepin, A. Phipps, K. Prasad, M. Pyle, H. Qiu, W. Rau, P. Redl, A. Reisetter, Y. Ricci, H. E. Rogers, T. Saab, B. Sadoulet, J. Sander, K. Schneck, R. W. Schnee, S. Scorza, B. Serfass, B. Shank, D. Speller, S. Upadhyayula, A. N. Villano, B. Welliver, D. H. Wright, S. Yellin, J. J. Yen, B. A. Young, and J. Zhang. Maximum likelihood analysis of low energy cdms ii germanium data. *Phys. Rev. D*, 91:052021, Mar 2015.
- [8] R. Agnese, A. J. Anderson, D. Balakishiyeva, R. Basu Thakur, D. A. Bauer, J. Billard, A. Borgland, M. A. Bowles, D. Brandt, P. L. Brink, R. Bunker, B. Cabrera, D. O. Caldwell, D. G. Cerdeno, H. Chagani, Y. Chen, J. Cooley, B. Cornell, C. H. Crewdson, P. Cushman, M. Daal, P. C. F. Di Stefano, T. Doughty, L. Esteban, S. Fallows, E. Figueroa-Feliciano, G. L. Godfrey, S. R. Golwala, J. Hall, H. R. Harris, S. A. Hertel, T. Hofer, D. Holmgren, L. Hsu, M. E. Huber, A. Jastram, O. Kamaev, B. Kara, M. H. Kelsey, A. Kennedy, M. Kiveni, K. Koch, A. Leder, B. Loer, E. Lopez Asamar, R. Mahapatra, V. Mandic, C. Martinez, K. A. McCarthy, N. Mirabolfathi, R. A. Moffatt, D. C. Moore, H. Nelson, R. H. Nelson, R. W. Ogburn, K. Page, W. A. Page, R. Partridge, M. Pepin, A. Phipps, K. Prasad, M. Pyle, H. Qiu, W. Rau, P. Redl, A. Reisetter, Y. Ricci, H. E. Rogers, T. Saab, B. Sadoulet, J. Sander, K. Schneck, R. W. Schnee, S. Scorza, B. Serfass, B. Shank, D. Speller, S. Upadhyayula, A. N. Villano, B. Welliver, D. H. Wright, S. Yellin, J. J. Yen, B. A. Young, J. Zhang, and CDMS Collabora-

- tion. First direct limits on Lightly Ionizing Particles with electric charge less than  $e/6$ . *Phys. Rev. Lett.*, 114(11):111302, 2015.
- [9] J. Billard, L. E. Strigari, and E. Figueroa-Feliciano. Solar neutrino physics with low-threshold dark matter detectors. *Phys. Rev.*, D91(9):095023, May 2015.
  - [10] F. Ruppin, J. Billard, E. Figueroa-Feliciano, and L. Strigari. Complementarity of dark matter detectors in light of the neutrino background. *Phys. Rev.*, D90(8):083510, 2014.
  - [11] R. Agnese, A. J. Anderson, M. Asai, D. Balakishiyeva, R. Basu Thakur, D. A. Bauer, J. Beaty, J. Billard, A. Borgland, M. A. Bowles, D. Brandt, P. L. Brink, R. Bunker, B. Cabrera, D. O. Caldwell, D. G. Cerdeno, H. Chagani, Y. Chen, M. Cherry, J. Cooley, B. Cornell, C. H. Crewdson, P. Cushman, M. Daal, D. DeVaney, P. C. F. Di Stefano, E. Do Couto E Silva, T. Doughty, L. Esteban, S. Fallows, E. Figueroa-Feliciano, G. L. Godfrey, S. R. Golwala, J. Hall, S. Hansen, H. R. Harris, S. A. Hertel, B. A. Hines, T. Hofer, D. Holmgren, L. Hsu, M. E. Huber, A. Jastram, O. Kamaev, B. Kara, M. H. Kelsey, S. Kenany, A. Kennedy, M. Kiveni, K. Koch, A. Leder, B. Loer, E. Lopez Asamar, R. Mahapatra, V. Mandic, C. Martinez, K. A. McCarthy, N. Mirabolfathi, R. A. Moffatt, R. H. Nelson, L. Novak, K. Page, R. Partridge, M. Pepin, A. Phipps, M. Platt, K. Prasad, M. Pyle, H. Qiu, W. Rau, P. Redl, A. Reisetter, R. W. Resch, Y. Ricci, M. Ruschman, T. Saab, B. Sadoulet, J. Sander, R. L. Schmitt, K. Schneck, R. W. Schnee, S. Scorza, D. N. Seitz, B. Serfass, B. Shank, D. Speller, A. Tomada, S. Upadhyayula, A. N. Villano, B. Welliver, D. H. Wright, S. Yellin, J. J. Yen, B. A. Young, and J. Zhang. Search for low-mass weakly interacting massive particles with supercdms. *Phys. Rev. Lett.*, 112:241302, Jun 2014.
  - [12] Cdms publications: <http://cdms.berkeley.edu/publications.html>.
  - [13] R Agnese, Z Ahmed, A J Anderson, S Arrenberg, D Balakishiyeva, R Basu Thakur, D A Bauer, J Billard, A Borgland, D Brandt, P L Brink, T Bruch, R Bunker, B Cabrera, D O Caldwell, D G Cerdeno, H Chagani, J Cooley, B Cornell, C H Crewdson, P Cushman, M Daal, F Dejongh, E do Couto e Silva, T Doughty, L Esteban, S Fallows, E Figueroa-Feliciano, J Filippini, J Fox, M Fritts, G L Godfrey, S R Golwala, J Hall, R H Harris, S A Hertel, T Hofer, D Holmgren, L Hsu, M E Huber, A Jastram, O Kamaev, B Kara, M H Kelsey, A Kennedy, P Kim, M Kiveni, K Koch, M Kos, S W Leman, B Loer, E Lopez Asamar, R Mahapatra, V Mandic, C Martinez, K A McCarthy, N Mirabolfathi, R A Moffatt, D C Moore, P Nadeau, R H Nelson, K Page, R Partridge, M Pepin, A Phipps, K Prasad, M Pyle, H Qiu, W Rau, P Redl, A Reisetter, Y Ricci, T Saab, B Sadoulet, J Sander, K Schneck, R W Schnee, S Scorza, B Serfass, B Shank, D Speller, K M Sundqvist, A N Villano, B Welliver, D H Wright, S Yellin, J J Yen, J Yoo, B A Young, and J Zhang. Silicon Detector Dark Matter Results from the Final Exposure of CDMS II. *Physical Review Letters*, 111(2):251301, December 2013.
  - [14] R Agnese, A J Anderson, D Balakishiyeva, R Basu Thakur, D A Bauer, A Borgland, D Brandt, P L Brink, R Bunker, B Cabrera, D O Caldwell, D G Cerdeno, H Chagani, M Cherry, J Cooley, B Cornell, C H Crewdson, P Cushman, M Daal, P C F Di Stefano, E do Couto e Silva, T Doughty, L Esteban, S Fallows, E Figueroa-Feliciano, J Fox, M Fritts, G L Godfrey, S R Golwala, J Hall, H R Harris, J Hasi, S A Hertel, B A Hines, T Hofer, D Holmgren, L Hsu, M E Huber, A Jastram, O Kamaev, B Kara, M H Kelsey, S A Kenany, A Kennedy, C J Kenney, M Kiveni, K Koch, B Loer, E Lopez Asamar, R Mahapatra, V Mandic, C Martinez, K A McCarthy, N Mirabolfathi, R A Moffatt, D C Moore, P Nadeau, R H Nelson, L Novak, K Page, R Partridge, M Pepin, A Phipps, K Prasad, M Pyle, H Qiu, R Radpour, W Rau, P Redl,

- A Reisetter, R W Resch, Y Ricci, T Saab, B Sadoulet, J Sander, R Schmitt, K Schneck, R W Schnee, S Scorza, D Seitz, B Serfass, B Shank, D Speller, A Tomada, A N Villano, B Welliver, D H Wright, S Yellin, J J Yen, B A Young, J Zhang, and The SuperCDMS Collaboration. Demonstration of surface electron rejection with interleaved germanium detectors for dark matter searches. *Appl. Phys. Lett.*, 103(16):164105, 2013.
- [15] R Agnese, A J Anderson, M Asai, D Balakishiyeva, R Basu Thakur, D A Bauer, J Billard, A Borgland, M A Bowles, D Brandt, P L Brink, R Bunker, B Cabrera, D O Caldwell, D G Cerdeno, H Chagani, J Cooley, B Cornell, C H Crewdson, P Cushman, M Daal, P C F Di Stefano, T Doughty, L Esteban, S Fallows, E Figueroa-Feliciano, G L Godfrey, S R Golwala, J Hall, H R Harris, S A Hertel, T Hofer, D Holmgren, L Hsu, M E Huber, A Jastram, O Kamaev, B Kara, M H Kelsey, A Kennedy, M Kiveni, K Koch, B Loer, E Lopez Asamar, R Mahapatra, V Mandic, C Martinez, K A McCarthy, N Mirabolfathi, R A Moffatt, D C Moore, P Nadeau, R H Nelson, K Page, R Partridge, M Pepin, A Phipps, K Prasad, M Pyle, H Qiu, W Rau, P Redl, A Reisetter, Y Ricci, T Saab, B Sadoulet, J Sander, K Schneck, R W Schnee, S Scorza, B Serfass, B Shank, D Speller, A N Villano, B Welliver, D H Wright, S Yellin, J J Yen, B A Young, and J Zhang. CDMSlite: A Search for Low-Mass WIMPs using Voltage-Assisted Calorimetric Ionization Detection in the SuperCDMS Experiment. *Physical Review Letters*, 112(4):041302, September 2013.