GENERATORS			CONTROL COMPONENTS			ELECTRONIC COMPONENTS		
SYMBOL LETTER NAME		SYMBOL	LETTER	NAME	SYMBOL	LETTER	NAME	
<u>+ </u> 	V1	BATTERY	-0'0-	S1	SWITCH	\$	D1	DIODE
\Diamond	V2	A.C. GENERATOR	-0-	S2	DOUBLE THROW SWITCH	华	D2	LIGHT EMITTING DIODE (LED)
3 {	TR1	TRANSFORMER		S 3	NORMALLY OPEN PUSHBUTTON	B C	Q1	NPN TRANSISTOR
			<u>-₀∏o</u> -	S4	NORMALLY CLOSED PUSHBUTTON	B C C	Q2	PNP TRANSISTOR
ELE SYMBOL	ELECTRICAL LOADS SYMBOL LETTER NAME			S5	LIMIT SWITCH	1	U1	OPERATIONAL AMPLIFIER
	B1	INCANDESCENT LAMP	-	F1	FUSE	SENSORS SYMBOL LETTER NAME		
M	M1	MOTOR	4 /	K1	RELAY	. ↓	R2	POTENTIOMETER
	R1	RESISTOR	/	K1	RELAY CONTACT	-t°	R3	NTC RESISTOR
兄	Z1	BUZZER					R4	LDR RESISTOR
H	Z2	LOUDSPEAKER	CONDUCTORS SYMBOL LETTER NAME					
+ <u>+</u>	C1	POLARIZED CAPACITOR	o	J1	CONNECTOR	LOGIC GATES SYMBOL LETTER NAME		
+	C2	CAPACITOR	-		WIRES WITHOUT CONNECTION		U1A	AND GATE
-~~	L1	INDUCTOR			WIRES WITH CONNECTION	B	U2A	OR GATE
			<u></u>		EARTH GROUND CONNECTOR	A	U3A	NOT GATE
MEASUF SYMBOL	MEASURING INSTRUMENTS SYMBOL LETTER NAME				CHASSIS GROUND CONNECTOR	A B	U4A	NAND GATE
Ý	٧	VOLTMETER				A B	U5A	NOR GATE
A	А	AMMETER					U6A	XOR GATE
CC BY-SA 4.0								

GENERATORS			CONTROL COMPONENTS			ELECTRONIC COMPONENTS		
SYMBOL LETTER NAME		SYMBOL	LETTER	NAME	SYMBOL	LETTER	NAME	
		BATTERY			SWITCH			DIODE
		A.C. GENERATOR			DOUBLE THROW SWITCH			LIGHT EMITTING DIODE (LED)
		TRANSFORMER			NORMALLY OPEN PUSH BUTTON			NPN TRANSISTOR
					NORMALLY CLOSED PUSH BUTTON			PNP TRANSISTOR
	ELECTRICAL RECEIVERS SYMBOL LETTER NAME				LIMIT SWITCH			OPERATIONAL AMPLIFIER
		DILL D. LAMB				SENSORS		CORC
		BULB LAMP			FUSE	SYMBOL	LETTER	
		MOTOR			RELAY			POTENTIOMETER
		RESISTOR			RELAY CONTACT			NTC RESISTOR
		BUZZER						LDR RESISTOR
		LOUDSPEAKER	SYMBOL	CONDU	CTORS NAME			
		POLARIZED CAPACITOR			CONNECTOR	LOGIC GATES SYMBOL LETTER NAME		•
		CAPACITOR			WIRES WITHOUT CONNECTION			AND GATE
		INDUCTOR/COIL			WIRES WITH CONNECTION			OR GATE
					EARTH GROUND CONNECTOR			NOT GATE
MEASUF SYMBOL	MEASURING INSTRUMENTS SYMBOL LETTER NAME				CHASSIS GROUND CONNECTOR			NAND GATE
		VOLTMETER						NOR GATE
		AMMETER						XOR GATE
	•		C	C RY_SA	. 4.0		!	

GENERATORS			CONTROL COMPONENTS			ELECTRONIC COMPONENTS		
SYMBOL				LETTER		SYMBOL	LETTER	
<u>+ </u> 	V1		8	S1			D1	
\Diamond	V2		لم الم	52		本	D2	
} {	TR1		H b	S 3		B C	Q1	
			-•∏ • -	54		B C	Q2	
ELECT SYMBOL	ELECTRICAL RECEIVERS SYMBOL LETTER NAME			S5			U1	
	B1		—	F1		SYMBOL	SENS	SORS NAME
M	M1		4/	K1		├ ~	R2	
	R1		/	K1		-t°	R3	
R	Z1						R4	
X	Z2			ONDL LETTER	CTORS NAME			
++	C1		0	J1		SYMBOL	LOGIC	GATES NAME
+	C2		-			A B	U1A	
-777-	L1		+			A B	U2A	
			<u></u>			A	U3A	
MEASURING INSTRUMENTS SYMBOL LETTER NAME			/////			A B	U4A	
(V)	٧					A B	U5A	
A	Α					<u></u>	U6A	
			CC	C BY-SA w.picuin	. 4.0 o.com			