

ZAP by Checkmarx

Scanning Report

Generated with  ZAP on Sat 19 Sept 2026, at 00:07:07

ZAP Version: 2.17.0

ZAP by Checkmarx

Contents

- [About This Report](#)
 - [Report Parameters](#)
- [Summaries](#)
 - [Alert Counts by Risk and Confidence](#)
 - [Alert Counts by Site and Risk](#)
 - [Alert Counts by Alert Type](#)
 - [Insights](#)
- [Alerts](#)
 - [Risk=Medium, Confidence=High \(2\)](#)
 - [Risk=Medium, Confidence=Medium \(2\)](#)
 - [Risk=Low, Confidence=High \(3\)](#)

- [Risk=Low, Confidence=Medium \(2\)](#)
- [Risk=Low, Confidence=Low \(1\)](#)
- [Risk=Informational, Confidence=High \(1\)](#)
- [Risk=Informational, Confidence=Medium \(6\)](#)
- [Risk=Informational, Confidence=Low \(1\)](#)
- [Appendix](#)
 - [Alert Types](#)

About This Report

Report Parameters

Contexts

No contexts were selected, so all contexts were included by default.

Sites

The following sites were included:

- <https://fonts.gstatic.com>
- <https://fonts.googleapis.com>
- <https://www.jjautopart-pakchong.com>

(If no sites were selected, all sites were included by default.)

An included site must also be within one of the included contexts for its data to be included in the report.

Risk levels

Included: High, Medium, Low, Informational

Excluded: None

Confidence levels

Included: User Confirmed, High, Medium, Low

Excluded: User Confirmed, High, Medium, Low, False Positive

Summaries

Alert Counts by Risk and Confidence

This table shows the number of alerts for each level of risk and confidence included in the report.

(The percentages in brackets represent the count as a percentage of the total number of alerts included in the report, rounded to one decimal place.)

		Confidence				
Risk		User Confirmed	High	Medium	Low	Total
	High	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
	Medium	0 (0.0%)	2 (11.1%)	2 (11.1%)	0 (0.0%)	4 (22.2%)
	Low	0 (0.0%)	3 (16.7%)	2 (11.1%)	1 (5.6%)	6 (33.3%)
	Informational	0 (0.0%)	1 (5.6%)	6 (33.3%)	1 (5.6%)	8 (44.4%)

Confidence

	User Confirmed	High	Medium	Low	Total
Total	0 (0.0%)	6 (33.3%)	10 (55.6%)	2 (11.1%)	18 (100%)

Alert Counts by Site and Risk

This table shows, for each site for which one or more alerts were raised, the number of alerts raised at each risk level.

Alerts with a confidence level of "False Positive" have been excluded from these counts.

(The numbers in brackets are the number of alerts raised for the site at or above that risk level.)

Risk

		Informational			
		High (= High)	Medium (>= Medium)	Low (>= Low)	(>= Informational)
Site	https://fonts.gstatic.com	0 (0)	0 (0)	0 (0)	1 (1)
	https://fonts.googleapis.com	0 (0)	1 (1)	0 (1)	0 (1)
	https://www.jjautopart-pakchong.com	0 (0)	3 (3)	6 (9)	7 (16)

Alert Counts by Alert Type

This table shows the number of alerts of each alert type, together with the alert type's risk level.

(The percentages in brackets represent each count as a percentage, rounded to one decimal place, of the total number of alerts included in this report.)

Alert type	Risk	Count
Content Security Policy (CSP) Header Not Set	Medium	5 (27.8%)
Cross-Domain Misconfiguration	Medium	11 (61.1%)
Missing Anti-clickjacking Header	Medium	5 (27.8%)
Sub Resource Integrity Attribute Missing	Medium	5 (27.8%)
In Page Banner Information Leak	Low	1 (5.6%)
Private IP Disclosure	Low	1 (5.6%)
Server Leaks Version Information via "Server" HTTP Response Header Field	Low	5 (27.8%)
Strict-Transport-Security Header Not Set	Low	10 (55.6%)
Timestamp Disclosure - Unix	Low	5 (27.8%)
X-Content-Type-Options Header Missing	Low	5 (27.8%)
Total		18

Alert type	Risk	Count
Authentication Request Identified	Informational	1 (5.6%)
Information Disclosure - Sensitive Information in URL	Informational	2 (11.1%)
Information Disclosure - Suspicious Comments	Informational	1 (5.6%)
Modern Web Application	Informational	5 (27.8%)
Re-examine Cache-control Directives	Informational	5 (27.8%)
Retrieved from Cache	Informational	5 (27.8%)
Session Management Response Identified	Informational	2 (11.1%)
User Agent Fuzzer	Informational	5 (27.8%)
Total		18

Insights

This table shows information that is likely to be very relevant to you, but which is not related to vulnerabilities, or potentially even related to the application in question.

Level	Reason	Site	Description	Statistic
Medium	Exceeded Low		Percentage of memory used	94

Level	Reason	Site	Description	Statistic
Low	Warning		ZAP errors logged - see the zap.log file for details	31
Low	Warning		ZAP warnings logged - see the zap.log file for details	231
Low	Exceeded High	https://washing-collectables-doing-dow.trycloudflare.com	Percentage of slow responses	75 %
Low	Exceeded High	https://www.jjautopart-pakchong.com	Percentage of responses with status code 4xx	55 %
Info	Informational	http://washing-collectables-doing-dow.trycloudflare.com	Percentage of responses with status code 2xx	95 %
Info	Informational	http://washing-collectables-doing-dow.trycloudflare.com	Percentage of responses with status code 3xx	3 %

Level	Reason	Site	Description	Statistic
Info	Informational	http://was hing- collectable s-doing- dow.tryclo udflare.co m	Percentage of responses with status code 4xx	1 %
Info	Informational	http://was hing- collectable s-doing- dow.tryclo udflare.co m	Percentage of endpoints with content type application/javasc ript	33 %
Info	Informational	http://was hing- collectable s-doing- dow.tryclo udflare.co m	Percentage of endpoints with content type application/json	16 %
Info	Informational	http://was hing- collectable s-doing- dow.tryclo udflare.co m	Percentage of endpoints with content type application/xml	16 %
Info	Informational	http://was hing- collectable s-doing- dow.tryclo	Percentage of endpoints with content type text/html	16 %

Level	Reason	Site	Description	Statistic
		udflare.co m		
Info	Informat ional	http://was hing- collectable s-doing- dow.tryclo udflare.co m	Percentage of endpoints with content type text/plain	16 %
Info	Informat ional	http://was hing- collectable s-doing- dow.tryclo udflare.co m	Percentage of endpoints with method GET	83 %
Info	Informat ional	http://was hing- collectable s-doing- dow.tryclo udflare.co m	Percentage of endpoints with method POST	16 %
Info	Informat ional	http://was hing- collectable s-doing- dow.tryclo udflare.co m	Count of total endpoints	6
Info	Informat ional	http://was hing- collectable	Percentage of slow responses	100 %

Level	Reason	Site	Description	Statistic
		s-doing-dow.trycloudflare.com		
Info	Informational	http://was-hing-collectable-s-doing-dow.trycloudflare.com:443	Percentage of responses with status code 4xx	100 %
Info	Informational	http://was-hing-collectable-s-doing-dow.trycloudflare.com:443	Percentage of slow responses	16 %
Info	Informational	http://www.jjautopart-pakchong.com	Percentage of responses with status code 3xx	100 %
Info	Informational	http://www.jjautopart-pakchong.com	Percentage of slow responses	85 %
Info	Informational	http://www.jjautopart-pakchong.com:443	Percentage of responses with status code 4xx	100 %

Level	Reason	Site	Description	Statistic
Info	Informational	http://www.jjautopart-pakchong.com:443	Percentage of slow responses	100 %
Info	Informational	https://fonts.googleapis.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://fonts.googleapis.com	Percentage of endpoints with content type text/css	100 %
Info	Informational	https://fonts.googleapis.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://fonts.googleapis.com	Count of total endpoints	1
Info	Informational	https://fonts.googleapis.com	Percentage of slow responses	100 %
Info	Informational	https://fonts.gstatic.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://fonts.gstatic.com	Percentage of endpoints with content type font/woff2	100 %
Info	Informational	https://fonts.gstatic.com	Percentage of endpoints with	100 %

Level	Reason	Site	Description	Statistic
		.com	method GET	
Info	Informational	https://fonts.gstatic.com	Count of total endpoints	11
Info	Informational	https://fonts.gstatic.com	Percentage of slow responses	17 %
Info	Informational	https://washing-collectables-doing-dow.trycloudflare.com	Percentage of responses with status code 2xx	84 %
Info	Informational	https://washing-collectables-doing-dow.trycloudflare.com	Percentage of responses with status code 3xx	1 %
Info	Exceeded Low	https://washing-collectables-doing-dow.trycloudflare.com	Percentage of responses with status code 4xx	13 %
Info	Informational	https://washing-collectables-doing-	Percentage of responses with status code 5xx	1 %

Level	Reason	Site	Description	Statistic
		dow.trycloudflare.com		
Info	Informational	https://washing-collectables-doing-dow.trycloudflare.com	Percentage of endpoints with content type application/javascript	41 %
Info	Informational	https://washing-collectables-doing-dow.trycloudflare.com	Percentage of endpoints with content type application/json	15 %
Info	Informational	https://washing-collectables-doing-dow.trycloudflare.com	Percentage of endpoints with content type application/xml	1 %
Info	Informational	https://washing-collectables-doing-dow.trycloudflare.com	Percentage of endpoints with content type font/woff2	1 %
Info	Informational	https://washing-	Percentage of endpoints with	1 %

Level	Reason	Site	Description	Statistic
		collectable s-doing- dow.tryclo udflare.co m	content type image/jpeg	
Info	Informat ional	https://wa shing- collectable s-doing- dow.tryclo udflare.co m	Percentage of endpoints with content type image/svg+xml	1 %
Info	Informat ional	https://wa shing- collectable s-doing- dow.tryclo udflare.co m	Percentage of endpoints with content type image/webp	1 %
Info	Informat ional	https://wa shing- collectable s-doing- dow.tryclo udflare.co m	Percentage of endpoints with content type text/css	1 %
Info	Informat ional	https://wa shing- collectable s-doing- dow.tryclo udflare.co m	Percentage of endpoints with content type text/html	14 %

Level	Reason	Site	Description	Statistic
Info	Informational	https://washing-collectables-doing-dow.trycloudflare.com	Percentage of endpoints with content type text/plain	2 %
Info	Informational	https://washing-collectables-doing-dow.trycloudflare.com	Percentage of endpoints with content type text/x-component	16 %
Info	Informational	https://washing-collectables-doing-dow.trycloudflare.com	Percentage of endpoints with method GET	99 %
Info	Informational	https://washing-collectables-doing-dow.trycloudflare.com	Percentage of endpoints with method POST	1 %
Info	Informational	https://washing-collectables-doing-dow.trycloudflare.com	Count of total endpoints	242

Level	Reason	Site	Description	Statistic
		udflare.com		
Info	Informational	https://www.jjautopart-pakchong.com	Percentage of responses with status code 1xx	15 %
Info	Informational	https://www.jjautopart-pakchong.com	Percentage of responses with status code 2xx	29 %
Info	Informational	https://www.jjautopart-pakchong.com	Percentage of responses with status code 3xx	1 %
Info	Informational	https://www.jjautopart-pakchong.com	Percentage of endpoints with content type application/javascript	3 %
Info	Informational	https://www.jjautopart-pakchong.com	Percentage of endpoints with content type application/json	22 %
Info	Informational	https://www.jjautopart-pakchong.com	Percentage of endpoints with content type image/jpeg	9 %

Level	Reason	Site	Description	Statistic
Info	Informational	https://www.jjautoparkchong.com	Percentage of endpoints with content type image/svg+xml	3 %
Info	Informational	https://www.jjautoparkchong.com	Percentage of endpoints with content type text/css	3 %
Info	Informational	https://www.jjautoparkchong.com	Percentage of endpoints with content type text/html	35 %
Info	Informational	https://www.jjautoparkchong.com	Percentage of endpoints with content type text/plain	16 %
Info	Informational	https://www.jjautoparkchong.com	Percentage of endpoints with method GET	96 %
Info	Informational	https://www.jjautoparkchong.com	Percentage of endpoints with method POST	3 %
Info	Informational	https://www.jjauto	Count of total endpoints	31

Level	Reason	Site	Description	Statistic
		part-pakchong.com		
Info	Exceeded Low	https://www.jjautopart-pakchong.com	Percentage of slow responses	15 %

Alerts

Risk=Medium, Confidence=High (2)

<https://www.jjautopart-pakchong.com> (2)

Content Security Policy (CSP) Header Not Set (1)

► GET <https://www.jjautopart-pakchong.com/login>

Sub Resource Integrity Attribute Missing (1)

► GET <https://www.jjautopart-pakchong.com/login>

Risk=Medium, Confidence=Medium (2)

<https://fonts.googleapis.com> (1)

Cross-Domain Misconfiguration (1)

► GET <https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700&family=Sarabun:wght@300;400;500;600;700&display=swap>

<https://www.jjautopart-pakchong.com> (1)

Missing Anti-clickjacking Header (1)

► GET <https://www.jjautopart-pakchong.com/login>

Risk=Low, Confidence=High (3)

<https://www.jjautopart-pakchong.com> (3)

In Page Banner Information Leak (1)

► GET <https://www.jjautopart-pakchong.com/assets/>

Server Leaks Version Information via "Server" HTTP Response Header Field (1)

► GET <https://www.jjautopart-pakchong.com/login>

Strict-Transport-Security Header Not Set (1)

► GET <https://www.jjautopart-pakchong.com/login>

Risk=Low, Confidence=Medium (2)

<https://www.jjautopart-pakchong.com> (2)

Private IP Disclosure (1)

► GET <https://www.jjautopart-pakchong.com/assets/index-CGnNhDr-.js>

X-Content-Type-Options Header Missing (1)

► GET <https://www.jjautopart-pakchong.com/login>

Risk=Low, Confidence=Low (1)

<https://www.jjautopart-pakchong.com> (1)

Timestamp Disclosure - Unix (1)

► GET <https://www.jjautopart-pakchong.com/assets/index-CGnNhDr-.js>

Risk=Informational, Confidence=High (1)

<https://www.jjautopart-pakchong.com> (1)

Authentication Request Identified (1)

► POST <https://www.jjautopart-pakchong.com/api/auth/login>

Risk=Informational, Confidence=Medium (6)

<https://fonts.gstatic.com> (1)

Retrieved from Cache (1)

► GET <https://fonts.gstatic.com/s/kanit/v17/nKKZ-Go6G5tXcraBGwCYdA.woff2>

<https://www.jjautopart-pakchong.com> (5)

Information Disclosure - Sensitive Information in URL (1)

- ▶ GET https://www.jjautopart-pakchong.com/ws?role=Owner&user_id=1

Information Disclosure - Suspicious Comments (1)

- ▶ GET <https://www.jjautopart-pakchong.com/assets/index-CGnNhDr-.js>

Modern Web Application (1)

- ▶ GET <https://www.jjautopart-pakchong.com/login>

Session Management Response Identified (1)

- ▶ POST <https://www.jjautopart-pakchong.com/api/auth/login>

User Agent Fuzzer (1)

- ▶ GET <https://www.jjautopart-pakchong.com:443/ws/>

Risk=Informational, Confidence=Low (1)

<https://www.jjautopart-pakchong.com> (1)

Re-examine Cache-control Directives (1)

- ▶ GET <https://www.jjautopart-pakchong.com/login>

Appendix

Alert Types

This section contains additional information on the types of alerts in the report.

Content Security Policy (CSP) Header Not Set

Source	raised by a passive scanner (Content Security Policy (CSP) Header Not Set)
CWE ID	693
WASC ID	15
Reference	▪ https://developer.mozilla.org/en-US/docs/Web/HTTP/Guides/CSP ▪ https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html ▪ https://www.w3.org/TR/CSP/ ▪ https://w3c.github.io/webappsec-csp/ ▪ https://web.dev/articles/csp ▪ https://caniuse.com/#feat=contentsecuritypolicy ▪ https://content-security-policy.com/

Cross-Domain Misconfiguration

Source	raised by a passive scanner (Cross-Domain Misconfiguration)
CWE ID	264

WASC ID 14

Reference

- <https://vulncat.fortify.com/en/detail?category=HTML5&subcategory=Overly%20Permissive%20CORS%20Policy>

Missing Anti-clickjacking Header

Source raised by a passive scanner ([Anti-clickjacking Header](#))

CWE ID [1021](#)

WASC ID 15

Reference

- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/X-Frame-Options>

Sub Resource Integrity Attribute Missing

Source raised by a passive scanner ([Sub Resource Integrity Attribute Missing](#))

CWE ID [345](#)

WASC ID 15

Reference

- https://developer.mozilla.org/en-US/docs/Web/Security/Defenses/Subresource_Integrity

In Page Banner Information Leak

Source raised by a passive scanner ([In Page Banner Information Leak](#))

CWE ID	497
WASC ID	13
Reference	▪ https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/08-Testing_for_Error_Handling/

Private IP Disclosure

Source	raised by a passive scanner (Private IP Disclosure)
CWE ID	497
WASC ID	13
Reference	▪ https://datatracker.ietf.org/doc/html/rfc1918

Server Leaks Version Information via "Server" HTTP Response Header Field

Source	raised by a passive scanner (HTTP Server Response Header)
CWE ID	497
WASC ID	13
Reference	▪ https://httpd.apache.org/docs/current/mod/core.html#servertokens ▪ https://learn.microsoft.com/en-us/previous-versions/msp-n-p/ff648552(v=pandp.10)

- <https://www.troyhunt.com/shhh-dont-let-your-response-headers/>

Strict-Transport-Security Header Not Set

Source	raised by a passive scanner (Strict-Transport-Security Header)
CWE ID	319
WASC ID	15
Reference	▪ https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html ▪ https://owasp.org/www-community/Security-Headers ▪ https://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security ▪ https://caniuse.com/stricttransportsecurity ▪ https://datatracker.ietf.org/doc/html/rfc6797

Timestamp Disclosure - Unix

Source	raised by a passive scanner (Timestamp Disclosure)
CWE ID	497
WASC ID	13

Reference ■
<https://cwe.mitre.org/data/definitions/200.html>

X-Content-Type-Options Header Missing

Source raised by a passive scanner ([X-Content-Type-Options Header Missing](#))

CWE ID [693](#)

WASC ID 15

Reference ■ [https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941\(v=vs.85\)](https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85))

■ <https://owasp.org/www-community/Security-Headers>

Authentication Request Identified

Source raised by a passive scanner ([Authentication Request Identified](#))

Reference ■ <https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-req-id/>

Information Disclosure - Sensitive Information in URL

Source raised by a passive scanner ([Information Disclosure - Sensitive Information in URL](#))

CWE ID [598](#)

WASC ID 13

Information Disclosure - Suspicious Comments

Source	raised by a passive scanner (Information Disclosure - Suspicious Comments)
CWE ID	615
WASC ID	13

Modern Web Application

Source	raised by a passive scanner (Modern Web Application)
--------	--

Re-examine Cache-control Directives

Source	raised by a passive scanner (Re-examine Cache-control Directives)
CWE ID	525
WASC ID	13
Reference	▪ https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching ▪ https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/Cache-Control ▪ https://grayduck.mn/2021/09/13/cache-control-recommendations/

Retrieved from Cache

Source raised by a passive scanner ([Retrieved from Cache](#))

CWE ID [525](#)

- Reference**
- <https://datatracker.ietf.org/doc/html/rfc7234>
 - <https://datatracker.ietf.org/doc/html/rfc7231>
 - <https://www.rfc-editor.org/rfc/rfc9110.html>

Session Management Response Identified

Source raised by a passive scanner ([Session Management Response Identified](#))

- Reference**
- <https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id/>

User Agent Fuzzer

Source raised by an active scanner ([User Agent Fuzzer](#))

- Reference**
- <https://owasp.org/wstg>