Before you get started, make sure you have a project created in dev.azure.com. Here, the p
created is “springbootproject”.

Step 1:
Navigate to the path where you want to clone the repo.

Copy the clone URL from the “springbootproject”.



Step 2:
Clone the repo by providing the below git clone command.



Step 3:



Now navigate to cloned repository, Copy and paste the java spring boot service provided to you into the cloned repository.



Step 4:

Provide the below command to add the project to the repository.

```
D:\Other files\java\projects>git add .
```

Now commit.

```
D:\Other files\java\projects>git commit -m "First commit"
[master (root-commit) 02c383d] First commit
 Committer: Juliet R. Rajan <Juliet_Rajan@ad.infosys.com>
```

Step 5:

Copy the below commands from your remote repo and execute it to push the local changes to the remote repo.

or push an existing repository from command line

HTTPS SSH

```
git remote add origin https://dec4worshop@dev.azure.com/dec4worshop/springbootproject/_git/springbootproject
git push -u origin --all
```

```
D:\Other files\java\projects>git remote add origin https://dec4worshop@dev.azure.com/dec4worshop/springbootproject/_git/
springbootproject

D:\Other files\java\projects>git push -u origin --all
fatal: NullReferenceException encountered.
   Object reference not set to an instance of an object.
Password for 'https://dec4worshop@dev.azure.com':
fatal: NullReferenceException encountered.
   Object reference not set to an instance of an object.
Enumerating objects: 85, done.
Counting objects: 100% (85/85), done.
Delta compression using up to 4 threads
Compressing objects: 100% (56/56), done.
Writing objects: 100% (85/85), 95.48 KiB | 2.08 MiB/s, done.
Total 85 (delta 15), reused 0 (delta 0)
remote: Analyzing objects... (85/85) (84 ms)
remote: Storing packfile... done (157 ms)
remote: Storing index... done (33 ms)
To https://dev.azure.com/dec4worshop/springbootproject/_git/springbootproject
 * [new branch]      master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.
```

You will see the pushed changes in the remote repo as below.



Step 6:

Navigate to pipeline section.

To configure, create a new build pipeline.

Choose a new maven build template.



You will see the build pipeline consists of 3 build agents.



Step 7:

Click on Maven pom.xml. Choose the pom.xml.



Click on Save and Queue.



The build is completed successfully.



Step 8:

Configure the release pipeline.

Click on "Add an artifact".



Step 9:

Choose the build pipeline you created earlier and the version of the build.



Step 10:
Click on ‘Add a stage”.



Step 11:
Choose ..



Make sure an App service is already created to deploy the application.

Choose the appropriate subscription, App type and the App service created.



Click on Save and then “Create Release”



Click on “Create”



You will see the status of the deployment as below.



On successful, release you will see the below.



You can now access the service.



Thus you have seen how to configure pipeline for java spring boot service.