
Circular-economy effects on European material production

EU-only CE in 2050 | change from each model's own 2050 no-CE case



Reference: each model's own 2050 no-CE case in the same pathway and sector (0%).

Bars and labels: total output change. Cement excludes clinker; OMNIA metals include both production routes.


Aluminium: GCAM production-route coverage is unconfirmed. Labels rounded to 0.1%.

Within-model normalisation; no absolute-level alignment assumed. EU-region boundaries differ slightly.

OMNIA missing activity = zero (provisional); GCAM missing values remain gaps.

Circular-economy effects on European final-energy demand

EU-only CE in 2050 | change from each model's own 2050 no-CE case



Reference: each model's own 2050 no-CE case in the same pathway and sector (0%).

Fuel segments: contributions in percentage points. Diamonds and labels: total energy change (%).


Aluminium: GCAM alumina-refining coverage is unconfirmed; Unallocated retains unidentified energy.

Within-model normalisation; no absolute-level alignment assumed. EU-region boundaries differ slightly.

OMNIA missing activity = zero (provisional); GCAM missing values remain gaps.

Circular economy effects on European industrial GHG emissions

EU-only CE in 2050 | reported all industry | change from each model's own no-CE case



OMNIA: reported all-industry GHG, including sectors beyond cement, steel and aluminium.

GCAM: industry energy-demand + industrial-process Kyoto gases; gas and process coverage are not harmonised.

Each model uses its own 2050 industry no-CE reference. EU-region boundaries differ slightly.