
European material production: OMNIA-ENGAGE and GCAM

EU-only CE settings | historical references and 2050 production



Historical bars: OMNIA 2019 / GCAM 2021. All other bars: 2050; no interpolation.

Labels above: change from each model's 2050 no CE in the same pathway. M/H = medium/high CE.

OMNIA metal stacks show routes; GCAM shows reported output. Cement excludes clinker.


Aluminium: GCAM route coverage is unconfirmed; OMNIA includes primary + secondary.

OMNIA: EUE + EUM + EUW; GCAM: EU-27 aggregate. Model geographic boundaries differ slightly.

OMNIA missing activity = zero (provisional); GCAM missing values remain gaps.

European final-energy mix: OMNIA-ENGAGE and GCAM

EU-only CE settings | historical references and 2050 final energy



Historical bars: OMNIA 2019 / GCAM 2021. All other bars: 2050; no interpolation.

Labels above: change from each model's 2050 no CE in the same pathway. M/H = medium/high CE.

GCAM unallocated energy = reported sector total minus supplied carrier parents (aluminium).


Aluminium: GCAM alumina-refining coverage is unconfirmed; see methods.

OMNIA: EUE + EUM + EUW; GCAM: EU-27 aggregate. Model geographic boundaries differ slightly.

OMNIA missing activity = zero (provisional); GCAM missing values remain gaps.

European industrial GHG response: OMNIA-ENGAGE and GCAM

Reported industry totals | EU-only CE; source emissions scopes differ



OMNIA: reported industry GHG. GCAM: industry energy-demand + industrial-process Kyoto gases.

Emissions accounting and gas coverage are not harmonised; sector GHG is unavailable in GCAM.

EU-region boundaries differ slightly. Model years are retained; carbon capture is not subtracted again.

OMNIA missing activity = zero (provisional); GCAM missing values remain gaps.