




Material production and production routes


Baseline · no CE | 2019-2050



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial production

Baseline · no CE | 2019–2050




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Regional carbon-price indices

Baseline · no CE | 2019–2050







Fixed 2019 industrial-emissions weights



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Industrial energy requirements





Baseline · no CE | 2019-2050



Industrial emissions and carbon capture

Baseline · no CE | 2019-2050


—○— Cement —□— Iron and steel —△— Aluminium



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs, 2024-2050

Baseline · no CE | 2024-2050




Main view starts in 2024 because of anomalous initial-year costs; the full period is retained in Figure S2.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial emissions

Baseline · no CE | 2019–2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Energy intensity in the leading producer regions

Baseline · no CE | 2019–2050

○ 2019 ◆ 2050 (sector colour)





Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs: full source period

Baseline · no CE | 2019-2050






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Material production and production routes


Baseline · medium CE · EU | 2019-2050



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial production

Baseline · medium CE · EU | 2019–2050




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Regional carbon-price indices

Baseline · medium CE · EU | 2019–2050







Fixed 2019 industrial-emissions weights



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Industrial energy requirements





Baseline · medium CE · EU | 2019-2050



Industrial emissions and carbon capture

Baseline · medium CE · EU | 2019-2050


—○— Cement —□— Iron and steel —△— Aluminium



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs, 2024-2050

Baseline · medium CE · EU | 2024-2050




Main view starts in 2024 because of anomalous initial-year costs; the full period is retained in Figure S2.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial emissions



Baseline · medium CE · EU | 2019–2050

○ 2019 ◆ 2050 (sector colour)



Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.


Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.



Energy intensity in the leading producer regions

Baseline · medium CE · EU | 2019–2050

○ 2019 ◆ 2050 (sector colour)





Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs: full source period

Baseline · medium CE · EU | 2019-2050






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Material production and production routes

Baseline · high CE · EU | 2019-2050






Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial production

Baseline · high CE · EU | 2019–2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Regional carbon-price indices

Baseline · high CE · EU | 2019-2050







Fixed 2019 industrial-emissions weights



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Industrial energy requirements





Baseline · high CE · EU | 2019-2050



Industrial emissions and carbon capture

Baseline · high CE · EU | 2019-2050



—○— Cement - -□- - Iron and steel - · -△- Aluminium



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs, 2024-2050

Baseline · high CE · EU | 2024-2050




Main view starts in 2024 because of anomalous initial-year costs; the full period is retained in Figure S2.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial emissions

Baseline · high CE · EU | 2019–2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Energy intensity in the leading producer regions

Baseline · high CE · EU | 2019–2050

○ 2019 ◆ 2050 (sector colour)





Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs: full source period

Baseline · high CE · EU | 2019–2050






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Material production and production routes


Baseline · medium CE · global | 2019–2050



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial production

Baseline · medium CE · global | 2019–2050




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Regional carbon-price indices

Baseline · medium CE · global | 2019-2050







Fixed 2019 industrial-emissions weights



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Industrial energy requirements





Baseline · medium CE · global | 2019-2050



Industrial emissions and carbon capture

Baseline · medium CE · global | 2019–2050



—○— Cement —□— Iron and steel —△— Aluminium



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs, 2024-2050

Baseline · medium CE · global | 2024-2050




Main view starts in 2024 because of anomalous initial-year costs; the full period is retained in Figure S2.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial emissions



Baseline · medium CE · global | 2019–2050

○ 2019 ◆ 2050 (sector colour)



Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.


Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.



Energy intensity in the leading producer regions

Baseline · medium CE · global | 2019–2050

○ 2019 ◆ 2050 (sector colour)





Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs: full source period

Baseline · medium CE · global | 2019–2050






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Material production and production routes

Baseline · high CE · global | 2019-2050




Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial production

Baseline · high CE · global | 2019–2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Regional carbon-price indices

Baseline · high CE · global | 2019-2050







Fixed 2019 industrial-emissions weights



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Industrial energy requirements





Baseline · high CE · global | 2019-2050



Industrial emissions and carbon capture

Baseline · high CE · global | 2019-2050


—○— Cement - - - □ - - - Iron and steel - · - · - △ - Aluminium



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs, 2024-2050

Baseline · high CE · global | 2024-2050




Main view starts in 2024 because of anomalous initial-year costs; the full period is retained in Figure S2.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial emissions



Baseline · high CE · global | 2019–2050

○ 2019 ◆ 2050 (sector colour)



Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.


Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.



Energy intensity in the leading producer regions

Baseline · high CE · global | 2019–2050

○ 2019 ◆ 2050 (sector colour)





Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs: full source period

Baseline · high CE · global | 2019–2050






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Material production and production routes

NDC · no CE | 2019-2050




Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial production

NDC · no CE | 2019-2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Regional carbon-price indices







NDC · no CE | 2019-2050



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Industrial energy requirements





NDC · no CE | 2019-2050



Industrial emissions and carbon capture

NDC · no CE | 2019-2050


—○— Cement - - - □ - - - Iron and steel - · - · - △ - Aluminium



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs, 2024-2050

NDC · no CE | 2024-2050






Main view starts in 2024 because of anomalous initial-year costs; the full period is retained in Figure S2.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial emissions

NDC · no CE | 2019–2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Energy intensity in the leading producer regions

NDC · no CE | 2019-2050

○ 2019 ◆ 2050 (sector colour)





Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs: full source period

NDC · no CE | 2019-2050






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Material production and production routes


NDC · medium CE · EU | 2019-2050



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial production

NDC · medium CE · EU | 2019–2050




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Regional carbon-price indices







NDC · medium CE · EU | 2019–2050



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Industrial energy requirements





NDC · medium CE · EU | 2019-2050



Industrial emissions and carbon capture

NDC · medium CE · EU | 2019–2050


—○— Cement - - □ - - Iron and steel - · - · △ - Aluminium



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs, 2024-2050

NDC · medium CE · EU | 2024-2050






Main view starts in 2024 because of anomalous initial-year costs; the full period is retained in Figure S2.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial emissions

NDC · medium CE · EU | 2019–2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Energy intensity in the leading producer regions

NDC · medium CE · EU | 2019–2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs: full source period

NDC · medium CE · EU | 2019–2050






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Material production and production routes


NDC · high CE · EU | 2019-2050



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial production

NDC · high CE · EU | 2019–2050




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Regional carbon-price indices







NDC · high CE · EU | 2019-2050



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Industrial energy requirements





NDC · high CE · EU | 2019-2050



Industrial emissions and carbon capture

NDC · high CE · EU | 2019-2050


—○— Cement - - □ - - Iron and steel - · - · △ - Aluminium



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs, 2024-2050

NDC · high CE · EU | 2024-2050






Main view starts in 2024 because of anomalous initial-year costs; the full period is retained in Figure S2.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial emissions

NDC · high CE · EU | 2019–2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Energy intensity in the leading producer regions

NDC · high CE · EU | 2019–2050

○ 2019 ◆ 2050 (sector colour)





Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs: full source period

NDC · high CE · EU | 2019-2050






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Material production and production routes


NDC · medium CE · global | 2019-2050



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial production


NDC · medium CE · global | 2019-2050



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Regional carbon-price indices







NDC · medium CE · global | 2019–2050



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Industrial energy requirements





NDC · medium CE · global | 2019-2050



Industrial emissions and carbon capture

NDC · medium CE · global | 2019-2050


—○— Cement —□— Iron and steel —△— Aluminium



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs, 2024-2050

NDC · medium CE · global | 2024-2050




Main view starts in 2024 because of anomalous initial-year costs; the full period is retained in Figure S2.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial emissions

NDC · medium CE · global | 2019-2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Energy intensity in the leading producer regions

NDC · medium CE · global | 2019-2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs: full source period

NDC · medium CE · global | 2019-2050






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Material production and production routes


NDC · high CE · global | 2019-2050



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial production

NDC · high CE · global | 2019–2050




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Regional carbon-price indices







NDC · high CE · global | 2019-2050



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Industrial energy requirements





NDC · high CE · global | 2019-2050



Industrial emissions and carbon capture

NDC · high CE · global | 2019-2050



—○— Cement —□— Iron and steel —△— Aluminium



Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs, 2024-2050

NDC · high CE · global | 2024-2050




Main view starts in 2024 because of anomalous initial-year costs; the full period is retained in Figure S2.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

The geography of industrial emissions

NDC · high CE · global | 2019-2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Energy intensity in the leading producer regions

NDC · high CE · global | 2019-2050

○ 2019 ◆ 2050 (sector colour)





Europe combines five model regions. Indonesia group = Indonesia, Philippines and Viet Nam.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.

Annualised costs: full source period

NDC · high CE · global | 2019-2050



Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities retain gaps.