




Material production and production routes


Baseline · no CE | 2019 2050



The geography of industrial production

Baseline · no CE | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Regional carbon-price indices

Baseline · no CE | 2019 2050







Fixed 2019 industrial-emissions weights



Draft assumption: blank activity values = zero; reported prices and intensities ret

Industrial energy requirements

Baseline · no CE | 2019 2050




Industrial emissions and carbon capture


Baseline · no CE | 2019 2050

—○— Cement —□— Iron and steel —△— Aluminium


Sector greenhouse-gas emissions




Share of total industry emissions



Emissions per tonne of product





Carbon capture



Annualised costs, 2024 2050

Baseline · no CE | 2024 2050




Main view starts in 2024 because of anomalous initial-year costs; the full period is shown in the inset.

Draft assumption: blank activity values = zero; reported prices and intensities retained.

The geography of industrial emissions

Baseline · no CE | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Energy intensity in the leading producer regions

Baseline · no CE | 2019 2050

○ 2019 ◆ 2050 (sector colour)





Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Annualised costs: full source period

Baseline · no CE | 2019 2050






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities ret

Material production and production routes


Baseline · medium CE · EU | 2019 2050



The geography of industrial production

Baseline · medium CE · EU | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Regional carbon-price indices

Baseline · medium CE · EU | 2019 2050







Fixed 2019 industrial-emissions weights



Draft assumption: blank activity values = zero; reported prices and intensities ret

Industrial energy requirements

Baseline · medium CE · yrU | 2019 2050




Industrial emissions and carbon capture


Baseline · medium CE · EU | 2019 2050

Cement · Iron and steel · Aluminium


Sector greenhouse-gas emissions




Share of total industry emissions



Emissions per tonne of product





Carbon capture



Annualised costs, 2024 2050

Baseline · medium CE · EU | 2024 2050




Main view starts in 2024 because of anomalous initial-year costs; the full period is shown in the inset.

Draft assumption: blank activity values = zero; reported prices and intensities reflect 2024 values.

The geography of industrial emissions

Baseline · medium CE · EU | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and
Draft assumption: blank activity values = zero; reported prices and intensities ret

Energy intensity in the leading producer regions

Baseline · medium CE · EU | 2019 2050



○ 2019 ◆ 2050 (sector colour)



Europe combines five model regions. Indonesia group = Indonesia, Philippines and
Draft assumption: blank activity values = zero; reported prices and intensities ret

Annualised costs: full source period

Baseline · medium CE · EU | 2019-2050






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities ret

Material production and production routes

Baseline · high CE · EU | 2019 2050




Draft assumption: blank activity values = zero; reported prices and intensities ret

The geography of industrial production

Baseline · high CE · EU | 2019 2050

○ 2019 ◆ 2050 (sector colour)



Europe combines five model regions. Indonesia group = Indonesia, Philippines and


Draft assumption: blank activity values = zero; reported prices and intensities ret

Regional carbon-price indices

Baseline · high CE · EU | 2019 2050

per







Fixed 2019 industrial-emissions weights



Draft assumption: blank activity values = zero; reported prices and intensities ret

Industrial energy requirements

Baseline · high CE · EU | 2019 2050




Industrial emissions and carbon capture


Baseline · high CE · EU | 2019 2030 2050

Cement Iron and steel Aluminium


Sector greenhouse-gas emissions




Share of total industry emissions



Emissions per tonne of product





Carbon capture



Annualised costs, 2024 2050

Baseline · high CE · EU | 2024 2050




Main view starts in 2024 because of anomalous initial-year costs; the full period is shown in the inset.

Draft assumption: blank activity values = zero; reported prices and intensities reflect 2024 values.

The geography of industrial emissions

Baseline · high CE · EU | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Energy intensity in the leading producer regions

Baseline · high CE · EU | 2019 2050



○ 2019 ◆ 2050 (sector colour)



Europe combines five model regions. Indonesia group = Indonesia, Philippines and
Draft assumption: blank activity values = zero; reported prices and intensities ret

Annualised costs: full source period

Baseline · high CE · EU | 2019 2050






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities ret

Material production and production routes


Baseline · medium CE · global | 2019 2050



The geography of industrial production

Baseline · medium CE · global | 2019 2050

○ 2019 ◆ 2050 (sector colour)



Europe combines five model regions. Indonesia group = Indonesia, Philippines and


Draft assumption: blank activity values = zero; reported prices and intensities ret

Regional carbon-price indices

Baseline · medium CE · global | 2019 2050

per







Fixed 2019 industrial-emissions weights



Draft assumption: blank activity values = zero; reported prices and intensities ret

Industrial energy requirements

Baseline · medium CE · Global | 2019 2050




Industrial emissions and carbon capture


Baseline · medium CE · global | 2019 2050

Cement · Iron and steel · Aluminium


Sector greenhouse-gas emissions




Share of total industry emissions



Emissions per tonne of product





Carbon capture



Annualised costs, 2024 2050

Baseline · medium CE · global | 2024 2050




Main view starts in 2024 because of anomalous initial-year costs; the full period is shown in the inset.

Draft assumption: blank activity values = zero; reported prices and intensities reflect 2024 values.

The geography of industrial emissions

Baseline · medium CE · global | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and
Draft assumption: blank activity values = zero; reported prices and intensities ret

Energy intensity in the leading producer regions

Baseline · medium CE · global | 2019 2050

○ 2019 ◆ 2050 (sector colour)





Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Annualised costs: full source period

Baseline · medium CE · global | 2019 2050






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities ret

Material production and production routes


Baseline · high CE · global | 2019 2050



The geography of industrial production

Baseline · high CE · global | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Regional carbon-price indices

Baseline · high CE · global | 2019 2050







Fixed 2019 industrial-emissions weights



Draft assumption: blank activity values = zero; reported prices and intensities ret

Industrial energy requirements

Baseline · high CE · global | 2019 2050




Industrial emissions and carbon capture


Baseline · high CE · global | 2019 2050

Cement Iron and steel Aluminium


Sector greenhouse-gas emissions




Share of total industry emissions



Emissions per tonne of product





Carbon capture



Annualised costs, 2024 2050

Baseline · high CE · global | 2024 2050




Main view starts in 2024 because of anomalous initial-year costs; the full period is shown in the inset.

Draft assumption: blank activity values = zero; reported prices and intensities retained.

The geography of industrial emissions

Baseline · high CE · global | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and
Draft assumption: blank activity values = zero; reported prices and intensities ret

Energy intensity in the leading producer regions

Baseline · high CE · global | 2019 2050



○ 2019 ◆ 2050 (sector colour)



Europe combines five model regions. Indonesia group = Indonesia, Philippines and
Draft assumption: blank activity values = zero; reported prices and intensities ret

Annualised costs: full source period

Baseline · high CE · global | 2019 > 2050






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities ret

Material production and production routes


NDC · no CE | 2019 2050



The geography of industrial production

NDC · no CE | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Regional carbon-price indices

per DC · no CE | 2019 2050







Fixed 2019 industrial-emissions weights



Draft assumption: blank activity values = zero; reported prices and intensities ret

Industrial energy requirements

2019 2030 2040 2050




Draft assumption: blank activity values = zero; reported prices and intensities ret

Industrial emissions and carbon capture


NDC · no CE | 2019 2050

Cement Iron and steel Aluminium


Sector greenhouse-gas emissions




Share of total industry emissions



Emissions per tonne of product





Carbon capture



Draft assumption: blank activity values = zero; reported prices and intensities retro

Annualised costs, 2024 2050

NDC · no CE | 2024 2050




Main view starts in 2024 because of anomalous initial-year costs; the full period is shown in the inset.

Draft assumption: blank activity values = zero; reported prices and intensities reflect 2024 values.

The geography of industrial emissions

NDC · no CE | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Energy intensity in the leading producer regions

NDC · no CE | 2019 2050

○ 2019 ◆ 2050 (sector colour)





Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Annualised costs: full source period

NDC · no CE | 2019 2050






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities ret

Material production and production routes

NDC · medium CE · EU


2019 2050



The geography of industrial production

NDC · medium CE · EU | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Regional carbon-price indices

per DC · medium CE · EU | 2019 2050







Fixed 2019 industrial-emissions weights



Draft assumption: blank activity values = zero; reported prices and intensities ret

Industrial energy requirements

DC · medium CE · EU | yr 2019 2050




Industrial emissions and carbon capture


NDC · medium CE · EU | 2019 2050

Cement Iron and steel Aluminium


Sector greenhouse-gas emissions




Share of total industry emissions



Emissions per tonne of product





Carbon capture



Annualised costs, 2024 2050

NDC · medium CE · EU | 2024 2050 yr




Main view starts in 2024 because of anomalous initial-year costs; the full period is shown in the inset.

Draft assumption: blank activity values = zero; reported prices and intensities reflect 2024 values.

The geography of industrial emissions

NDC · medium CE · EU | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Energy intensity in the leading producer regions

NDC · medium CE · EU | 2019 2050

○ 2019 ◆ 2050 (sector colour)





Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Annualised costs: full source period

NDC · medium CE · EU | 2019 2050






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities ret

Material production and production routes


NDC · high CE · EU | 2019 2050



The geography of industrial production

NDC · high CE · EU | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Regional carbon-price indices

per DC · high CE · EU | 2019 2050







Fixed 2019 industrial-emissions weights



Draft assumption: blank activity values = zero; reported prices and intensities ret

Industrial energy requirements

2019 2050 | DC · high CE · EU




Industrial emissions and carbon capture


NDC · high CE · EU | 2019 2050

Cement Iron and steel Aluminium


Sector greenhouse-gas emissions




Share of total industry emissions



Emissions per tonne of product





Carbon capture



Draft assumption: blank activity values = zero; reported prices and intensities retrofitted

Annualised costs, 2024 2050

NDC · high CE · EU | 2024 2050




Main view starts in 2024 because of anomalous initial-year costs; the full period is shown in the inset.

Draft assumption: blank activity values = zero; reported prices and intensities reflect 2024 values.

The geography of industrial emissions

NDC · high CE · EU | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Energy intensity in the leading producer regions

NDC · high CE · EU | 2019 2050

○ 2019 ◆ 2050 (sector colour)





Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Annualised costs: full source period

NDC · high CE · EU | 2019 2050 yr






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities ret

Material production and production routes

NDC · medium CE · global | 2019 2050




Draft assumption: blank activity values = zero; reported prices and intensities ret

The geography of industrial production

NDC · medium CE · global | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Regional carbon-price indices

per tCO₂e · medium CE · global | 2019 2050







Fixed 2019 industrial-emissions weights



Draft assumption: blank activity values = zero; reported prices and intensities ret

Industrial energy requirements

DC · medium CE · global | 2019 2050




Industrial emissions and carbon capture


NDC · medium CE · global | 2019 2050

—○— Cement —□— Iron and steel —△— Aluminium


Sector greenhouse-gas emissions




Share of total industry emissions



Emissions per tonne of product





Carbon capture



Annualised costs, 2024 2050

NDC · medium CE · global | 2024 2050




Main view starts in 2024 because of anomalous initial-year costs; the full period is shown in the inset.

Draft assumption: blank activity values = zero; reported prices and intensities retained.

The geography of industrial emissions

NDC · medium CE · global | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Energy intensity in the leading producer regions

NDC · medium CE · global | 2019 2050

○ 2019 ◆ 2050 (sector colour)





Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Annualised costs: full source period

NDC · medium CE · global | 2019-2050






Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities ret

Material production and production routes


NDC · high CE · global | 2019 2050



The geography of industrial production

NDC · high CE · global | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Regional carbon-price indices

per tCO₂e · high CE · global | 2019 2050







Fixed 2019 industrial-emissions weights



Draft assumption: blank activity values = zero; reported prices and intensities ret

Industrial energy requirements

2019 2050




Industrial emissions and carbon capture


NDC · high CE · global | 2019 2050

Cement Iron and steel Aluminium


Sector greenhouse-gas emissions




Share of total industry emissions



Emissions per tonne of product





Carbon capture



Draft assumption: blank activity values = zero; reported prices and intensities retro

Annualised costs, 2024 2050

NDC · high CE · global | 2024 2050 yr




Main view starts in 2024 because of anomalous initial-year costs; the full period is shown in the inset.

Draft assumption: blank activity values = zero; reported prices and intensities retained.

The geography of industrial emissions

NDC · high CE · global | 2019 2050

○ 2019 ◆ 2050 (sector colour)




Europe combines five model regions. Indonesia group = Indonesia, Philippines and
Draft assumption: blank activity values = zero; reported prices and intensities ret

Energy intensity in the leading producer regions

NDC · high CE · global | 2019 2050

○ 2019 ◆ 2050 (sector colour)





Europe combines five model regions. Indonesia group = Indonesia, Philippines and

Draft assumption: blank activity values = zero; reported prices and intensities ret

Annualised costs: full source period

NDC · high CE · global | 2019 2050



Full source period shown; 2019 costs require checking before interpretation.

Draft assumption: blank activity values = zero; reported prices and intensities ret