

See AI context: <https://penguins-eggs.net/llms.txt>

🔪 REBRANDING NOTICE

penguins-eggs is now the C/Go edition

Project	Status
penguins-eggs (oa edition, C/Go)	active development
penguins-eggs (TypeScript)	→ penguins-eggs-legacy (maintained)

New users → use **penguins-eggs (oa edition)** (faster, C/Go).

Existing users → **legacy penguins-eggs** remains supported.

— Piero Proietti

🥚 penguins-eggs (oa edition)

After years of passionate work on **penguins-eggs**, I am now undertaking its next evolution: **penguins-eggs (oa edition)**. The new penguins-eggs is built on **oa**, a high-performance C-native remastering engine, and **coa**, its intelligent Go orchestrator. This new architecture replaces fragile bash scripts with native Linux kernel syscalls and strict zero-copy principles — delivering a significant leap in speed and reliability. The goal is ambitious: a truly universal approach to Linux remastering. Every distribution is different, yet they all share common roots. penguins-eggs (oa edition) already supports Alpine, Arch, Debian, Fedora, Manjaro and openSUSE — and aims to prove that a single, unified engine can handle them all.



🏗️ penguins-eggs (oa edition) Architecture

We have transitioned to a monorepo structure to ensure perfect synchronization between the workhorse (oa) and the orchestrator (coa).

🧠 **coa (brooding in my dialect)** - The Mind

It manages the full lifecycle: from laying the ISO to the final installation.

The name derives from the dialect word coa, referring to the act of brooding or incubating eggs until they are ready to hatch.

Language: Go

For coa commands, see [coa command Reference](#).

🐎 **oa (eggs in my dialect)** - The Workhorse

Language: C **oa** is the low-level engine. It handles the "heavy lifting" of the system:

- Managing OverlayFS and mount points.

- Executing SquashFS compression.
- Remove and create users and groups via `yocto_style` functions.
- Interacting directly with the Linux Kernel and system binaries.
- **Philosophy:** Performance, stability, and zero-dependency execution.

Getting Started

Coming from penguins-eggs? The binary is installed as both `coa` and `eggs` — your existing commands (`eggs produce`, `eggs kill`, ...) work unchanged. See the [Quick Start](#) for the full compatibility table.

Prerequisites

- A Linux system (Debian-based, Arch-based, Fedora-based or Manjaro-based).
- `gcc` and `make` (for `oa`).
- `golang` 1.25+ (for `coa`).

Build Everything

From this root directory, simply run:

```
make
```

This will compile both binaries:

- `./oa/oa` (The Engine)
- `./coa/coa` (The Orchestrator)

TIP: Actually you can get native packages, simply using `make clean package`

Philosophy

The **penguins-eggs (oa edition)** project aims to provide a "Passepartout" for Linux remastering. By separating the **Mind** (Go) from the **Workhorse** (C), we achieve a clean, maintainable, and incredibly fast workflow that can adapt to any distribution without changing the user experience.

Documentation can be found on [DOCS](#). See also the [Manifestum](#) for the founding vision and origins.


The article [eggs-bananas](#) philosophy can be read on my blog.



Star History

This project collects stars, look to the sky... contribute!

Star History



Created with passion by Piero Proietti.

blog

- <https://penguins-eggs.net>