Function Keys Mappings

Francisco								
Function		shift (企)	control (^)	^仓	meta (飞)	ተ	^\	^ፒ쇼
Key		S	С	C-S	М	M-S	С-М	C-M-S
F1	Prefix: (help)	Prefix: (help)	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
F2	(bm-next) pel-use-bm = t	(bm-next) vi pel-use-bm = t	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
F3	(kmacro-start- macro-or-insert- counter ARG)	(kmacro-start- macro-or-insert- counter ARG)	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
F4	(kmacro-end-or- call-macro ARG &optional NO- REPEAT)	(kmacro-end-or- call-macro ARG &optional NO- REPEAT)	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
F5	(repeat REPEAT- ARG)	(repeat REPEAT- ARG) and mark	unassigned	unassigned	(pel-scroll-up &optional N)	(pel-scroll-up- other &optional N)	unassigned	unassigned
F6	Prefix: pel:f6	Prefix: pel:f6	unassigned	unassigned	(pel-scroll-down &optional N)	(pel-scroll-down- other &optional N)	unassigned	unassigned
F7	Prefix: pel-∑wnd	unassigned as <f19></f19>	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
F8	Prefix: projectile (activated by F11 F8 pel-use-projectile=t)	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
F9	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
F10	(menu-bar-open &optional FRAME)	(menu-bar-open &optional FRAME)	(buffer-menu- open)	(buffer-menu- open)	(toggle-frame- maximized)	(toggle-frame- maximized)	unassigned	unassigned
F11	Prefix: pel:	Prefix: pel:	(pel-previous- visible &optional N)	(pel-previous- visible &optional N)	unassigned	(pel-scroll-up &optional N)	unassigned	unassigned
F12	Prefix: mode sensitive	Prefix: mode sensitive	(pel-next-visible &optional N)	(pel-next-visible &optional N)	Prefix: mode sensitive (same as F12 alone)	(pel-scroll-down &optional N)	unassigned	unassigned