






Topic IndexEmacs support for Pascal

Description	Keystroke	Function	Note
Pascal Editing	Emacs has built-in Pascal support. <ul style="list-style-type: none"> PEL adds extra support when  the pel-use-pascal user-option is set to t. Type <f1> o pel-use-pascal <RET> to change it. <ul style="list-style-type: none"> PEL support is partial . If you need extra features implemented please request them via bug in the PEL Github project. 		
Last updated on: 2025-03-30			
Open this PDF file. See also: 🔗 Help/Info	<f11> SPC M-p <f1> <f12> <f1>	(pel-help-pdf &optional OPEN-WEB-PAGE)	Open the  - Pascal local PDF. If the prefix argument (like C-u or M--) is used, then it opens the remote GitHub hosted raw PDF instead. If the pel-flip-help-pdf-arg user-option is set it's the other way around.
🔗 Customize PEL Pascal support	<f11> SPC M-p <f2> <f12> <f2>	(pel-customize-pel &optional OTHER-WINDOW)	Customize PEL Pascal support. <ul style="list-style-type: none"> If OTHER-WINDOW is non-nil (use C-u), display in another window.
🔗 Customize Emacs Pascal support	<f11> SPC M-p <f3> <f12> <f3>	(pel-customize-library &optional OTHER-WINDOW)	Customize Emacs Pascal support: pascal <ul style="list-style-type: none"> If OTHER-WINDOW is non-nil (use C-u), display in another window.
Comments			
Toggle display of comments in buffer or active region See also: 🔗 Comments	<f11> ; ;	(hide/show-comments-toggle &optional START END)	Toggle hiding/showing of comments in the active region or whole buffer. <ul style="list-style-type: none"> If the region is active then toggle in the region. Otherwise, in the whole buffer.  This requires the hide-comnt.el package (see 🔗 Comments).  PEL activates it when the pel-use-hide-comnt user option is t.

Emacs & Pascal — References

Document	Notes