## Emacs support for editing Meson files



Description	<u>Keystroke</u>	Function	<u>Note</u>
Meson	Emacs does not support editing the Meson build file editing natively.  PEL provides supports via the meson-mode external package activated when pel-use-meson user-option is tuned on.		
Last updated on:	2025-10-29		
Open this PDF file. See also: <u>∑ Help/Info</u>	<f11> SPC 3 <f1></f1></f11>	(pel-help-pdf &optional OPEN-WEB-PAGE)	Open the <u>\$1 - Meson</u> local PDF. If the prefix argument (like <b>C-u</b> or <b>M</b> ) is used, then it opens the remote GitHub hosted raw PDF instead. If the <b>pel-flip-help-pdf-arg</b> user-option is set it's the other way around.
	<f12> <f1></f1></f12>		
∑ Customize PEL  Meson support	<f11> SPC 3 <f2></f2></f11>	(pel-customize-pel &optional OTHER-WINDOW)	Customize PEL Meson support.  • If OTHER-WINDOW is non-nil (use <b>C-u</b> ), display in another window.
	<f12> <f2></f2></f12>		
∑ Customize Emacs Meson support	<f11> SPC 3 <f3></f3></f11>	(pel-customize-library &optional OTHER-WINDOW)	Customize Emacs Meson support: meson  • If OTHER-WINDOW is non-nil (use <b>C-u</b> ), display in another window.
	<f12> <f3></f3></f12>		
Comments			
Insert, realign, comment/uncomment region See also: <u>\( \tilde{\tilde{L}} \) Comments</u>	M-;	(comment-dwim ARG)	Insert or realign comment on current line (or region if a region is active).  If line/region is already commented, uncomment it.  On a single line, the comment is placed after the code.  C-u M-; executes comment-kill
With PEL: Comment the current line with M-0 M-;		(pel-comment-dwim ARG)	Same as <b>comment-dwim</b> but comments the current line with a numeric ARG or 0.

## Meson Reference

Intro	Meson @Wikipedia     Meson home : overview and info on how to install meson.	meson @ Github
Syntax		
Guide	Meson Style Guide	