

| TreeSitte | r parsers | Supported by PEL | User-option control | tree-sitter mode | Language grammar | With <u>∑iMenu</u> support | With <u>∑ Speedbar</u> support | Status | | | | |
|---|--|------------------------------------|--|---|---|--|--------------------------------|--|--|--|-------------------------|------|
| Last updated on: 2025-10-15 See Also: <u>» Tree Sitter</u> | | Indicates yes only when explicitly | The name and value of PEL user option that control whether Tree-Sitter aware mode is used. | The name of the major mode command that supports the treesitter based control. Modes names in black are built-in Emacs. | | Whether all commands based on imenu work in tree- sitter mode. | | Identify any known problem here. Later this will be expanded to several features | As PEL introduces explicit support for me class will be filled. Once enough tree-sitter implemented, I will add explicit support for LSP and tree-sitter. I will then add more coll features here and in the Language Server | support is explicitly LSP and then check the navigation based on umns related to these | | |
| <u>βἴ - Ada</u> ່ ່ ສ່ ອ | | | | | | | | | | | | |
| થા લ- AppleScript | | | | | | | | | | | | |
| APL ## | | | | | | | | | | | | |
| Pl - Arc | TO | | | | | | | | | | | |
| ֆῖ - awk | a | | | | | | | | | | | |
| <u> ұй - С</u> | 8 | | | | | | | | | | | |
| <u> ұрі - С++</u> | 0© | | | | | | | | | | | |
| Carbon ## fu | iture 😝 | | | | | | | | | | | |
| Pl - Chez | (f)(iii | | | | | | | | | | | |
| <u> ₽l - Chibi</u> | (f)(m) | | | | | | | | | | | |
| ₽l - Chicken | (f) | | | | | | | | | | | |
| <u> βῖ - Clojure</u> | Œ. | | | | | | | | | | | |
| Common Li | sp (f) | | | | | | | | | | | |
| Crystal ## | | | | | | | | | | | | |
| <u>ұй - D</u> | (1) (F) (A) | | | | | | | | | | | |
| Dart 🚧 | | | | | | | | | | | | |
| <u> pt - Eiffel</u> ≱ | 6 0 9 | | | | | | | | | | | |
| βῖ - Elm 🚧 | Ē | | | | | | | | | | | |
| 野Į - Elixir | cmfA | Yes | pel-use-elixir | elixir-ts-mode | <u>tree-sitter-langs</u> → <u>tree-sitter-elixir</u> | Yes | Yes | OK | | | | |
| £₽l - Emacs | Lisp | | | | | | | | | | | |
| भ्रा - Erlang | ©(f)A | | | | | | | | | | | |
| श्रा - Factor | (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d | | | | | | | | | | | |
| <u> இட் - Forth</u> | K | | | | | | | | | | | |
| Fortran ## | | | | | | | | | | | | |
| ֆ i - Gambit | (f)(iii | | | | | | | | | | | |
| <u> βl - Gerbil</u> | (f)(m)(A) | | | | | | | | | | | |
| ֆն - GNU Gւ | <u>iile</u> GM | | | | | | | | | | | |
| <u> ֆῖ - Gleam</u> | | Yes | See note >> | gleam-ts-mode | tree-sitter-langs ⇒ tree-sitter-gleam | Yes | Yes | OK | Note: Gleam is only supported by a Tree-Sitt | ter aware mode. There's r | no classic mode for Gle | eam. |

| TreeSitter par | | | User-option control | tree-sitter mode | Language grammar | With <u>∑iMenu</u> support | With <u>∑ Speedbar</u> support | Status |
|--|-------------|-----|---------------------|------------------|--------------------------------------|----------------------------|--------------------------------|--|
| <u> рі - Go</u> | 9 | Yes | pel-use-go | go-ts-mode | tree-sitter-langs → tree-sitter-go | Yes | Yes | OK |
| <u>ൂ≀ - Go</u> go.mod | 1 | Yes | pel-use-go | go-mod-ts-mode | tree-sitter-go-mod | Yes | Yes | OK |
| Groovy ## | | | | | | | | |
| βί - Haskell | (F) | | | | | | | |
| Haxe ## | | | | | | | | |
| <u>ұй - Ну</u> (python) |) (m | | | | | | | |
| <u>pı - Janet</u> ()(f | Đ® | | | | | | | |
| Java 🗯 | | | | | | | | |
| भ्रा - Javascript 🚧 | | | | | | | | |
| <u>βt - Julia</u> | @ | | | | | | | |
| Kotlin 🚧 | | | | | | | | |
| <u>pi-lfe</u> cot | Đ A | | | | | | | |
| <u>φι-Lua</u> |)® | Yes | pel-use-lua | lua-ts-mode | tree-sitter-lua 1. | Yes | Yes | fortification does not work The tree-sitter-lua project used by tree-sitter-langs seems unmaintained. It should probably use tree-sitter-grammars/tree-sitter-lua |
| <u>ֆῖ-Modula</u> | | | | | | | | |
| <u> at - NetRexx</u> | | | | | | | | |
| <u>BI - Nim</u> | @ © | | | | | | | |
| <u>βι-Objective-C</u> | <u> </u> | | | | | | | |
| <u>βι - OCaml</u> (i | D(f) | | | | | | | |
| <u> at - Odin</u> | 8 | | | | | | | |
| <u>Pt-Pascal</u> | | | | | | | | |
| <u>\$\tau\$\tau\$\text{Perl}</u> (<u>perl5</u>) | | | | | | | | |
| <u>Pi - Pike</u> d i | 0 | | | | | | | |
| Pi-Python de | | | | | | | | |
| भ्रा - Purescript 🔅 | | | | | | | | |
| <u>R</u> | | | | | | | | |
| <u> PI - Racket</u> | | | | | | | | |
| भ्रा - ReasonML ## | # | | | | | | | |
| <u> at - REXX</u> | | | | | | | | |
| <u>aβt - Ruby</u> | | | | | | | | |
| <u>pι - Rust</u> | 8 | Yes | pel-use-rust | rust-ts-mode | tree-sitter-langs → tree-sitter-rust | Yes | Yes | OK |
| Scala ## | | | | | | | | |

| TreeSitter parsers | | User-option control | tree-sitter mode | Language grammar | With <u>∑iMenu</u> support | With <u>Speedbar</u> support | Status | | |
|---------------------------------|-----|---------------------|------------------|-------------------------------------|----------------------------|------------------------------|--|--|--|
| <u>Pl - Scheme</u> fm | | | | | | | | | |
| <u>№ℓ-Seed7</u> ## @ @ Ϡ | | | | | | | | | |
| <u>ñi-Smalltalk</u> | | | | | | | | | |
| Φ Ĭ-Swift | | | | | | | | | |
| <u>β</u> ί - Tcl (f) | | | | | | | | | |
| ា្រ្ថ - Typescript ## | | | | | | | | | |
| Φί - UNIX Shell | | | | | | | | | |
| <u> 18α - V</u> | | | | | | | | | |
| <u>pt -Zig</u> ⊗ | Yes | pel-use-zig | zig-ts-mode | tree-sitter-langs → tree-sitter-zig | Yes | Yes | fortification does not work incomplete indentation control no format on save like zig-mode | | |