


Emacs support for Awk

Description	Keystroke	Function	Note
Open this PDF file. See also: 🔗 Help/Info	<f11> SPC W <f1>	(pel-help-pdf &optional OPEN-WEB-PAGE)	Open the 📖 - Awk local PDF. If the prefix argument (like C-u or M--) is used, then it opens the remote GitHub hosted raw PDF instead. If the pel-flip-help-pdf-arg user-option is set it's the other way around.
	<f12> <f1>		
🔗 Customize PEL Awk support	<f11> SPC W <f2>	(pel-customize-pel &optional OTHER-WINDOW)	Customize PEL Awk support. <ul style="list-style-type: none"> If OTHER-WINDOW is non-nil (use C-u), display in another window.
	<f12> <f2>		
🔗 Customize Emacs Awk support	<f11> SPC W <f3>	(pel-customize-library &optional OTHER-WINDOW)	Customize Emacs Awksupport: arc, lispy. <ul style="list-style-type: none"> If OTHER-WINDOW is non-nil (use C-u), display in another window.
	<f12> <f3>		
Comments			
Toggle display of comments in buffer or active region See also: <ul style="list-style-type: none"> 🔗 Comments 	<f11> ; ;	(hide/show-comments-toggle &optional START END)	Toggle hiding/showing of comments in the active region or whole buffer. <ul style="list-style-type: none"> If the region is active then toggle in the region. Otherwise, in the whole buffer. 📦 This requires the hide-comnt.el package (see 🔗 Comments).  PEL activates it when the pel-use-hide-comnt user option is t .

Emacs & Awk — References

Document	Notes