

Available completion modes - availability of various features

| Input Completion Availability Selected ⇒ mode See also: ☞ Completion/Input | Ido Ido geometry: default - linear | Ido ido-ubiquitous Ido geometry: default - linear | Ido ido-grid Ido geometry: grid (both collapsed and expanded) | Ido ido-grid ido-ubiquitous Ido geometry: grid (both collapsed and expanded) | Ido IdO-vertical Ido geometry: vertical | Ido IdO-vertical ido-ubiquitous Ido geometry: vertical | ivy | Ido/Helm For IdO: all IdO geometries supported | Helm |
|---|--|---|--|--|--|--|-----|---|------|
| Key bindings of commands with input completion capable prompt ⇓⇓ | Symbol Legend: <ul style="list-style-type: none">✔ : enhanced completion mode available for this command◆ : IdO completion is available for this command, but only when the command symbol is placed in the ido-cr+-function-whitelist user-option.◆ : Uses IdO with last specified IdO geometry, even when ivy or helm mode is selected.✗ : enhanced completion mode is not available for this command. It only offers the Emacs default completion.N/A: This completion mode is not available for this command.IdO : When IdO/Help mode is selected: IdO mode used here, supports all geometriesHelm : When IdO/Help mode is selected: Helm mode used here🚧 : does not always start with the requested IdO geometry but works after re-selecting the IdO geometry (need further investigation) | | | | | | | | |
| C-x C-f | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | IdO✔ | ✔ |
| C-x b | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | IdO✔ | ✔ |
| C-x k | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | IdO✔ | ✔ |
| <f1> C | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✔ | Helm✔ | ✔ |
| <f1> F | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✔ | Helm✔ | ✔ |
| <f1> I | ✗ | ◆ | ✗ | ◆ | ✗ | ◆ | ✔ | Helm✔ | ✔ |
| <f1> L | ✗ | ◆ | ✗ | ◆ | ✗ | ◆ | ✔ | Helm✔ | ✔ |
| <f1> P | ✗ | ◆ | ✗ | ◆ | ✗ | ◆ | ✔ | Helm✔ | ✔ |
| <f1> S | ✗ | ◆ | ✗ | ◆ | ✗ | ◆ | ✔ | Helm✔ | ✔ |
| <f1> f | ✗ | ◆ | ✗ | ◆ | ✗ | ◆ | ✔ | Helm✔ | ✔ |
| <f1> o | ✗ | ◆ | ✗ | ◆ | ✗ | ◆ | ✔ | Helm✔ | ✔ |
| <f1> v | ✗ | ◆ | ✗ | ◆ | ✗ | ◆ | ✔ | Helm✔ | ✔ |
| <f1> w | ✗ | ◆ | ✗ | ◆ | ✗ | ◆ | ✔ | Helm✔ | ✔ |
| <f11> ? p | ✗ | ◆ | ✗ | ◆ | ✗ | ◆ | ✔ | Helm✔ | ✔ |
| M-g M-h | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | N/A | N/A |
| M-g M-y | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | N/A | ✔ |
| M-x | ✗ | ◆ | ✗ | ◆ | ✗ | ◆ | ✔ | ✗ | ✔ |
| M-x (with smex) | ✔ | ✔ | ✔🚧 | ✔🚧 | ✔🚧 | ✔🚧 | ◆ | Helm✔ | ✔ |
| M-X (with smex) | ✔ | ✔ | ✔🚧 | ✔🚧 | ✔🚧 | ✔🚧 | ◆ | ◆ | ◆ |
| <f1> M-x (with smex) | ✗ | ◆ | ✗ | ✗ | ✗ | ✗ | ✔ | ✗ | ✗ |
| Availability of features during completion | Prompt completion commands support multiple commands that control the completion. These commands are described in the ☞ Completion/Input page. The following lines show which of those commands are supported by the completion methods. Symbol Legend: <ul style="list-style-type: none">✔ : Key is available◆ : Key is normally not available. PEL adds a key binding to the command that is available.✗ : Key is not available. | | | | | | | | |
| ignore non-important files • C-a | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | | | |
| Toggle case sensitivity • C-c • <f12> C-c | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | | | |
| Toggle prefix match • C-p | ✔ | ✔ | ✗ | ✗ | ✔ | ✔ | | | |
| • <f12> C-p | | | ◆ | ◆ | | | | | |
| Toggle regexp match • C-t | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | | | |