

| TreeSitter parsers | | Supported by PEL | User-option control The name and value of PEL user option that control whether Tree-Sitter aware mode is used. | The name of the major mode command that supports the treesitter based control. Modes names in black are built-in Emacs. | Language grammar | With ∑iMenu support Whether all commands based on imenu work in tree- sitter mode. | support Whether Speedbar support works for | Status | | | | |
|--|--|----------------------|---|---|---|--|---|--|--|--|--|------|
| Last updated on: 2025-10-15 See Also: <u>E Tree Sitter</u> | | only when explicitly | | | r Name and link to the | | | Identify any known problem here. Later this will be expanded to several features | As PEL introduces explicit support for me class will be filled. Once enough tree-sitter implemented, I will add explicit support for LSP and tree-sitter. I will then add more coll features here and in the Language Server | | | |
| <u>ગા - Ada</u> ₩ ત્રે ❸ | | | | | | | | | | | | |
| ⊉ĭ க்- AppleScript | | | | | | | | | | | | |
| APL ## | | | | | | | | | | | | |
| Pl - Arc | TO | | | | | | | | | | | |
| ֆῖ - awk | a | | | | | | | | | | | |
| <u> ұй - С</u> | 8 | | | | | | | | | | | |
| <u> ұрі - С++</u> | 0© | | | | | | | | | | | |
| Carbon ## fu | iture 😝 | | | | | | | | | | | |
| Pl - Chez | (f)(iii | | | | | | | | | | | |
| <u> ₽l - Chibi</u> | (f)(m) | | | | | | | | | | | |
| ₽l - Chicken | (f) | | | | | | | | | | | |
| <u> βῖ - Clojure</u> | Œ. | | | | | | | | | | | |
| Common Li | sp (f) | | | | | | | | | | | |
| Crystal ## | | | | | | | | | | | | |
| <u>ұй - D</u> | (1) (F) (A) | | | | | | | | | | | |
| Dart 🚧 | | | | | | | | | | | | |
| <u> pt - Eiffel</u> ≱ | 6 0 9 | | | | | | | | | | | |
| βῖ - Elm 🚧 | Ē | | | | | | | | | | | |
| 野Į - Elixir | cmfA | Yes | pel-use-elixir | elixir-ts-mode | <u>tree-sitter-langs</u> → <u>tree-sitter-elixir</u> | Yes | Yes | OK | | | | |
| ₹\$1 - Emacs | Lisp | | | | | | | | | | | |
| श्रा - Erlang | ©(f)A | | | | | | | | | | | |
| श्रा - Factor | (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d | | | | | | | | | | | |
| <u> भृℓ - Forth</u> | K | | | | | | | | | | | |
| Fortran ## | | | | | | | | | | | | |
| ֆ i - Gambit | (f)(iii | | | | | | | | | | | |
| <u> βl - Gerbil</u> | (f)(m)(A) | | | | | | | | | | | |
| ֆն - GNU Gւ | <u>iile</u> GM | | | | | | | | | | | |
| <u> ֆῖ - Gleam</u> | | Yes | See note >> | gleam-ts-mode | tree-sitter-langs ⇒ tree-sitter-gleam | Yes | Yes | OK | Note: Gleam is only supported by a Tree-Sitter aware mode. There's no classic mode for Gleam. | | | eam. |

| TreeSitter | parsers | | User-option control | tree-sitter mode | Language grammar | With <u>∑iMenu</u> support | With <u>Speedbar</u> support | Status | | | |
|----------------------|--------------|-----|---------------------|------------------|--------------------------------------|----------------------------|------------------------------|--------|--|--|--|
| <u> ұрі - Go</u> | 8 | Yes | pel-use-go | go-ts-mode | tree-sitter-langs ⇒ tree-sitter-go | Yes | Yes | ОК | | | |
| <u>ൂ≀ - Go</u> go. | mod | Yes | pel-use-go | go-mod-ts-mode | tree-sitter-go-mod | Yes | Yes | OK | | | |
| Groovy ## | | | | | | | | | | | |
| <u> βΙ - Haskell</u> | F | | | | | | | | | | |
| Haxe ## | | | | | | | | | | | |
| <u> ұй - Ну</u> (ру | thon) 📵 | | | | | | | | | | |
| <u> βΙ - Janet</u> | ()(f)(m) | | | | | | | | | | |
| Java 🚧 | | | | | | | | | | | |
| Pl - Javascrij | pt 🚧 | | | | | | | | | | |
| <u> βι - Julia</u> | m | | | | | | | | | | |
| Kotlin 🚧 | | | | | | | | | | | |
| PI - LFE | cm(fA) | | | | | | | | | | |
| <u>βt -Lua</u> | f 0 P | | | | | | | | | | |
| <u> ֆί-Modula</u> | | | | | | | | | | | |
| <u>βι - NetRexx</u> | <u>c</u> | | | | | | | | | | |
| <u> 181 - Nim</u> | @ 8 | | | | | | | | | | |
| β Ι-Objective | <u>-C</u> ## | | | | | | | | | | |
| <u> βι - OCaml</u> | (i) f | | | | | | | | | | |
| <u> ₽Ι - Odin</u> | 8 | | | | | | | | | | |
| Φ ℓ-Pascal | | | | | | | | | | | |
| Pl - Perl (per | <u>15</u>) | | | | | | | | | | |
| <u> pι - Pike</u> | d (i) (0 | | | | | | | | | | |
| <u> Pl - Python</u> | d® @f | | | | | | | | | | |
| ា្រ - Purescri | ipt 🚧 🕞 | | | | | | | | | | |
| <u>R</u> ## 0 | (P) (F) X | | | | | | | | | | |
| <u> βι - Racket</u> | £ | | | | | | | | | | |
| ា្រ - Reasonl | ML 🚧 | | | | | | | | | | |
| <u> pι - REXX</u> | | | | | | | | | | | |
| <u> pι - Ruby</u> | | | | | | | | | | | |
| <u>ֆ≀ - Rust</u> | 8 | Yes | pel-use-rust | rust-ts-mode | tree-sitter-langs → tree-sitter-rust | Yes | Yes | OK | | | |
| Scala 🚧 | | | | | | | | | | | |
| PI - Scheme | (f)(m) | | | | | | | | | | |
| <u>nt-Seed7</u> ## | @ 9 为 | | | | | | | | | | |

| TreeSitter parsers | Supported by PEL | User-option control | tree-sitter mode | Language grammar | With <u>∑iMenu</u> support | With <u>∑ Speedbar</u> support | Status | | |
|--|------------------|---------------------|------------------|-------------------------------------|----------------------------|--------------------------------|--|--|--|
| ^β ^I -Smalltalk ^{II} | | | | | | | | | |
| <u>pι-Swift</u> | | | | | | | | | |
| <u>βί - Tcl</u> (f) | | | | | | | | | |
| 段↓ - Typescript 🚧 | | | | | | | | | |
| β l - UNIX Shell | | | | | | | | | |
| <u> 191 - V</u> | | | | | | | | | |
| <u>p</u> [-Zig ⊗ | Yes | pel-use-zig | zig-ts-mode | tree-sitter-langs → tree-sitter-zig | Yes | Yes | fortification does not work incomplete indentation control no format on save like zig-mode | | |