

F11 Key Suffixes

F11	Shift		Shift	Control	Control-Shift	Meta	Meta Shift	Control-Meta	Control Meta Shift
			S	C	C-S	M	M-S	C-M	C-M-S
Up		windmove-up	fm-up-frame	pel-create-window-up	pel-close-window-up	unassigned	unassigned	unassigned	unassigned
Down		windmove-down	fm-down-frame	pel-create-window-down	pel-close-window-down	unassigned	unassigned	unassigned	unassigned
Right		windmove-right	fm-right-frame	pel-create-window-right	pel-close-window-right	pel-forward-syntaxchange-start	unassigned	unassigned	unassigned
Left		windmove-left	fm-left-frame	pel-create-window-left	pel-close-window-left	pel-backward-syntaxchange-start	unassigned	unassigned	unassigned
Space	Space	PEL Mode sensitive prefix	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
Tab	Tab	pel:indent	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
Del	Del	pel:delete	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
Del->	Del->	c-hungry-delete-forward	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
Ret	Ret	auto-fill-mode	unassigned	unassigned	unassigned	pel-toggle-newline-indent-align	unassigned	unassigned	unassigned
0)	hl-line-mode	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
1	!	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
2	@	unassigned	unassigned	unassigned	unassigned	unassigned	pel-toggle-update-copyright-on-save	unassigned	unassigned
3	#	unassigned	pel-toggle-mac-numlock	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
4	\$	unassigned	pel:spell	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
5	%	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
6	^	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
7	&	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
8	*	fci-mode	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
9	(vline-mode	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
-	_	pel:kill	pel:underline	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
=	+	pel:copy	pel-copy-marked-or-whole-line	unassigned	unassigned	pel-toggle-show-copy-cut-text	unassigned	unassigned	unassigned
;	:	pel:comment	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
‘	“	pel:bookMark	easy-escape-minor-mode	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
,	<	pel:auto-completion	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
.	>	pel:mark	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
/	?	expand-abbrev	pel:help	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
`	~	overwrite-mode	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
[{	pel-cua-mode-rectangle-left	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
\		pel-flyspell-auto-correct-previous-word	pel:scroll	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
]	}	pel-cua-mode-rectangle-right	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
a	A	pel:abbrev	counsel-osx-app	unassigned	unassigned		unassigned	unassigned	unassigned
b	B	pel:buffer	pel:browse	unassigned	unassigned	pel-backward-syntaxchange-start	unassigned	unassigned	unassigned
c	C	pel:count	pel:clipboard	unassigned	unassigned	pel:completion	unassigned	unassigned	unassigned
d	D	pel:diff	pel:draw	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
e	E	iedit-mode	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
f	F	pel:file	pel:frame	find-file	unassigned	pel-forward-syntaxchange-start	unassigned	unassigned	unassigned
g	G	pel:grep	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
h	H	pel:highlight	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
i	I	pel:insert	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
j	J		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
k	K	pel:kmacro	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
l	L	pel:linectrl	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
m	M	pel:mcursors	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
n	N		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
o	O	pel:order	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
p	P	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
q	Q	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
r	R	pel:register	cua-rectangle-mark-mode	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
s	S	pel:search-replace	pel:session	unassigned	unassigned	pel:speedbar	unassigned	unassigned	unassigned

F11	Shift		Shift	Control	Control-Shift	Meta	Meta Shift	Control-Meta	Control Meta Shift
			S	C	C-S	M	M-S	C-M	C-M-S
t	T	pel:text	unassigned	unassigned	unassigned	unassigned	pel-toggle-update-time-stamp-on-save	unassigned	unassigned
u	U	pel:undo	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
v	V	pel:vcs	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
w	W	pel>window	unassigned	unassigned	unassigned	unassigned	pel-toggle-delete-trailing-space-on-save	unassigned	unassigned
x	X	pel:execute	pel:xref	unassigned	unassigned	execute-extended-command	unassigned	unassigned	unassigned
y	Y	pel:yasnipet	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
z	Z		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
F1	F1	pel-help-pdf	unassigned	unassigned	unassigned	unassigned > F11 F6	unassigned	unassigned > F11 C-M-p	unassigned > F11 C-M-p
F2	F2	pel:cfg	unassigned	unassigned	unassigned	unassigned > F11 F7	unassigned	unassigned > F11 C-M-p	unassigned > F11 C-M-p
F3	F3	unassigned	unassigned	unassigned	unassigned	unassigned > F11 F8	unassigned	unassigned > F11 C-M-p	unassigned > F11 C-M-p
F4	F4	emacs-execute-named-macro	unassigned	unassigned	unassigned	unassigned > F11 F9	unassigned	unassigned > F11 C-M-p	unassigned > F11 C-M-p
F5	F5	pel:mode	unassigned	centi-assign	centi-assign	pel-scroll-up	unassigned	unassigned > ~	unassigned > ~
F6	F6	unassigned	unassigned	unassigned	unassigned	pel-scroll-down	unassigned	unassigned > ~	unassigned > ~
F7	F7	unassigned	unassigned	unassigned	unassigned	unassigned > F11 F55	unassigned	unassigned > ~	unassigned > ~
F8	F8	pel:projectile	unassigned	unassigned	unassigned	unassigned > F11 F56	unassigned	unassigned > ~	unassigned > ~
F9	F9	unassigned	unassigned	unassigned	unassigned	unassigned > F11 F57	unassigned	unassigned > ~	unassigned > ~
F10	F10	pel:menu	unassigned	buffer-menu-open	buffer-menu-open	unassigned > F11 F58	unassigned	unassigned > ~	unassigned > ~
F11	F11	pel-toggle-frame-fullscreen	unassigned	unassigned	unassigned	unassigned > F11 F59	unassigned	unassigned > ~	unassigned > ~
F12	F12	xterm-mouse-mode	unassigned	unassigned	unassigned	unassigned > F11 F60	unassigned	unassigned > ~	unassigned > ~

Special Legend for the above table

The colour and symbols used in the above table follow the standard legend described in >Legend with the additional conventions listed here.	
unassigned	The key is not assigned by PEL.
unassigned	The key with this modifier is not accessible, and does not do anything, in terminal mode.
unassigned >	When pressing this key with this/these modifier(s) in terminal mode the action corresponds to the key identified after the > symbol.
pel:projectile	A PEL prefix key
pel-toggle-frame-fullscreen	A command that is available when Emacs runs in graphics mode but that is not available or displays something else when Emacs operates in terminal (TTY) mode.
PEL Mode sensitive prefix	<p>PEL provides mode sensitive keys that are globally accessible via the <f11> SPACE key sequence prefix.</p> <p>For example, when editing a buffer using the emacs-lisp-mode major mode, the <f12> prefix gives access to commands that are specific to Emacs Lisp. If you want to access the same commands while editing a buffer that use another major-mode, you can then type <f11> SPACE 1 prefix to get to the same list of commands.</p> <p>PEL provides a set of mode sensitive key binding sets for several major modes, but not for all of them. As time evolves the number of major modes supported will grow.</p>