

| TreeSitter | <u>parsers</u> | Supported by PEL | tree-sitter mode | With <u>∑iMenu</u> support | With <u>∑ Speedbar</u> support | | | | | | |
|-----------------------|------------------|---|---|--|--|--|--|--|--|--|--|
| 2025-10-14 | | Indicates yes only when explicitly supported by PEL code. | The name of the major mode command that supports the tree- sitter based control. | Whether all commands based on imenu work in treesitter mode. | Whether Speedbar support works for the tree-sitter based mode. | As PEL introduces explicit support for more major mode, new class will be filled. Once enough tree-sitter support is explicitly implemented, I will add explicit support for LSP and then check the support of various features like completion, navigation based on LSP and tree-sitter. I will then add more columns related to these features here and in the Language Servers table. | | | | | |
| <u> ֆῖ - Ada</u> ₩ | ৯ 🛭 | | | | | | | | | | |
| βί €- AppleSc | <u>ript</u> | | | | | | | | | | |
| APL ## | | | | | | | | | | | |
| <u> Pl - Arc</u> | (f)(iii) | | | | | | | | | | |
| <u>aβt - awk</u> | d | | | | | | | | | | |
| <u> ұр і - С</u> | 8 | | | | | | | | | | |
| <u> ұй - С++</u> | 08 | | | | | | | | | | |
| Carbon ## futu | re 🚱 | | | | | | | | | | |
| <u> ₽l - Chez</u> | (f)(iii | | | | | | | | | | |
| <u> Pl - Chibi</u> | £ | | | | | | | | | | |
| <u> Pl - Chicken</u> | TO | | | | | | | | | | |
| <u> pῖ - Clojure</u> | (f)(iii) | | | | | | | | | | |
| Common Lisp | . TO | | | | | | | | | | |
| Crystal ## | | | | | | | | | | | |
| <u> 191 - D</u> | (i)(f)(A) | | | | | | | | | | |
| Dart 🚧 | | | | | | | | | | | |
| <u>βι - Eiffel</u> ₩ | 0 8 | | | | | | | | | | |
| भ्रा - Elm 🚧 | Ē | | | | | | | | | | |
| <u> Şt - Elixir</u> © | MTA | | | | | | | | | | |
| ₹\$1 - Emacs I | <u>isp</u> | | | | | | | | | | |
| भूर - Erlang | ©(f)A | | | | | | | | | | |
| <u> ≱I - Factor</u> ⊕ | OF O M | | | | | | | | | | |
| <u> ֆῖ - Forth</u> | K | | | | | | | | | | |
| Fortran ## | | | | | | | | | | | |
| Pl - Gambit | fm | | | | | | | | | | |
| PI - Gerbil | (f)(m)(A) | | | | | | | | | | |
| ழி - GNU Guil | <u>le</u> (f)(f) | | | | | | | | | | |
| क्षा - Gleam | | | | | | | | | | | |
| <u> ஷா - Go</u> | 8 | Yes | go-ts-mode | Yes | Yes | | | | | | |
| <u>aβt - Go</u> go.m | od | Yes | go-mod-ts-mode | Yes | Yes | | | | | | |

| TreeSitter parsers | Supported by PEL | tree-sitter mode | With <u>∑iMenu</u> support | With <u>∑ Speedbar</u> support | | | | |
|----------------------------------|------------------|------------------|----------------------------|--------------------------------|--|--|--|--|
| Groovy ### | | | | | | | | |
| β ῖ - Haskell ⑤ | | | | | | | | |
| Haxe ## | | | | | | | | |
| <u>Bl - Hy</u> (python) ₪ | | | | | | | | |
| <u>pt - Janet</u> j∱m | | | | | | | | |
| Java 👑 | | | | | | | | |
| भृ। - Javascript 🚧 | | | | | | | | |
| <u>βι - Julia</u> | | | | | | | | |
| Kotlin 🚧 | | | | | | | | |
| <u>pi-lfe</u> ©®fA | | | | | | | | |
| <u>рт -Lua</u> | | | | | | | | |
| β ῖ-Modula | | | | | | | | |
| 取ί - NetRexx | | | | | | | | |
| <u>βι - Nim</u> @⊗ | | | | | | | | |
| <u>βΙ-Objective-C</u> | | | | | | | | |
| pι - OCaml if | | | | | | | | |
| <u>βι - Odin</u> ⊗ | | | | | | | | |
| φι-Pascal | | | | | | | | |
| <u>P</u>l - Perl (perl5) | | | | | | | | |
| <u> pi - Pike</u> | | | | | | | | |
| PI-Python APOF | | | | | | | | |
| រា្ - Purescript ₩ ြ | | | | | | | | |
| <u>R</u> ₩ 0 P f X | | | | | | | | |
| <u>pi - Racket</u> ∱m | | | | | | | | |
| ា្រ - ReasonML ﷺ | | | | | | | | |
| pι - REXX | | | | | | | | |
| βί - Ruby | | | | | | | | |
| <u>PI - Rust</u> ⊗ | Yes | rust-ts-mode | Yes | Yes | | | | |
| Scala 🚧 | | | | | | | | |
| PI - Scheme (f) (f) | | | | | | | | |
| <u>ফু-Seed7</u> ## @ இ স | | | | | | | | |
| β <u>ι-Smalltalk</u> # 0 | | | | | | | | |
| <u>pι-Swift</u> | | | | | | | | |
| <u>pı - Tcl</u> fi | | | | | | | | |
| ា្រ្ត្ - Typescript ₩ | | | | | | | | |

| TreeSitter parsers | Supported by PEL tree-sitter mode | With Speedbar support | | | |
|--------------------|-----------------------------------|-----------------------|--|--|--|
| Bl - UNIX Shell | | | | | |
| <u> 19τ - V</u> | | | | | |
| <u>pĭ -Zig</u> ⊗ | | | | | |