

F12 Key Suffixes Common to all major modes

F12	Shift	(no modifier)	Shift	Control	Control-Shift	Meta	Meta Shift	Control-Meta	Control Meta Shift	
			S	C	C-S	M	M-S	C-M	C-M-S	
		This table describes the binding of the <code><f12></code> key, which has a binding to <code>pel_as</code> in fundamental-mode and some other major mode before it's final key binding is installed by PEL for the major mode. Each column describes the binding for the key following the <code><f12></code> key prefix. The first column is a key pressed without any modifier, the second column is the key pressed with the Shift modifier, etc... - One of PEL goals is to provide a set of key bindings that remain as <i>constant</i> as possible across all major modes and those are the keys under the <code><f12></code> key prefix. - This table helps document and manage this. It is a work in progress 🚧								
		- In fundamental-mode and for some PEL supported programming major-modes that support creating shell scripts, mapped to the <code>pel-as</code> command. This is the case for: <code>#!-Seed7</code>, and <code>#! - UNIX Shell</code>. - The purpose of the key is to detect the major mode required in script files that should have a shebang line specific to the language used in their content. The major mode of files that have no extension and have no shebang line cannot easily be detected by Emacs <code>auto-mode-alist</code> mechanism, so PEL binds the <code><f12></code> key to the <code>pel-as</code> command which looks for more information and attempts to identify the mode, potentially also adding a shebang line to help for future identification of the files's major-mode.				- In PEL supported programming major-mode, <code><f12></code> also act as a <i>prefix</i> key for <code>tempo skeletons</code> (see <code>T Templates</code>). This is the case for major mode including: - Programming language mode: <code>#! - C</code>, <code>#! - C++</code>, <code>#! - D</code>, <code>#! - Emacs Lisp</code>, <code>#! - Erlang</code>, <code>#! - Lua</code>, <code>#! - Nim</code>, <code>#! - Pike</code>, <code>#! - Python</code>, <code>#! - Ruby</code>, <code>#! - Tcl</code>, and others. - Markup modes: <code>M reStructuredText</code>				
Last updated on:		2026-09-13		S	C	C-S	M	M-S	C-M	C-M-S
Up		- beginning-of-defun - pel-elisp-beginning-of-previous-form - pel-previous-erl-function - makefile-previous-dependency - perl-beginning-of-function - rexx-goto-previous-procedure - netrexx-previous-method - pel-sh-prev-function - pel-shell-previous-prompt - rst-backward-section				unassigned	unassigned	unassigned	unassigned	
Down		- end-of-defun - pel-beginning-of-next-defun - pel-elisp-beginning-of-next-form - pel-next-erl-function - makefile-next-dependency - perl-beginning-of-function - rexx-goto-next-procedure - netrexx-next-method - pel-sh-next-function - pel-shell-next-prompt - rst-forward-section				unassigned	unassigned	unassigned	unassigned	
Right		- forward-sexp - end-of-defun				unassigned	unassigned	unassigned	unassigned	
Left		- backward-sexp - pel-end-of-previous-defun				unassigned	unassigned	unassigned	unassigned	
Space	Space		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	
Tab	Tab		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	
Del	Del		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	
Del->	Del->		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	
Ret	Ret		unassigned	unassigned	unassigned		unassigned	unassigned	unassigned	
0	)		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	
1	!	unassigned		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	
2	@	unassigned	unassigned	unassigned	unassigned	unassigned		unassigned	unassigned	
3	#	unassigned		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	
4	\$	unassigned		unassigned	unassigned	unassigned		unassigned	unassigned	

F12	Shift	(no modifier)	Shift	Control	Control-Shift	Meta	Meta Shift	Control-Meta	Control Meta Shift
			S	C	C-S	M	M-S	C-M	C-M-S
5	%	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
6	^	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
7	&	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
8	*		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
9	(		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
-	_			unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
=	+			unassigned	unassigned		unassigned	unassigned	unassigned
;	:		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
'	"			unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
,	<		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
.	>		unassigned	unassigned	unassigned		unassigned	unassigned	unassigned
/	?			unassigned	unassigned			unassigned	unassigned
`	~		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
[	{		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
\				unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
]	}		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
a	A			unassigned	unassigned		unassigned	unassigned	unassigned
b	B			unassigned	unassigned		unassigned	unassigned	unassigned
c	C			unassigned	unassigned		unassigned	unassigned	unassigned
d	D			unassigned	unassigned		unassigned	unassigned	unassigned
e	E		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
f	F				unassigned		unassigned	unassigned	unassigned
g	G		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
h	H		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
i	I		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
j	J	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
k	K		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
l	L		unassigned		unassigned			unassigned	unassigned
m	M		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
n	N	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
o	O		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
p	P	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
q	Q	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
r	R			unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
s	S			unassigned	unassigned			unassigned	unassigned
t	T		unassigned	unassigned	unassigned	unassigned		unassigned	unassigned

F12	Shift	(no modifier)	Shift	Control	Control-Shift	Meta	Meta Shift	Control-Meta	Control Meta Shift
			S	C	C-S	M	M-S	C-M	C-M-S
u	U		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
v	V		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
w	W		unassigned	unassigned	unassigned	unassigned		unassigned	unassigned
x	X			unassigned	unassigned		unassigned	unassigned	unassigned
y	Y		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
z	Z		unassigned	unassigned	unassigned	unassigned	unassigned	unassigned	unassigned
F1	F1	pel-help-pdf	unassigned	unassigned	unassigned	unassigned > F11 F6	unassigned	unassigned > F11 C-M-p	unassigned > F11 C-M-p
F2	F2	pel-customize-pel	unassigned	unassigned	unassigned	unassigned > F11 F7	unassigned	unassigned > F11 C-M-p	unassigned > F11 C-M-p
F3	F3	pel-customize-library	unassigned	unassigned	unassigned	unassigned > F11 F8	unassigned	unassigned > F11 C-M-p	unassigned > F11 C-M-p
F4	F4	prefix for dynamic setup/configuration and help commands	unassigned	unassigned	unassigned	unassigned > F11 F9	unassigned	unassigned > F11 C-M-p	unassigned > F11 C-M-p
F5	F5	unassigned	unassigned	unassigned	unassigned		unassigned	unassigned > ~	unassigned > ~
F6	F6	unassigned	unassigned	unassigned	unassigned		unassigned	unassigned > ~	unassigned > ~
F7	F7	prefix for key hydra in some major modes: ⌘ - C , ⌘ - C++	unassigned	unassigned	unassigned	unassigned > F11 F55	unassigned	unassigned > ~	unassigned > ~
F8	F8	unassigned	unassigned	unassigned	unassigned	unassigned > F11 F56	unassigned	unassigned > ~	unassigned > ~
F9	F9	unassigned	unassigned	unassigned	unassigned	unassigned > F11 F57	unassigned	unassigned > ~	unassigned > ~
F10	F10	unassigned	unassigned			unassigned > F11 F58	unassigned	unassigned > ~	unassigned > ~
F11	F11	unassigned	unassigned	unassigned	unassigned	unassigned > F11 F59	unassigned	unassigned > ~	unassigned > ~
F12	F12	In PEL supported programming major-mode, also act as a prefix key for tempo skeletons (see T Templates)	unassigned	unassigned	unassigned	unassigned > F11 F60	unassigned	unassigned > ~	unassigned > ~

Special Legend for the above table

The colour and symbols used in the above table follow the standard legend described in >Legend with the additional conventions listed here.	
cell background colour	The background colour of the cell identifies the type of command. For example, the cell of <f12> <up> uses the background colour of a navigation command. Some key sequences, like <f12> <f4>, are used as major-mode specific prefix to setup and help commands. The background of these cess uses a gradient color of the setup and help.
cell foreground colour	The cell lists the commands being used by the various major modes. The color of the commands is similar to the command colours used in all other tables: it identifies the <i>provider</i> of the command: black : standard Emacs command blue: command provided by an external package green: command provided by PEL
unassigned	The key is not assigned by PEL.
unassigned	The key with this modifier is not accessible, and does not do anything, in terminal mode.