↖ Topic Index

Emacs Support for Clojure 🚧

Description	Keystroke	Function	Note
Clojure Programming Language Support Last updated on:	🚧 This page is not written yet, except for some basic information. More information will be provided soon. PEL activates Clojure support when the **pel-use-clojure** user-option is turned on (**t**). PEL provide extra support for the Clojure programming language and its various implementations by providing access to the following external packages: 📦 The **cider** external package. PEL activates it when the **pel-use-cider** user-option is turned on (**t**). 📦 The **clj-refactor.el** external package. PEL activates it when the **pel-use-clj-refactor** user-option is turned on (**t**). 📦 The **clojure-snippets** external package. PEL activates it when the **pel-use-clojure-snippets** user-option is turned on (**t**). • PEL provides Lispy support for Clojure when the clojure-mode is added to the list specified by **pel-modes-activating-lispy** user-option. See **𝔓 - Lispy** 2026-09-19		
Open this PDF file. See also: **Σ Help/ Info**	`<f11> SPC C-j <f1>` `<f12> <f1>`	(**pel-help-pdf** &optional OPEN-WEB-PAGE)	Open the **𝔓 - Clojure** local PDF. With **C-u** , **M--**, **M- -1** or **C- -1** prefix: open the remote GitHub hosted PDF instead. If the **pel-flip-help-pdf-arg** user-option is set it's the other way around.
Σ Customize PEL Clojure support	`<f11> SPC C-j <f2>` `<f12> <f2>`	(**pel-customize-pel** &optional OTHER-WINDOW)	Customize PEL Clojure support. • If OTHER-WINDOW is non-nil (use **C-u**), display in another window.
Σ Customize Emacs Clojure support	`<f11> SPC C-j <f3>` `<f12> <f3>`	(**pel-customize-library** &optional OTHER-WINDOW)	Customize Emacs Clojure support: clojure, cider, cljr. • If OTHER-WINDOW is non-nil (use **C-u**), display in another window.