↖ Topic Index

DBML Support. 🚧

Description	Keystroke	Function	Note
DBML **Database Markup Language** Last updated on:	📦 DBML Emacs support is provided by the external **dbml-mode** package when the **pel-use-dbml** user-option is turned on. This is an early version of the documentation. The **dbml-mode** could be enhanced, for instance it does not support comments and Speedbar. I will first add support inside PEL and then publish a PR to incorporate that into the mode. PEL already supports DBML comments but not Speedbar yet. 🚧 2026-10-28		
Open this PDF file. See also: **Help/Info**	`<f11> SPC M-d <f1>` `<f12> <f1>`	(**pel-help-pdf** &optional OPEN-WEB-PAGE)	Open the **DBML** local PDF. With `C-u` , `M--`, `M- -1` or `C- -1` prefix: open the remote GitHub hosted PDF instead. If the **pel-flip-help-pdf-arg** user-option is set it's the other way around.
Customize PEL DBML support	`<f11> SPC M-d <f2>` `<f12> <f2>`	(**pel-customize-pel** &optional OTHER-WINDOW)	Customize PEL DBML support. • If OTHER-WINDOW is non-nil (use `C-u`), display in another window.
Customize Emacs DBML support	`<f11> SPC M-d <f3>` `<f12> <f3>`	(**pel-customize-library** &optional OTHER-WINDOW)	Customize Emacs DBML support. • If OTHER-WINDOW is non-nil (use `C-u`), display in another window.
Insert, realign, comment/ uncomment region See also: **Comments** **With PEL**: Comment the current line with `M-0 M-;`	`M-;`	(**comment-dwim** ARG)	Insert or realign comment on current line (or region if a region is active). • On a single line, the comment is placed *after* the code. • `C-u M-;` executes comment-kill
		(**pel-comment-dwim** ARG)	Same as **comment-dwim** but comments the current line with a numeric ARG or 0.

DBML — References

Description & URL	Notes
DBML Home Page	
DBML GitHub page	
dbml-mode @ GitHub	