

# Org-Mode

| Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Keystroke                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Function                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Note                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Org Mode</b> <ul style="list-style-type: none"> <li>Shift-selection</li> <li>Text markup / electric keys</li> <li>Toggle clean view mode</li> <li>Move through headings</li> <li>Edit Structure +headings</li> <li>+TODO, yank, clone, sort</li> <li>Change TODO state</li> <li>Todo checkboxes</li> <li>HyperLinks</li> <li>Narrow/widen</li> <li>Control Outline Visibility</li> <li>Date &amp; Time +Timestamps</li> <li>Clocking Work Time</li> <li>Org Syntax Check</li> <li>Org Commands</li> <li>Archiving</li> <li>References</li> </ul> <div>Last updated on: 2026-08-20</div> | <p>Emacs <b>Org-Mode</b> is very powerful <a href="#">outline document</a> <a href="#">lightweight markup</a> with a lot of powerful <a href="#">features</a> designed for notes, planning and authoring:</p> <ul style="list-style-type: none"> <li><b>Markup:</b>    <b>*bold*</b>, <i>/italic/</i>, <u>_underline_</u>, <code>~code~</code>, <code>=verbatim=</code>, <del>+strike-through+</del> and <code>[ [https://orgmode.org][Org links] ]</code></li> <li><b>Document structure:</b>    documents are outlines with <a href="#">headlines</a> that have <a href="#">visibility cycling</a>, support <a href="#">motion</a>, <ul style="list-style-type: none"> <li>Has commands for document <a href="#">structure editing</a></li> <li>Supports: <a href="#">Sparse Trees</a>, <a href="#">Plain Lists</a>, <a href="#">Drawers</a> and <a href="#">Blocks</a></li> <li>Headlines can be assigned <a href="#">properties</a></li> </ul> </li> <li>Org mode allow creating <a href="#">Agenda</a> with <a href="#">date and time timestamps</a>, <a href="#">time-ranges</a> and <a href="#">deadlines</a>. Time stamps can be active and <a href="#">inactive</a>.</li> </ul> <p> I am currently updating this table to include as much as possible <a href="#">or</a> Org Mode feature descriptions.    <a href="#">New version will be available soon</a>.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Open this PDF file.</b><br>See also: <a href="#">🔗 Help/Info</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <div>&lt;f11&gt;   SPC   M-o   &lt;f1&gt;</div> <div>&lt;f12&gt;   &lt;f1&gt;</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <div>(pel-help-pdf &amp;optional OPEN-WEB-PAGE)</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Open the <b>M Org-Mode</b> local PDF.    If the prefix argument (like <b>C-u</b> or <b>M--</b> ) is used, then it opens the remote GitHub hosted raw PDF instead.    If the <b>pel-flip-help-pdf-arg</b> user-option is set it's the other way around.                                                                                                                                                                                                                                                                                                                                |
| 🔗 <b>Customize</b> PEL Org Mode support                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <div>&lt;f11&gt;   SPC   M-o   &lt;f2&gt;</div> <div>&lt;f12&gt;   &lt;f2&gt;</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <div>(pel-customize-pel &amp;optional OTHER)</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Customize PEL Org Mode support: open pel-pkg-for-org-mode group. <ul style="list-style-type: none"> <li>If OTHER is non-nil (use <b>C-u</b>), display in another window.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                   |
| 🔗 <b>Customize</b> Emacs Org Mode support                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <div>&lt;f11&gt;   SPC   M-o   &lt;f3&gt;</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <div>(pel-customize-library &amp;optional OTHER)</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Customize Org Mode external packages support: <ul style="list-style-type: none"> <li>If OTHER is non-nil (use <b>C-u</b>), display in another window.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b><a href="#">Shift Select Control and other conflicts</a></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <p>In most major modes, Emacs supports text selection by holding the Shift key down while moving point; this feature is called <a href="#">shift selection</a>.</p> <ul style="list-style-type: none"> <li>By default, shift selection is not available in org-mode because in org-mode the shift cursor keys are used to control the state of the bullets and have other meaning in titles and time stamps.</li> </ul> <p> However, you can customize <b>org-support-shift-select</b> user-option to re-activate partially or completely re-activate shift-selection.</p> <ul style="list-style-type: none"> <li>Setting it to <b>t</b>: activates shift-selection when the cursor is not in special context: the bullet cycling will no longer happen anywhere in an item line, but only if the cursor is exactly on the bullet.</li> <li>Setting it to <b>always</b>:    activates shift-selection in org-mode.    then the keys will not be special in headlines, property lines, item lines, and table cells, to make shift selection work there as well.</li> </ul> <p>Read its docstring for more information with <b>&lt;f1&gt; o</b></p>                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b><a href="#">Text Emphasis Electric Keys</a></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <p> With the <b>pel-org-use-electric-markup</b> user-option set, PEL provides a specialized <a href="#">electric-pair-mode</a> to type the characters below in pair.</p> <p> The <b>pel-electric-pair-lighter</b> user-option identifies the line-mode lighter displayed when the electric-pair-mode is active.    Defaults to    “<math>\mathfrak{E}(1)</math>”</p> <p>For the following keys:    If an area is currently marked, the character typed is inserted before and after the marked area.<br/> If no area is marked, two characters are inserted and the point is left in between.</p> <p>Disable this behaviour by typing <b>&lt;f11&gt; M-e</b>: this toggles the <b>electric-pair-local-mode</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>• Bold</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <div>*</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | To insert a single * character inside the text there are several methods: <ul style="list-style-type: none"> <li>Insert a zero-width space right after the asterisk:    Type: <b>C-x 8 RET zero width space RET</b></li> <li>Insert *~</li> <li>Insert == or ~~~ markup</li> </ul>                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| If you want to use it at the beginning of a line without creating a header, insert a comma right before it; org-mode will strip the comma upon export: insert:    ,*                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>• Italic</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <div>/</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | To insert a single / character inside the text there are several methods: <ul style="list-style-type: none"> <li>Insert a zero-width space right after the slash:    Type: <b>C-x 8 RET zero width space RET</b></li> <li>Insert /= or ~/~ markup</li> <li>Add surrounding spaces: if you put a space before and after the slash it will not trigger italics: example: <b>this / that</b></li> </ul>                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>• Underline</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <div>_</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | To insert a single _ character inside the text there are several methods: <ul style="list-style-type: none"> <li>Insert a zero-width space right after the underscore:    Type: <b>C-x 8 RET zero width space RET</b></li> <li>Insert ==_ or ~~~_ markup</li> <li>Use a backslash before the underscore if your only concern about is how the document exported to HTML or PDF looks: \_</li> </ul>                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| You may also want to disable subscript for the current file by adding the following configuration line at the top of the Org file.    That stops org-mode from turning underscores into subscripts unless you explicitly wrap text in curly braces like this: <code>_{subscript}</code><br>Add the following entry at the very top of the file and then refresh the buffer by typing <b>C-c C-c</b> on that line after typing it: <b>#+OPTIONS: ^:{\$}</b>                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>• Code</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <div>~</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | To insert a single ~ character inside the text there are several methods: <ul style="list-style-type: none"> <li>Insert a zero-width space right after the tilde:    Type: <b>C-x 8 RET zero width space RET</b></li> <li>Insert == markup</li> <li>Add surrounding spaces:    put a space before and after the tilde: example: <b>value ~ 10</b></li> <li>Use a backslash before the tilde if your only concern about is how the document exported to HTML or PDF looks: \~</li> </ul>                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>• Verbatim (literal)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <div>=</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | To insert a single = character inside the text there are several methods: <ul style="list-style-type: none"> <li>Insert a zero-width space right after the equal:    Type: <b>C-x 8 RET zero width space RET</b></li> <li>Insert ~== markup</li> <li>Add surrounding spaces:    put a space before and after the equal: example: <b>value = 10</b></li> </ul>                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| To use it at the beginning of a line without org-mode interpreting it, insert a comma right before it; org-mode strips the comma upon export: insert:    ,=                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>• Strike-trough</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <div>+</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | To insert a single + character inside the text there are several methods: <ul style="list-style-type: none"> <li>Insert a zero-width space right after the plus:    Type: <b>C-x 8 RET zero width space RET</b></li> <li>Insert += or ~+~ markup</li> <li>Add surrounding spaces:    if you put a space before and after the slash it will not trigger italics: example: <b>this + that</b></li> <li>Use a backslash before the plus if your only concern about is how the document exported to HTML or PDF looks: \+</li> </ul> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Example blocks</b><br><br>See also:<br><a href="#">Org-mode code blocks</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | To write long technical text without escaping any Org-mode markup characters listed above, wrap your text in an Example Block: Org-mode treats everything inside this block as literal, unformatted text.    For example:<br><pre> #+begin_example Here is a long technical note where no markup applies: * This is not a header or bold text. / This text will not be italicized. x = y + z_subscript; ~ This is just plain text. #+end_example </pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Toggle electric-pair-mode in current buffer</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <div>&lt;f11&gt;   M-e</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <div>(electric-pair-local-mode &amp;optional ARG)</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Toggle automatic parens pairing (Electric Pair mode) and org-mode special pair electric keys only in this buffer. <ul style="list-style-type: none"> <li>With a prefix argument ARG, enable Electric Pair mode if ARG is positive, and disable it otherwise.</li> <li>Electric Pair mode is a global minor mode.    When enabled, typing an open parenthesis automatically inserts the corresponding closing parenthesis, and vice versa. (Likewise for brackets, etc.). If the region is active, the parentheses (brackets, etc.) are inserted around the region instead.</li> </ul> |
| <b>Lighter</b> := $\mathfrak{E}(1)$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Outlines</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Org documents are an outline tree. <b>Org headlines</b> (also called headings) start on the left margin with one or more stars followed by space.    They can also be shown indented as controlled by the following command:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Toggle clean view mode.</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <div>&lt;f12&gt;   TAB</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <div>(org-indent-mode &amp;optional ARG)</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Toggle use of a <a href="#">cleaner outline view</a> , where: <ul style="list-style-type: none"> <li>hides headings leading stars (but still shows in Terminal frames (depending on colors)),</li> <li>automatically indent text to align with their headline</li> <li>activate proper automatic line wrap.</li> </ul> You can activate this minor mode for individual files with: <b>#+STARTUP: indent</b>                                                                                                                                                                           |

| Description                                           | Keystroke                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Function                                                             | Note                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Move through headings                                 | See: <b>Motion</b> commands. ARG is 1 by default. Supply a different value via a <b>numeric argument</b> ; with negative value to move in opposite direction.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Next heading                                          | <b>C-c C-n</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | ( <b>org-next-visible-heading</b> ARG)                               | Move to the next visible heading.                                                                                                                                                                                                                                                                                                                                                                                |
| Previous heading                                      | <b>C-c C-p</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | ( <b>org-previous-visible-heading</b> ARG)                           | Move to the previous visible heading.                                                                                                                                                                                                                                                                                                                                                                            |
| Next heading same level                               | <b>C-c C-f</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | ( <b>org-forward-heading-same-level</b> ARG &optional INVISIBLE-OK)  | Move forward to the ARG'th subheading at same level as this one. Stop at the first and last subheadings of a superior heading.                                                                                                                                                                                                                                                                                   |
| Previous heading same level                           | <b>C-c C-b</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | ( <b>org-backward-heading-same-level</b> ARG &optional INVISIBLE-OK) | Move backward to the ARG'th subheading at same level as this one. Stop at the first and last subheadings of a superior heading.                                                                                                                                                                                                                                                                                  |
| Backward to higher level heading                      | <b>C-c C-u</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | ( <b>outline-up-heading</b> ARG &optional INVISIBLE-OK)              | Move to the visible heading line of which the present line is a subheading. <ul style="list-style-type: none"> <li>With argument, move up ARG levels.</li> </ul>                                                                                                                                                                                                                                                 |
| Edit Structure                                        | Modify the outline structure of the Org document by issuing the following commands on heading lines. <ul style="list-style-type: none"> <li>⚠ With PEL, <b>M-&lt;up&gt;</b> and <b>M-&lt;down&gt;</b> are normally bound to <a href="#">PEL scroll commands</a>, but not in org-mode because they are bound to org-mode commands. <ul style="list-style-type: none"> <li>To scroll up/down in org-mode: use the number keypad key 3 and 9 of the <a href="#">number keypad</a> not num-locked, or when using <a href="#">hydra</a> external package use the <b>&lt;f7&gt;</b>   prefix with <b>&lt;up&gt;</b> and <b>&lt;down&gt;</b> keys. For more info see: <a href="#">§ Scrolling</a>.</li> </ul> </li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                  |
| • Insert headings                                     | Insert <b>outline</b> headings (also called headlines) in the Org document with the following commands. <ul style="list-style-type: none"> <li>The <b>org-blank-before-new-entry</b> user-option controls whether a separator empty line is inserted before the new heading.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Create heading at same level                          | <ul style="list-style-type: none"> <li><b>Esc RET</b></li> <li><b>M-RET</b></li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | ( <b>org-meta-return</b> &optional ARG)                              | Insert new heading of same level as current. If cursor is at a plain list item, create new item. <ul style="list-style-type: none"> <li>If used in the middle of a line, <b>split</b> the line and the rest become a new headline.</li> </ul>                                                                                                                                                                    |
| Create heading at same level - don't split line       | <b>C-RET</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | ( <b>org-insert-heading-respect-content</b> &optional INVISIBLE-OK)  | Insert the line as if cursor is at end of line (never split current line). <ul style="list-style-type: none"> <li>This insert heading as if '<b>org-insert-heading-respect-content</b>' is currently set to t.</li> </ul>                                                                                                                                                                                        |
| • Insert TODO heading                                 | TODO notes are Org headings that have the TODO state. They can have: <b>priorities</b> , <b>time stamps</b> (scheduling & deadlines) and time tracking.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Insert a new heading at same level and TODO state     | <ul style="list-style-type: none"> <li><b>M-S-RET</b></li> <li><b>C-c C-x M</b></li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | ( <b>org-insert-todo-heading</b> ARG &optional FORCE-HEADING)        | Insert a new heading with the same level and TODO state as current heading. <ul style="list-style-type: none"> <li>If the heading has no TODO state, or if the state is DONE, use the first state (TODO by default). Also with one prefix arg (<b>C-u</b>), force first state.</li> <li>With two prefix args (<b>C-u C-u</b>), force inserting at the end of the parent subtree.</li> </ul>                      |
| Insert a new heading at same level and TODO state     | <b>C-S-RET</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | ( <b>org-insert-todo-heading-respect-content</b> &optional ARG)      | When point on TODO heading: insert a new TODO heading, never split current line. <ul style="list-style-type: none"> <li>This insert heading as if '<b>org-insert-heading-respect-content</b>' is currently set to t.</li> </ul>                                                                                                                                                                                  |
| Line <-> Heading                                      | <b>C-c *</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | ( <b>org-ctrl-c-star</b> )                                           | <ul style="list-style-type: none"> <li>When point on normal line or plain list item: change line to a subheading at its location.</li> </ul>                                                                                                                                                                                                                                                                     |
|                                                       | <ul style="list-style-type: none"> <li>When point is on a heading: turn into anormal line by removing the stars.</li> <li>If there is an active region, turn all lines in the region into headlines. If the first line in the region was an item, turn only the item lines into headlines. Finally, if the first line is a headline, remove the stars from all headlines in the region.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                  |
| On a new empty heading: cycle through heading levels  | <b>&lt;tab&gt;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ( <b>org-cycle</b> &optional ARG)                                    | This works only if: <ul style="list-style-type: none"> <li>the line is empty (except for the star identifying it as a heading)</li> <li>there are other headings of level 2 or more somewhere else in the document.</li> </ul>                                                                                                                                                                                   |
| Demote current heading (make it a sub-heading)        | <b>M-&lt;right&gt;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | ( <b>org-metaright</b> &optional ARG)                                | Demote heading, list item at point or move table column right. <ul style="list-style-type: none"> <li>In front of a drawer or a block keyword, indent it correctly.</li> </ul>                                                                                                                                                                                                                                   |
| Promote current heading                               | <b>M-&lt;left&gt;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ( <b>org-metaleft</b> &optional ARG)                                 | Promote heading, list item at point or move table column left.                                                                                                                                                                                                                                                                                                                                                   |
| Demote current sub-tree                               | <b>M-S-&lt;right&gt;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | ( <b>org-shiftmetaright</b> )                                        | Demote subtree or insert table column.                                                                                                                                                                                                                                                                                                                                                                           |
| Promote current sub-tree                              | <b>M-S-&lt;left&gt;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | ( <b>org-shiftmetaleft</b> )                                         | Promote subtree or delete table column.                                                                                                                                                                                                                                                                                                                                                                          |
| Move subtree/table row up (only inside its section)   | <b>M-&lt;up&gt;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | ( <b>org-metaup</b> &optional ARG)                                   | Move subtree up or move table row up.                                                                                                                                                                                                                                                                                                                                                                            |
| Move subtree/table row down (only inside its section) | <b>M-&lt;down&gt;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ( <b>org-metadown</b> &optional ARG)                                 | Move subtree down or move table row down.                                                                                                                                                                                                                                                                                                                                                                        |
| Move current line up (only inside its section)        | <b>M-S-&lt;up&gt;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ( <b>org-shiftmetaup</b> &optional ARG)                              | Drag the line at point up. Any line and just that line: a heading line or a content line. <ul style="list-style-type: none"> <li>In a table, kill the current row.</li> <li>On a clock timestamp, update the value of the timestamp like 'S-&lt;up&gt;' but also adjust the previous clocked item in the clock history.</li> <li>Everywhere else, drag the line at point up.</li> </ul>                          |
| Move current line down (only inside its section)      | <b>M-S-&lt;down&gt;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | ( <b>org-shiftmetadown</b> &optional ARG)                            | Drag the line at point down. Any line and just that line: a heading line or a content line. <ul style="list-style-type: none"> <li>In a table, insert an empty row at the current line.</li> <li>On a clock timestamp, update the value of the timestamp like 'S-&lt;down&gt;' but also adjust the previous clocked item in the clock history.</li> <li>Everywhere else, drag the line at point down.</li> </ul> |
| Mark subtree                                          | <b>C-c @</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | ( <b>org-mark-subtree</b> &optional UP)                              | Mark the current subtree. Puts point at the start of the current subtree, and mark at the end.<br>With a numeric prefix, move up into the hierarchy of headlines by UP levels before marking the subtree.                                                                                                                                                                                                        |
| Cut current subtree or region in table                | <b>C-c C-x C-w</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ( <b>org-cut-special</b> )                                           | Cut region in table or cut current subtree.                                                                                                                                                                                                                                                                                                                                                                      |
| Paste past subtree or rectangular region into table   | <b>C-c C-x C-y</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ( <b>org-paste-special</b> ARG)                                      | Paste rectangular region into table, or past subtree relative to level.                                                                                                                                                                                                                                                                                                                                          |
| Yank (paste)                                          | <b>C-y</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | ( <b>pel-overwrite-yank</b> &optional ARG)                           | In org-mode the PEL command invokes ( <b>org-yank</b> ARG) to yank like in org-mode:<br>If the kill is a subtree, treat it specially.                                                                                                                                                                                                                                                                            |
|                                                       | Pastes subtrees folded using the same command as <b>C-c C-x C-y</b> . With the default settings, no level adjustment takes place, but the yanked tree is folded unless doing so would swallow text previously visible. Any prefix argument forces a normal yank: a good way to force a normal yank is <b>C-u C-y</b> . <ul style="list-style-type: none"> <li>If you use yank-pop after a yank, it yanks previous kill items plainly, without adjustment and folding.</li> </ul> Look at the current kill and check if is a single subtree, or a series of subtrees. If it passes the test, and if the cursor is at the beginning of a line or after the stars of a currently empty headline, then the yank is handled specially according to the value of the following user-option variables: <p><b>org-yank-folded-subtrees:</b></p> By default, this variable is non-nil, which results in subtree(s) being folded after insertion, except if doing so would swallow text after the yanked text. <p><b>org-yank-adjusted-subtrees:</b></p> When non-nil (the default value is nil), the subtree will be promoted or demoted in order to fit into the local outline tree structure, which means that the level will be adjusted so that it becomes the smaller one of the two *visible* surrounding headings. |                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Clone sub-tree                                        | <b>C-c C-x c</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | ( <b>org-clone-subtree-with-time-shift</b> N &optional SHIFT)        | Clone a subtree by making a number of sibling copies of it. Prompts for the number of copies to make; you can also specify whether any timestamps in the entry should be shifted. This can be useful, for example, to create a number of tasks related to a series of lectures to prepare. For more details, see the docstring of the command org-clone-subtree-with-time-shift                                  |
| Refile and Copy                                       | <b>C-c C-w</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | ( <b>org-refile</b> &optional ARG DEFAULT-BUFFER RFLOC MSG)          | Refile entry or region to a different location. See <a href="#">Refile and Copy</a> .                                                                                                                                                                                                                                                                                                                            |
| Sort entries                                          | <b>C-c ^</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | ( <b>org-sort</b> &optional WITH-CASE)                               | Sort same-level entries. With an active region, all entries in the region are sorted. Otherwise, the children of the current headline are sorted. With a <b>C-u</b> prefix, sorting is case-sensitive.                                                                                                                                                                                                           |
|                                                       | <ul style="list-style-type: none"> <li>Prompts for the sorting method, which can be alphabetically, numerically, by time—first timestamp with active preferred, creation time, scheduled time, deadline time—by priority, by TODO keyword—in the sequence the keywords have been defined in the setup—or by the value of a property. Reverse sorting is possible as well. You can also supply your own function to extract the sorting key.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                  |

| Description                                                                                                                                                                    | Keystroke                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Function                                                                    | Note                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Change TODO items state and priority</b> <ul style="list-style-type: none"> <li>basic TODO functionality</li> <li>extended use of TODO</li> <li>Progress Logging</li> </ul> | Change Org state of headline item with the following commands. <ul style="list-style-type: none"> <li>The state of TODO items is controlled by the <b>org-todo-keywords</b> user-option. The default is ((sequence "TODO" "DONE")). More complex list are possible, see the variable docstring. When <b>pel-use-org</b> user option is set, PEL sets it to ((sequence "TODO" "IN-PROGRESS" "DONE")) which provides an extra state. 🙌 Several commands are mapped to <b>S-&lt;cursor&gt;</b>. These are only available on headline. In other lines the using the Shift key with cursor is used for <b>shift selection</b> when <b>org-support-shift-select</b> user option is set to <b>t</b> to <b>always</b>.</li> </ul> |                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Rotate heading state of current item                                                                                                                                           | <b>S-&lt;right&gt;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | (org-shiftright &optional ARG)                                              | With <b>point on a headline</b> , cycle switch to the next TODO keyword. <ul style="list-style-type: none"> <li>empty → TODO → IN PROGRESS → DONE.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                         |
|                                                                                                                                                                                | <b>S-&lt;left&gt;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | (org-shiftright &optional ARG)                                              | With <b>point on a headline</b> , switch to the next TODO keyword. <ul style="list-style-type: none"> <li>empty ← TODO ← IN PROGRESS ← DONE.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                               |
|                                                                                                                                                                                | <b>C-c C-t</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | (org-todo)                                                                  | Changes state in order (as in <b>org-todo-keywords</b> ) : unmarked, TODO, IN PROGRESS, DONE.                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Update state, <b>log progress</b>                                                                                                                                              | <b>C-u C-c C-t</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                             | Prompt for note, record the time of the TODO state change. The note is inserted as a list item below the headline, but can also be placed into a drawer, see <b>Tracking TODO state changes</b> .                                                                                                                                                                                                                                                                                                                                                                     |
| Set task priority                                                                                                                                                              | <b>C-c ,</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | (org-priority &optional ACTION SHOW)                                        | Change the priority of an item. Prompts for priority level (A to C). Hit space to remove. <ul style="list-style-type: none"> <li>With a '<b>C-u</b>' prefix, show the priority in the minibuffer instead of changing it.</li> </ul>                                                                                                                                                                                                                                                                                                                                   |
| Increase task <b>priority</b>                                                                                                                                                  | <b>S-&lt;up&gt;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | (org-priority-up)                                                           | Increase the <b>priority</b> of the current item.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Decrease task <b>priority</b>                                                                                                                                                  | <b>S-&lt;down&gt;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | (org-priority-down)                                                         | Decrease the <b>priority</b> of the current item.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Todo Checkboxes</b>                                                                                                                                                         | <ul style="list-style-type: none"> <li>TODO items can have checkboxes, written like this: [ ], with a space between the brackets. There can be a top-level count:               <ul style="list-style-type: none"> <li>written like this: [ / ], it will show the number of items done over the total (like [24/46], or</li> <li>written like this: [%], which shows the percentage of items done.</li> </ul> </li> </ul>                                                                                                                                                                                                                                                                                                 |                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Toggle checkbox status</b>                                                                                                                                                  | <b>C-c C-c</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | (org-ctrl-c-ctrl-c &optional ARG)                                           | Toggle checkbox status. With ' <b>C-u</b> ' prefix: toggle checkbox presence at point: add/remove checkbox. <ul style="list-style-type: none"> <li>With '<b>C-u C-u</b>' prefix, set it to '[-]', which is considered to be an intermediate state.</li> </ul>                                                                                                                                                                                                                                                                                                         |
| <b>Toggle checkbox status</b>                                                                                                                                                  | <b>C-c C-x C-b</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | (org-toggle-checkbox &optional TOGGLE-PRESENCE)                             | Toggle the checkbox in the current line. <ul style="list-style-type: none"> <li>With prefix argument TOGGLE-PRESENCE, add or remove checkboxes. With a double prefix argument, set the checkbox to "[-]".</li> </ul>                                                                                                                                                                                                                                                                                                                                                  |
|                                                                                                                                                                                | When there is an <b>active region</b> , toggle status or presence of the first checkbox there, and make every item inside have the same status or presence, respectively. If point on a headline, apply to all checkbox items in the text below heading, taking as reference the 1st item in subtree, ignoring planning line & any drawer after.                                                                                                                                                                                                                                                                                                                                                                          |                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Insert a new, empty, checkbox on the next line</b>                                                                                                                          | <b>M-S-RET</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | (org-insert-todo-heading ARG &optional FORCE-HEADING)                       | Insert a new heading with the same level and TODO state as current heading (inserts the checkbox on the current line). <ul style="list-style-type: none"> <li>If the heading has no TODO state, or if the state is DONE, use the first state (TODO by default). Also with one prefix arg, force first state. With two prefix args, force inserting at the end of the parent subtree.</li> <li>When called at a plain list item, insert a new item with an unchecked check box.</li> </ul>                                                                             |
| Toggle the 'ORDERED' property                                                                                                                                                  | <b>C-c C-x o</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | (org-toggle-ordered-property)                                               | Toggle the 'ORDERED' property of the entry, to toggle if checkboxes must be checked off in sequence. <ul style="list-style-type: none"> <li>A property is used for this behavior because this should be local to the current entry, not inherited like a tag. However, if you would like to track the value of this property with a tag for better visibility, customize org-track-ordered-property-with-tag.</li> </ul>                                                                                                                                              |
| Update the statistics cookie                                                                                                                                                   | <b>C-c #</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | (org-update-statistics-cookies ALL)                                         | With <b>point on line with statistic cookie</b> : update statistics cookie, either from TODO or from checkboxes. <ul style="list-style-type: none"> <li>When called with a C-u prefix, update all statistics cookies in the buffer.</li> </ul>                                                                                                                                                                                                                                                                                                                        |
| <b>Hyperlinks</b>                                                                                                                                                              | Org mode supports links in the file to external files, web pages, emails and much more. <b>Link format:</b> [[LINK][DESCRIPTION]] or [[LINK]]<br>It also supports <b>internal links</b> , links to other parts of the current file/buffer such as: <ul style="list-style-type: none"> <li>[[#my-custom-id]] to entry with CUSTOM_ID property or [[*Some section]] to the headline with the name 'Some Section'.</li> <li>&lt;&lt;My Target&gt;&gt; to any element that has an element name using the following format: #+NAME: My Target</li> </ul>                                                                                                                                                                       |                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Store a link to the current location (define a link target)</b><br><br>Video: <b>linking files</b> @ 🧑🏻💻                                                                    | <b>C-c 1</b><br><br><b>&lt;f12&gt; 1</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | (org-store-link ARG &optional INTERACTIVE?)                                 | Store a link to the current location in ' <b>org-stored-links</b> ' that can later be inserted into an Org buffer with 'org-insert-link' (' <b>C-c C-1</b> '). 🙌 Type these keys at the beginning of a line to get a proper link.                                                                                                                                                                                                                                                                                                                                     |
|                                                                                                                                                                                | <ul style="list-style-type: none"> <li>A '<b>C-u</b>' prefix: negates 'org-link-context-for-files' for file links or 'org-gnus-prefer-web-links' for links to Usenet articles.</li> <li>A '<b>C-u C-u</b>' prefix: forces skipping storing functions that are not part of Org core.</li> <li>A '<b>C-u C-u C-u</b>' prefix: forces storing a link for each line in the active region.</li> </ul>                                                                                                                                                                                                                                                                                                                          |                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Insert a hyperlink</b><br><br><b>or</b><br><br><b>Edit the visible LINK part of an already formatted link.</b>                                                              | <b>C-c C-1</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | (org-insert-link &optional COMPLETE-FILE LINK-LOCATION DEFAULT-DESCRIPTION) | Insert a link at point. Supports several types of links; select type with tab-completion, then complete it and hit <b>&lt;RET&gt;</b> . Then enter the description text and hit <b>&lt;RET&gt;</b> . Inside the Org-mode file, insert the link that was created with <b>C-c 1</b> or <b>&lt;f12&gt; 1</b> . Use the up arrow to retrieve the link, then type the documentation inside the mini buffer and hit return to insert inside the org mode file. <ul style="list-style-type: none"> <li>With a '<b>C-u</b>' prefix, prompts for a file to link to.</li> </ul> |
| <b>Open/follow the link item</b><br><br><b>Example:</b><br><b>open directory in Dired</b>                                                                                      | <b>C-c C-o</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | (org-open-at-point &optional ARG REFERENCE-BUFFER)                          | With <b>point over a rendered hyperlink</b> : open a buffer for the target at the location of the target. <ul style="list-style-type: none"> <li>Some links will open using external software.</li> <li>For example, if the link is a directory, the OS program will be used.</li> <li>To force opening the link inside Emacs use the '<b>C-u</b>' prefix. For example, to open a link to a directory with Dired, use: <b>C-u C-c C-o</b></li> </ul>                                                                                                                  |
| <b>Go back</b>                                                                                                                                                                 | <b>C-c &amp;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | (org-mark-ring-goto &optional N)                                            | Jump to previous position in mark ring. With prefix arg N, jump back that many stored positions. When called several times in succession, walk through the entire ring. Org mode commands jumping to a different position in current file, or to another Org file, automatically push old position onto the ring.                                                                                                                                                                                                                                                     |
| <b>Move to next hyperlink</b>                                                                                                                                                  | <b>C-c C-x C-n</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | (org-next-link &optional SEARCH-BACKWARD)                                   | Move forward to the next link. If the link is in hidden text, expose it. When SEARCH-BACKWARD is non-nil, move backward.                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Move to previous hyperlink</b>                                                                                                                                              | <b>C-c C-x C-p</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | (org-previous-link)                                                         | Move backward to the previous link. If the link is in hidden text, expose it.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Narrowing tree/blocks</b>                                                                                                                                                   | Limit area of buffer showed in the current window and restrict operations to that area. See ⓘ <b>Narrowing</b> for more info.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Narrow to subtree</b>                                                                                                                                                       | <b>C-x n s</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | (org-narrow-to-subtree &optional ELEMENT)                                   | Narrow buffer to current subtree. <ul style="list-style-type: none"> <li>With optional argument ELEMENT narrow to subtree around ELEMENT : for elisp code only.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Narrow to block</b>                                                                                                                                                         | <b>C-x n b</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | (org-narrow-to-block)                                                       | Narrow buffer to current block.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Widen</b>                                                                                                                                                                   | <b>C-x n w</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | (widen)                                                                     | Widen buffer to remove narrowing. This allows the buffer's full text to be seen and edited.                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Control Visibility</b>                                                                                                                                                      | Org documents are treated as outlines; the heading lines are section levels and can be hidden and shown with the following commands.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Sub-tree Visibility Cycling</b>                                                                                                                                             | <b>&lt;tab&gt;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | (org-cycle &optional ARG)                                                   | Expand/compress the <b>sub-tree</b> title lines: folded → see children → see all subtree. To see all: <b>C-u C-u C-u &lt;tab&gt;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Global VisibilityCycling</b>                                                                                                                                                | <ul style="list-style-type: none"> <li><b>S-&lt;tab&gt;</b></li> <li><b>C-u &lt;tab&gt;</b></li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | (org-shifftab &optional ARG)                                                | Rotate the entire buffer among the following states: <ol style="list-style-type: none"> <li>Overview,</li> <li>Contents</li> <li>Show all</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Cycle subtree always</b>                                                                                                                                                    | <b>C-&lt;tab&gt;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | (org-cycle-force-archived)                                                  | Cycle subtree even if it is archived.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Reveal context around point</b>                                                                                                                                             | <b>C-c C-r</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | (org-reveal &optional SIBLINGS)                                             | Show current entry, hierarchy above it, and the following headline.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Show all sub-headings, hide their bodies</b>                                                                                                                                | <b>C-c C-k</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | (org-kill-note-or-show-branches)                                            | Abort storing current note, or call 'outline-show-branches' to show all subheadings of this heading, but not their bodies.                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Show all <i>direct</i> sub-headings</b>                                                                                                                                     | <b>C-c &lt;tab&gt;</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | (outline-show-children &optional LEVEL)                                     | If lines (or bodies) are already shown, nothing changes. Does not show the body (but does not hide them when already showing). <ul style="list-style-type: none"> <li>By default show only <b>1 level of</b> sub-headings, with numeric argument identify the number of levels to show: For example to show 3 sub-levels: <b>C-u 3 C-c &lt;tab&gt;</b></li> </ul>                                                                                                                                                                                                     |
| <b>Show current subtree in indirect buffer</b>                                                                                                                                 | <b>C-c C-x b</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | (org-tree-to-indirect-buffer &optional ARG)                                 | Take current subtree and open in an indirect buffer, not affecting current buffer's visibility. <ul style="list-style-type: none"> <li>Any edit in the indirect buffer goes inside the same file.</li> <li>Very useful to see the layout and be able to expand information inside a subtree.</li> </ul>                                                                                                                                                                                                                                                               |

| Description                                                                                                                          | Keystroke                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Function                                                            | Note                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dates and Times                                                                                                                      | To assist project planning, TODO items can be labeled with a date and/or a time: an org timestamp. Format: <2003-09-16 Tue 12:00-12:30>                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| • Creating Timestamps                                                                                                                | Time/Date range: 2 timestamps connected by '--'. Format: <2004-08-23 Mon 10:00-11:00>--<2004-08-26 Thu 10:00-11:00>                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Add/replace active time stamp <ul style="list-style-type: none"> <li>To insert a Time/Date range issue the command twice.</li> </ul> | C-c .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | (org-timestamp ARG &optional INACTIVE)                              | Insert/replace an active time stamp. Prompts. By default only the date is included. <ul style="list-style-type: none"> <li>With 'C-u' prefix: the time stamp contains date &amp; time.</li> <li>With 'C-u C-u' prefix: the time stamp contains date &amp; time. No prompt.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                              |
|                                                                                                                                      | All parts of a date not specified by the user are filled in from the timestamp at point, if any, or the current date/time otherwise.                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Add/replace inactive time stamp                                                                                                      | C-c !                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | (org-timestamp-inactive &optional ARG)                              | Insert an inactive time stamp. Prompts. By default only the date is included. An inactive time stamp is enclosed in square brackets instead of angle brackets. It is inactive in the sense that it does not trigger agenda entries. So these are more for recording a certain time/date. <ul style="list-style-type: none"> <li>With 'C-u' prefix: the time stamp contains date &amp; time.</li> <li>With 'C-u C-u' prefix: the time stamp contains date &amp; time. No prompt. Replace existing timestamp if there was any.</li> </ul>                                                                                                                                            |
| Normalize timestamp                                                                                                                  | C-c C-c                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | (org-ctrl-c-ctrl-c &optional ARG)                                   | When point on a timestamp: normalize timestamp, insert/fix day name if missing or wrong                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Insert date timestamp from calendar current position                                                                                 | C-c <                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | (org-date-from-calendar)                                            | Insert time stamp corresponding to cursor date in "Calendar" buffer. <ul style="list-style-type: none"> <li>If there is already a time stamp at the cursor position, update it.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Change timestamp date                                                                                                                | S-<right>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | (org-shiftright &optional ARG)                                      | With point on timestamp: increment date. Use numeric arg to increment by that number.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                                                                                                                                      | S-<left>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | (org-shiftright &optional ARG)                                      | With point on timestamp: decrement date. Use numeric arg to decrement by that number.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Go to calendar at date specified by timestamp                                                                                        | C-c >                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | (org-goto-calendar &optional ARG)                                   | Go to the Emacs calendar at the current date. <ul style="list-style-type: none"> <li>If there is a time stamp in the current line, go to that date, otherwise go to todays' date.</li> <li>With 'C-u' prefix: force the current date.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Open agenda at date                                                                                                                  | C-c C-o                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | (org-open-at-point &optional ARG)                                   | When point on a timestamp: open the agenda at the day specified.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Evaluate time range                                                                                                                  | C-c C-y                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | (org-evaluate-time-range &optional TO-BUFFER)                       | Evaluate a time range by computing the difference between start and end. <ul style="list-style-type: none"> <li>Print result in the echo area, but with prefix arg insert result after time stamp in buffer.</li> <li>If the time range is in a <b>table</b>, insert result into the next column.</li> </ul> ⚠ A year is assumed to be exactly 365 days in order to avoid rounding problems.                                                                                                                                                                                                                                                                                       |
| • Clocking Work Time                                                                                                                 | Org mode allows tracking time for each task item; add info in them with the following commands.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Start clock on current item                                                                                                          | C-c C-x C-i                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | (org-clock-in &optional SELECT START-TIME)                          | Start the clock on the current item. <ul style="list-style-type: none"> <li>If necessary, clock-out of the currently active clock.</li> <li>With a universal prefix (C-u), offer a list of recently clocked tasks to clock into.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Start clock o on last closed clocked item (restart clock)                                                                            | C-c C-x C-x                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | (org-clock-in-last &optional ARG)                                   | Clock in the last closed clocked item. When already clocking in, send a warning. <ul style="list-style-type: none"> <li>With 'C-u' prefix: select the task you want to clock in from the last clocked in tasks.</li> <li>With 'C-u C-u' prefix: start clocking using the last clock-out time, if any.</li> <li>With 'C-u C-u C-u' prefix: prompt for a todo state to switch to, overriding the existing value 'org-clock-in-switch-to-state'.</li> </ul>                                                                                                                                                                                                                           |
| Cancel the current clock (remove all its current time)                                                                               | C-c C-x C-q                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | (org-clock-cancel)                                                  | Cancel the running clock by removing the start timestamp.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Resolve any half-open clocks                                                                                                         | C-c C-x C-z                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | (org-resolve-clocks &optional ONLY-DANGLING-P PROMPT-FN LAST-VALID) | Resolve all currently open Org clocks. <ul style="list-style-type: none"> <li>If 'only-dangling-p' is non-nil, only ask to resolve dangling (i.e., not currently open and valid) clocks.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Set effort property See: <b>Effort Estimates</b>                                                                                     | C-c C-x e                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | (org-set-effort &optional INCREMENT VALUE)                          | Set the effort property of the current entry. <ul style="list-style-type: none"> <li>If INCREMENT is non-nil, set the property to the next allowed value. Otherwise, if optional argument VALUE is provided, use it. Eventually, prompt for the new value if none of the previous variables is set.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                     |
| Modify effort estimate                                                                                                               | C-c C-x C-e                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | (org-clock-modify-effort-estimate &optional VALUE)                  | Modify the effort estimate of the item currently being clocked: add to or set the effort estimate of the item currently being clocked. <ul style="list-style-type: none"> <li>VALUE can be a number of minutes, or a string with format hh:mm or mm.</li> <li>When the string starts with a + or a - sign, the current value of the effort property will be changed by that amount.</li> <li>If the effort value is expressed as an unit defined in 'org-duration-units' (e.g. "3h"), the modified value will be converted to a hh:mm duration.</li> </ul> This command will update the "Effort" property of the currently clocked item, and the value displayed in the mode line. |
| Stop clock on current item                                                                                                           | C-c C-x C-o                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | (org-clock-out &optional SWITCH-TO-STATE FAIL-QUIETLY AT-TIME)      | Stop the currently running clock. <ul style="list-style-type: none"> <li>Throw an error if there is no running clock and FAIL-QUIETLY is nil.</li> <li>With a universal prefix (C-u), prompt for a state to switch the clocked out task to, overriding the existing value of 'org-clock-out-switch-to-state'.</li> </ul>                                                                                                                                                                                                                                                                                                                                                           |
| Increment timestamp element                                                                                                          | S-<up>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | (org-timestamp-up &optional ARG)                                    | With point over timestamp: increase/decrease the date item at the cursor by one. With point over the year, change the year, the month, the day or the time, change that. With point on the enclosing bracket, change the timestamp type. <ul style="list-style-type: none"> <li>With prefix ARG, change by that many units.</li> <li>Call 'org-timestamp-up' or 'org-timestamp-down'.</li> </ul>                                                                                                                                                                                                                                                                                   |
| Decrement timestamp element                                                                                                          | S-<down>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | (org-timestamp-down &optional ARG)                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Increment date                                                                                                                       | S-<right>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | (org-shiftright &optional ARG)                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Decrement date                                                                                                                       | S-<left>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | (org-shiftright &optional ARG)                                      | With point over timestamp: increase/decrease the date (only the date). <ul style="list-style-type: none"> <li>With prefix ARG, change by that many units.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Move point to specified TODO item                                                                                                    | C-c C-x C-j                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | (org-clock-goto &optional SELECT)                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Display clock times for headlines in current file                                                                                    | C-c C-x C-d                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | (org-clock-display &optional ARG)                                   | Show subtree times in the entire buffer. By default, show the total time for the range defined in 'org-clock-display-default-range'. <ul style="list-style-type: none"> <li>With 'C-u' prefix: show the total time for today instead.</li> <li>With 'C-u C-u' prefix: use a custom range, entered at prompt.</li> <li>With 'C-u C-u C-u' prefix: display the total time in the echo area.</li> </ul>                                                                                                                                                                                                                                                                               |
| Generate a report for clock activity                                                                                                 | C-c C-x C-r                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | (org-toggle-radio-button &optional ARG)                             | Toggle off all checkboxes and toggle on the one at point.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Create sparse tree(s) from TODO items                                                                                                | C-c /                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | (org-sparse-tree &optional ARG TYPE)                                | Create a sparse tree, prompt for the details. This command can create sparse trees. You first need to select the type of match used to create the tree:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                                                                                                                                      | t Show all TODO entries.<br>T Show entries with a specific TODO keyword.<br>m Show entries selected by a tags/property match.<br>p Enter a property name and its value (both with completion on existing names/values) and show entries with that property.<br>r Show entries matching a regular expression ( '/' can be used as well).<br>b Show deadlines and scheduled items before a date.<br>a Show deadlines and scheduled items after a date.<br>d Show deadlines due within 'org-deadline-warning-days'.<br>D Show deadlines and scheduled items between a date range. |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

| Description                                                                                                                                                         | Keystroke                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Function                                     | Note                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------------|-------------|----------------------------------------|------------|----------------------------------|-------------|---------------------------------------------|----------|--------------------------|----------|-------------------------------------|----------|--------------------------|----------|-------------------------------|----------|------------------------------|----------|-------------------------------|----------|---------------------|----------|-------------------------------|----------|------------------------|----------|----------------------------------|----------|----------------------------|----------|-----------------------------------|
| Org Syntax Check                                                                                                                                                    | Tools to check the syntax of org files.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| Lint org file report warnings                                                                                                                                       | <f12> c                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | (org-lint)                                   | Check current Org buffer for syntax mistakes. By default, run all checkers.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
|                                                                                                                                                                     | <ul style="list-style-type: none"> <li>With a ‘<b>C–u</b>’ prefix ARG, select one category of checkers only. With a ‘<b>C–u C–u</b>’ prefix, run one precise checker by its name.</li> </ul> All lint warnings are shown in the *Org Lint* buffer. In that buffer the following commands are available: <table> <tr> <td><b>C–j</b>, <b>TAB</b></td><td>Display the offending line</td><td><b>h</b></td><td>Hide all reports from the same checker</td></tr> <tr> <td><b>RET</b></td><td>Move point to the offending line</td><td><b>i</b></td><td>Also remove them from all subsequent checks</td></tr> <tr> <td><b>g</b></td><td>Check the document again</td><td><b>s</b></td><td>Sort reports by the column at point</td></tr> </table>                                                                                                                                                                                                                                                                          |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>C–j</b> , <b>TAB</b> | Display the offending line | <b>h</b>    | Hide all reports from the same checker | <b>RET</b> | Move point to the offending line | <b>i</b>    | Also remove them from all subsequent checks | <b>g</b> | Check the document again | <b>s</b> | Sort reports by the column at point |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| <b>C–j</b> , <b>TAB</b>                                                                                                                                             | Display the offending line                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>h</b>                                     | Hide all reports from the same checker                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| <b>RET</b>                                                                                                                                                          | Move point to the offending line                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>i</b>                                     | Also remove them from all subsequent checks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| <b>g</b>                                                                                                                                                            | Check the document again                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>s</b>                                     | Sort reports by the column at point                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| Parse org file                                                                                                                                                      | (org-element-parse-buffer &optional GRANULARITY VISIBLE-ONLY KEEP-DEFERRED)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                              | Recursively parse the buffer and return structure. If narrowing is in effect, only parse the visible part of the buffer. See output in the *Message* buffer.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| Org Commands                                                                                                                                                        | The following are powerful commands that perform useful operation that create Org files.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| <ul style="list-style-type: none"> <li>Org Agenda               <ul style="list-style-type: none"> <li>Agenda Views</li> <li>Agenda Commands</li> </ul> </li> </ul> | <f12> a                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | (org-agenda &optional ARG KEYS RESTRICTION)  | Dispatch agenda commands to collect entries to the agenda buffer. <ul style="list-style-type: none"> <li>Prompts for a command to execute.</li> <li>Any prefix arg will be passed on to the selected command.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
|                                                                                                                                                                     | Type the following extra key to issue the command: <table> <tr> <td><b>n</b></td><td>Agenda and all TODOs</td><td><b>&lt;</b></td><td>Buffer, subtree/region restriction</td></tr> <tr> <td><b>a</b></td><td>Agenda for current week or day</td><td><b>&gt;</b></td><td>Remove restriction</td></tr> <tr> <td><b>/</b></td><td>Multi-occur</td><td><b>e</b></td><td>Export agenda views</td></tr> <tr> <td><b>t</b></td><td>List of all TODO entries</td><td><b>T</b></td><td>Entries with special TODO kwd</td></tr> <tr> <td><b>m</b></td><td>Match a TAGS/PROP/TODO query</td><td><b>M</b></td><td>Like m, but only TODO entries</td></tr> <tr> <td><b>s</b></td><td>Search for keywords</td><td><b>S</b></td><td>Like s, but only TODO entries</td></tr> <tr> <td><b>?</b></td><td>Find :FLAGGED: entries</td><td><b>C</b></td><td>Configure custom agenda commands</td></tr> <tr> <td><b>*</b></td><td>Toggle sticky agenda views</td><td><b>#</b></td><td>List stuck projects (!=configure)</td></tr> </table> |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>n</b>                | Agenda and all TODOs       | <b>&lt;</b> | Buffer, subtree/region restriction     | <b>a</b>   | Agenda for current week or day   | <b>&gt;</b> | Remove restriction                          | <b>/</b> | Multi-occur              | <b>e</b> | Export agenda views                 | <b>t</b> | List of all TODO entries | <b>T</b> | Entries with special TODO kwd | <b>m</b> | Match a TAGS/PROP/TODO query | <b>M</b> | Like m, but only TODO entries | <b>s</b> | Search for keywords | <b>S</b> | Like s, but only TODO entries | <b>?</b> | Find :FLAGGED: entries | <b>C</b> | Configure custom agenda commands | <b>*</b> | Toggle sticky agenda views | <b>#</b> | List stuck projects (!=configure) |
| <b>n</b>                                                                                                                                                            | Agenda and all TODOs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>&lt;</b>                                  | Buffer, subtree/region restriction                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| <b>a</b>                                                                                                                                                            | Agenda for current week or day                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>&gt;</b>                                  | Remove restriction                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| <b>/</b>                                                                                                                                                            | Multi-occur                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <b>e</b>                                     | Export agenda views                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| <b>t</b>                                                                                                                                                            | List of all TODO entries                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>T</b>                                     | Entries with special TODO kwd                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| <b>m</b>                                                                                                                                                            | Match a TAGS/PROP/TODO query                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>M</b>                                     | Like m, but only TODO entries                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| <b>s</b>                                                                                                                                                            | Search for keywords                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <b>S</b>                                     | Like s, but only TODO entries                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| <b>?</b>                                                                                                                                                            | Find :FLAGGED: entries                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>C</b>                                     | Configure custom agenda commands                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| <b>*</b>                                                                                                                                                            | Toggle sticky agenda views                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>#</b>                                     | List stuck projects (!=configure)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| Switch between Org buffers.                                                                                                                                         | <f12> b                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | (org-switchb &optional ARG)                  | Switch between Org buffers. <ul style="list-style-type: none"> <li>With ‘<b>C–u</b>’ prefix, restrict available buffers to files.</li> <li>With ‘<b>C–u C–u</b>’ prefix, restrict available buffers to agenda files.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| Capture something                                                                                                                                                   | <f12> c                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | (org-capture &optional GOTO KEYS)            | Select a template from ‘org-capture-templates’, and then file the newly captured information. The text is immediately inserted at the target location, and an indirect buffer is shown where you can edit it. Pressing ‘ <b>C–c C–c</b> ’ brings you back to the previous state of Emacs, to continue your work. <ul style="list-style-type: none"> <li>When called interactively with a ‘<b>C–u</b>’ prefix argument GOTO, don’t capture anything, just go to the file/headline where the selected template stores its notes.</li> <li>With a ‘<b>C–u C–u</b>’ prefix argument, go to the last note stored. When called with a ‘<b>C–0</b>’ (zero) prefix, insert a template at point.</li> <li>When called with a ‘<b>C–1</b>’ (one) prefix, force prompting for a date when a datetree entry is made.</li> <li>Instead of Control key for numerical prefixes you can also use the Meta key.</li> </ul> If ‘org-capture-use-agenda-date’ is non-nil, capturing from the agenda will use the date at point as the default date. Then, a ‘ <b>C–1</b> ’ prefix will tell the capture process to use the HH:MM time of the day at point (if any) or the current HH:MM time. |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| Archiving                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| Archive current entry                                                                                                                                               | C–c C–x C–a                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | (org-archive-subtree-default)                | Move the current subtree inside an .org_archive file. The file has the same path and base name.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| Archiving Tree                                                                                                                                                      | 🔗 Move tree to archive file                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| Move current subtree to the archive                                                                                                                                 | C–c C–x C–s                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | (org-archive-subtree &optional FIND-DONE)    | Move the current subtree to the archive. <ul style="list-style-type: none"> <li>The archive can be a certain top-level heading in the current file, or in a different file. The tree will be moved to that location, the subtree heading be marked DONE, and the current time will be added.</li> <li><b>C-u</b> C-c C-x C-s : When called with a single prefix argument FIND-DONE, find whole trees without any open TODO items and archive them (after getting confirmation from the user).</li> <li><b>C-u C-u</b> C-c C-x C-s : When called with a double prefix argument, find whole trees with timestamps before today and archive them (after getting confirmation from the user). If the cursor is not at a headline when these commands are called, try all level 1 trees. If the cursor is on a headline, only try the direct children of this heading.</li> </ul>                                                                                                                                                                                                                                                                                               |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| Archiving - internal                                                                                                                                                | 🔗 Internal archiving                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| Toggle archive tag for current headline                                                                                                                             | C–c C–x a                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | (org-toggle-archive-tag &optional FIND-DONE) | Toggle the archive tag for the current headline. <ul style="list-style-type: none"> <li><b>C-u</b> C-c C-x a : With prefix ARG, check all children of current headline and offer tagging the children that do not contain any open TODO items.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| Move the current entry to the Archive Sibling                                                                                                                       | C–c C–x A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | (org-archive-to-archive-sibling)             | Archive the current heading by moving it under the archive sibling. <ul style="list-style-type: none"> <li>The archive sibling is a sibling of the heading with the heading name ‘org-archive-sibling-heading’ and an ‘org-archive-tag’ tag. If this sibling does not exist, it will be created at the end of the subtree.</li> <li>Archiving time is retained in the ARCHIVE_TIME node property.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
| More information needed 🚧                                                                                                                                           | The following rows do not contain valuable information. They are left over for future work. They will be removed soon and integrated with more information. 🚧🚧🚧🚧🚧🚧                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
|                                                                                                                                                                     | S–<right>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | (org-shiftright &optional ARG)               | Act on the current element according to context. This does one of the following: <ul style="list-style-type: none"> <li>switch a timestamp at point one day into the future</li> <li>on a headline, switch to the next TODO keyword</li> <li>on an item, switch entire list to the next bullet type</li> <li>on a property line, switch to the next allowed value</li> <li>on a clocktable definition line, move time block into the future</li> <li>in a table, move a single cell right</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
|                                                                                                                                                                     | S–<left>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | (org-shiftright &optional ARG)               | Act on the current element according to context. This does one of the following: <ul style="list-style-type: none"> <li>switch a timestamp at point one day into the past</li> <li>on a headline, switch to the previous TODO keyword.</li> <li>on an item, switch entire list to the previous bullet type</li> <li>on a property line, switch to the previous allowed value</li> <li>on a clocktable definition line, move time block into the past</li> <li>in a table, move a single cell left</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
|                                                                                                                                                                     | S–<up>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | (org-shiftup &optional ARG)                  | Act on current element according to context. Call ‘org-timestamp-up’ or ‘org-priority-up’, or ‘org-previous-item’, or ‘org-table-move-cell-up’. See the individual commands belowfor more information.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
|                                                                                                                                                                     | S–<up>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | (org-previous-item)                          | Move to the beginning of the previous item.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
|                                                                                                                                                                     | S–<up>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | (org-table-move-cell-up)                     | Move a single cell up in a table. Swap with anything in target cell.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
|                                                                                                                                                                     | S–<down>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | (org-shiftdown &optional ARG)                | Act on current element according to context. Call ‘org-timestamp-down’ or ‘org-priority-down’, or ‘org-next-item’, or ‘org-table-move-cell-down’. See the individual commands below for more information.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
|                                                                                                                                                                     | S–<down>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | (org-next-item)                              | Move to the beginning of the next item.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |
|                                                                                                                                                                     | S–<down>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | (org-table-move-cell-down)                   | Move a single cell down in a table. Swap with anything in target cell.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                         |                            |             |                                        |            |                                  |             |                                             |          |                          |          |                                     |          |                          |          |                               |          |                              |          |                               |          |                     |          |                               |          |                        |          |                                  |          |                            |          |                                   |

Org-Mode - Reference

| Topic & link                                                               | Description                                                                                                |
|----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| Org Mode @ Wikipedia                                                       | A good introduction to Org Mode concepts                                                                   |
| 🔗 Org mode home and 🔗 The Org Manual                                       | Org mode is actively developed. The Org Mode home page contains links to all you need.                     |
| Quick Reference for emacs Org-Mode key binds                               |                                                                                                            |
| How to move a subtree to another subtree in org-mode emacs                 | Stack Overflow Q&A. Just to move the sub-tree itself (not its top level headline).                         |
| Command to copy and delete subtree in org-mode                             | Stack Overflow Q&A. Answer: C-C C-x C-w and C-c C-x C-y                                                    |
| Getting started with Org-Mode @ Youtube                                    |                                                                                                            |
| Literate DevOps with Emacs - youtube video                                 |                                                                                                            |
| David 'Otool Org Tutorial                                                  |                                                                                                            |
| Hello Worg, the Org-Mode Community!                                        |                                                                                                            |
| Org Mode Tools                                                             |                                                                                                            |
| Org-Mode Exporters - The New Org-mode Exporter Framework                   |                                                                                                            |
| * ox.el @ github                                                           |                                                                                                            |
| Pandoc support                                                             |                                                                                                            |
| Pandoc-mode - An Emacs mode for interacting with Pandoc                    |                                                                                                            |
| Org mode and Pandoc                                                        |                                                                                                            |
| Keeping a lab notebook with org-mode, git, Papers, and Pandoc (Part II)    |                                                                                                            |
| Confluence Wiki Support for Org Mode                                       |                                                                                                            |
| https://www.emacswiki.org/emacs/ConfluenceMode                             |                                                                                                            |
| confluence-el (10 years old)                                               |                                                                                                            |
| confluence-el : seems newer.                                               |                                                                                                            |
| ox-confluence - 2012-2014 : export org files to confluence using the ox.el |                                                                                                            |
| sdelafond /org-confluence                                                  | That was integrated inside org-mode.                                                                       |
| In org-mode, how do I export to JIRA wiki markup? @ StackExchange          |                                                                                                            |
| Clocking Work Time - The Org Manual                                        |                                                                                                            |
| Time Tracking in Emacs with org-clock                                      | Short article written by David Charte, on November 2017.                                                   |
| Clocking time with Org-mode                                                | Good description of the clocking time mechanism supported by org-mode. Written in April 2017 by Lee Hinman |
| Org Mode Time and Task Tools – Straightforward Emacs @YouTube              |                                                                                                            |
| Emacs   Org id will change how you see things @YouTube                     | From Chris Maiorama                                                                                        |