

RQMC comparison: Gaussian  $s = 2$  ( $10^4$  samples)

$n = 2^{10}$

$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Gaussian-2-Lat-RS-10

Gaussian-2-Lat-RS-12

Gaussian-2-Lat-RS-14

Gaussian-2-Lat-RS-16




Gaussian-2-Lat-RSB-10

Gaussian-2-Lat-RSB-12

Gaussian-2-Lat-RSB-14

Gaussian-2-Lat-RSB-16




Gaussian-2-Lat-Rv-10

Gaussian-2-Lat-Rv-12

Gaussian-2-Lat-Rv-14

Gaussian-2-Lat-Rv-16




Gaussian-2-Lat-Rpv-10

Gaussian-2-Lat-Rpv-12

Gaussian-2-Lat-Rpv-14

Gaussian-2-Lat-Rpv-16




$n = 2^{10}$

$n = 2^{12}$


$n = 2^{14}$

$n = 2^{16}$


Gaussian-2-Lat-RvRS-10




Gaussian-2-Lat-RvRS-12




Gaussian-2-Lat-RvRS-14




Gaussian-2-Lat-RvRS-16




Gaussian-2-Lat-RvRSB-10




Gaussian-2-Lat-RvRSB-12




Gaussian-2-Lat-RvRSB-14




Gaussian-2-Lat-RvRSB-16




Gaussian-2-Lat-RpvRS-10




Gaussian-2-Lat-RpvRS-12




Gaussian-2-Lat-RpvRS-14




Gaussian-2-Lat-RpvRS-16




Gaussian-2-Lat-RpvRSB-10




Gaussian-2-Lat-RpvRSB-12



Gaussian-2-Lat-RpvRSB-14



Gaussian-2-Lat-RpvRSB-16







$n = 2^{10}$  $n = 2^{12}$  $n = 2^{14}$  $n = 2^{16}$ 

Gaussian-2-Sob-RDS-10

Gaussian-2-Sob-RDS-12

Gaussian-2-Sob-RDS-14

Gaussian-2-Sob-RDS-16







Gaussian-2-Sob-RDSB-10

Gaussian-2-Sob-RDSB-12

Gaussian-2-Sob-RDSB-14

Gaussian-2-Sob-RDSB-16







Gaussian-2-Sob-LMS-10

Gaussian-2-Sob-LMS-12

Gaussian-2-Sob-LMS-14

Gaussian-2-Sob-LMS-16







Gaussian-2-Sob-LMS-RDS-10

Gaussian-2-Sob-LMS-RDS-12

Gaussian-2-Sob-LMS-RDS-14

Gaussian-2-Sob-LMS-RDS-16



$$n = 2^{10}$$

$$n = 2^{12}$$

$$n = 2^{14}$$


$$n = 2^{16}$$

Gaussian-2-Sob-LMS-RDS-IRB-10

Gaussian-2-Sob-LMS-RDS-IRB-12

Gaussian-2-Sob-LMS-RDS-IRB-14

Gaussian-2-Sob-LMS-RDS-IRB-16




Gaussian-2-Sob-NUS-10

Gaussian-2-Sob-NUS-12

Gaussian-2-Sob-NUS-14

Gaussian-2-Sob-NUS-16



RQMC comparison: Gaussian  $s = 4$  ( $10^4$  samples)

$n = 2^{10}$

$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Gaussian-4-Lat-RS-10

Gaussian-4-Lat-RS-12

Gaussian-4-Lat-RS-14

Gaussian-4-Lat-RS-16




Gaussian-4-Lat-RSB-10

Gaussian-4-Lat-RSB-12

Gaussian-4-Lat-RSB-14

Gaussian-4-Lat-RSB-16




Gaussian-4-Lat-Rv-10

Gaussian-4-Lat-Rv-12

Gaussian-4-Lat-Rv-14

Gaussian-4-Lat-Rv-16




Gaussian-4-Lat-Rpv-10

Gaussian-4-Lat-Rpv-12

Gaussian-4-Lat-Rpv-14

Gaussian-4-Lat-Rpv-16




$n = 2^{10}$  $n = 2^{12}$  $n = 2^{14}$  $n = 2^{16}$ 

Gaussian-4-Lat-RvRS-10

Gaussian-4-Lat-RvRS-12

Gaussian-4-Lat-RvRS-14

Gaussian-4-Lat-RvRS-16




Gaussian-4-Lat-RvRSB-10

Gaussian-4-Lat-RvRSB-12

Gaussian-4-Lat-RvRSB-14

Gaussian-4-Lat-RvRSB-16




Gaussian-4-Lat-RpvRS-10

Gaussian-4-Lat-RpvRS-12

Gaussian-4-Lat-RpvRS-14

Gaussian-4-Lat-RpvRS-16




Gaussian-4-Lat-RpvRSB-10

Gaussian-4-Lat-RpvRSB-12

Gaussian-4-Lat-RpvRSB-14

Gaussian-4-Lat-RpvRSB-16







$n = 2^{10}$  $n = 2^{12}$  $n = 2^{14}$  $n = 2^{16}$ 

Gaussian-4-Sob-RDS-10

Gaussian-4-Sob-RDS-12

Gaussian-4-Sob-RDS-14

Gaussian-4-Sob-RDS-16







Gaussian-4-Sob-RDSB-10

Gaussian-4-Sob-RDSB-12

Gaussian-4-Sob-RDSB-14

Gaussian-4-Sob-RDSB-16







Gaussian-4-Sob-LMS-10

Gaussian-4-Sob-LMS-12

Gaussian-4-Sob-LMS-14

Gaussian-4-Sob-LMS-16







Gaussian-4-Sob-LMS-RDS-10

Gaussian-4-Sob-LMS-RDS-12


Gaussian-4-Sob-LMS-RDS-14

Gaussian-4-Sob-LMS-RDS-16




$$n = 2^{10}$$

Gaussian-4-Sob-LMS-RDS-IRB-10




$$n = 2^{12}$$

Gaussian-4-Sob-LMS-RDS-IRB-12




$$n = 2^{14}$$

Gaussian-4-Sob-LMS-RDS-IRB-14




$$n = 2^{16}$$


Gaussian-4-Sob-LMS-RDS-IRB-16




Gaussian-4-Sob-NUS-10




Gaussian-4-Sob-NUS-12



Gaussian-4-Sob-NUS-14



Gaussian-4-Sob-NUS-16



RQMC comparison: Gaussian  $s = 8$  ( $10^4$  samples)

$n = 2^{10}$

$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Gaussian-8-Lat-RS-10

Gaussian-8-Lat-RS-12

Gaussian-8-Lat-RS-14

Gaussian-8-Lat-RS-16




Gaussian-8-Lat-RSB-10

Gaussian-8-Lat-RSB-12

Gaussian-8-Lat-RSB-14

Gaussian-8-Lat-RSB-16




Gaussian-8-Lat-Rv-10

Gaussian-8-Lat-Rv-12

Gaussian-8-Lat-Rv-14

Gaussian-8-Lat-Rv-16




Gaussian-8-Lat-Rpv-10

Gaussian-8-Lat-Rpv-12

Gaussian-8-Lat-Rpv-14

Gaussian-8-Lat-Rpv-16




$n = 2^{10}$  $n = 2^{12}$  $n = 2^{14}$  $n = 2^{16}$ 

Gaussian-8-Lat-RvRS-10

Gaussian-8-Lat-RvRS-12

Gaussian-8-Lat-RvRS-14

Gaussian-8-Lat-RvRS-16




Gaussian-8-Lat-RvRSB-10

Gaussian-8-Lat-RvRSB-12

Gaussian-8-Lat-RvRSB-14

Gaussian-8-Lat-RvRSB-16




Gaussian-8-Lat-RpvRS-10

Gaussian-8-Lat-RpvRS-12

Gaussian-8-Lat-RpvRS-14

Gaussian-8-Lat-RpvRS-16




Gaussian-8-Lat-RpvRSB-10

Gaussian-8-Lat-RpvRSB-12

Gaussian-8-Lat-RpvRSB-14

Gaussian-8-Lat-RpvRSB-16







$n = 2^{10}$  $n = 2^{12}$  $n = 2^{14}$  $n = 2^{16}$ 

Gaussian-8-Sob-RDS-10

Gaussian-8-Sob-RDS-12

Gaussian-8-Sob-RDS-14

Gaussian-8-Sob-RDS-16







Gaussian-8-Sob-RDSB-10

Gaussian-8-Sob-RDSB-12

Gaussian-8-Sob-RDSB-14

Gaussian-8-Sob-RDSB-16







Gaussian-8-Sob-LMS-10

Gaussian-8-Sob-LMS-12

Gaussian-8-Sob-LMS-14

Gaussian-8-Sob-LMS-16







Gaussian-8-Sob-LMS-RDS-10

Gaussian-8-Sob-LMS-RDS-12

Gaussian-8-Sob-LMS-RDS-14

Gaussian-8-Sob-LMS-RDS-16



$$n = 2^{10}$$

$$n = 2^{12}$$

$$n = 2^{14}$$


$$n = 2^{16}$$

Gaussian-8-Sob-LMS-RDS-IRB-10

Gaussian-8-Sob-LMS-RDS-IRB-12

Gaussian-8-Sob-LMS-RDS-IRB-14

Gaussian-8-Sob-LMS-RDS-IRB-16




Gaussian-8-Sob-NUS-10

Gaussian-8-Sob-NUS-12

Gaussian-8-Sob-NUS-14

Gaussian-8-Sob-NUS-16



RQMC comparison: Gaussian  $s = 16$  ( $10^4$  samples)

$n = 2^{10}$

$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Gaussian-16-Lat-RS-10

Gaussian-16-Lat-RS-12

Gaussian-16-Lat-RS-14

Gaussian-16-Lat-RS-16




Gaussian-16-Lat-RSB-10

Gaussian-16-Lat-RSB-12

Gaussian-16-Lat-RSB-14

Gaussian-16-Lat-RSB-16




Gaussian-16-Lat-Rv-10

Gaussian-16-Lat-Rv-12

Gaussian-16-Lat-Rv-14

Gaussian-16-Lat-Rv-16




Gaussian-16-Lat-Rpv-10

Gaussian-16-Lat-Rpv-12

Gaussian-16-Lat-Rpv-14

Gaussian-16-Lat-Rpv-16




$$n = 2^{10}$$

$$n = 2^{12}$$


$$n = 2^{14}$$

$$n = 2^{16}$$


Gaussian-16-Lat-RvRS-10




Gaussian-16-Lat-RvRS-12




Gaussian-16-Lat-RvRS-14




Gaussian-16-Lat-RvRS-16




Gaussian-16-Lat-RvRSB-10




Gaussian-16-Lat-RvRSB-12




Gaussian-16-Lat-RvRSB-14




Gaussian-16-Lat-RvRSB-16




Gaussian-16-Lat-RpvRS-10




Gaussian-16-Lat-RpvRS-12




Gaussian-16-Lat-RpvRS-14




Gaussian-16-Lat-RpvRS-16




Gaussian-16-Lat-RpvRSB-10




Gaussian-16-Lat-RpvRSB-12



Gaussian-16-Lat-RpvRSB-14



Gaussian-16-Lat-RpvRSB-16



$n = 2^{10}$  $n = 2^{12}$  $n = 2^{14}$  $n = 2^{16}$ 





Gaussian-16-Sob-RDS-10

Gaussian-16-Sob-RDS-12

Gaussian-16-Sob-RDS-14

Gaussian-16-Sob-RDS-16

Sob-RDS







Gaussian-16-Sob-RDSB-10

Gaussian-16-Sob-RDSB-12

Gaussian-16-Sob-RDSB-14

Gaussian-16-Sob-RDSB-16

Sob-RDSB







Gaussian-16-Sob-LMS-10

Gaussian-16-Sob-LMS-12

Gaussian-16-Sob-LMS-14

Gaussian-16-Sob-LMS-16

Sob-LMS







Gaussian-16-Sob-LMS-RDS-10

Gaussian-16-Sob-LMS-RDS-12

Gaussian-16-Sob-LMS-RDS-14

Gaussian-16-Sob-LMS-RDS-16

Sob-LMS-RDS




$n = 2^{10}$  $n = 2^{12}$  $n = 2^{14}$  $n = 2^{16}$ 

Gaussian-16-Sob-LMS-RDS-IRB-10

Gaussian-16-Sob-LMS-RDS-IRB-12

Gaussian-16-Sob-LMS-RDS-IRB-14

Gaussian-16-Sob-LMS-RDS-IRB-16




Gaussian-16-Sob-NUS-10

Gaussian-16-Sob-NUS-12

Gaussian-16-Sob-NUS-14

Gaussian-16-Sob-NUS-16



RQMC comparison: Gaussian  $s = 32$  ( $10^4$  samples)

$n = 2^{10}$

$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Gaussian-32-Lat-RS-10

Gaussian-32-Lat-RS-12

Gaussian-32-Lat-RS-14

Gaussian-32-Lat-RS-16




Gaussian-32-Lat-RSB-10

Gaussian-32-Lat-RSB-12

Gaussian-32-Lat-RSB-14

Gaussian-32-Lat-RSB-16




Gaussian-32-Lat-Rv-10

Gaussian-32-Lat-Rv-12

Gaussian-32-Lat-Rv-14

Gaussian-32-Lat-Rv-16




Gaussian-32-Lat-Rpv-10

Gaussian-32-Lat-Rpv-12

Gaussian-32-Lat-Rpv-14

Gaussian-32-Lat-Rpv-16



$n = 2^{10}$

$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Gaussian-32-Lat-RvRS-10

Gaussian-32-Lat-RvRS-12

Gaussian-32-Lat-RvRS-14

Gaussian-32-Lat-RvRS-16




Gaussian-32-Lat-RvRSB-10

Gaussian-32-Lat-RvRSB-12

Gaussian-32-Lat-RvRSB-14

Gaussian-32-Lat-RvRSB-16




Gaussian-32-Lat-RpvRS-10

Gaussian-32-Lat-RpvRS-12

Gaussian-32-Lat-RpvRS-14

Gaussian-32-Lat-RpvRS-16




Gaussian-32-Lat-RpvRSB-10

Gaussian-32-Lat-RpvRSB-12

Gaussian-32-Lat-RpvRSB-14

Gaussian-32-Lat-RpvRSB-16




$n = 2^{10}$  $n = 2^{12}$  $n = 2^{14}$  $n = 2^{16}$ 

Gaussian-32-Sob-RDS-10

Gaussian-32-Sob-RDS-12

Gaussian-32-Sob-RDS-14

Gaussian-32-Sob-RDS-16




Gaussian-32-Sob-RDSB-10

Gaussian-32-Sob-RDSB-12

Gaussian-32-Sob-RDSB-14

Gaussian-32-Sob-RDSB-16




Gaussian-32-Sob-LMS-10

Gaussian-32-Sob-LMS-12

Gaussian-32-Sob-LMS-14

Gaussian-32-Sob-LMS-16




Gaussian-32-Sob-LMS-RDS-10

Gaussian-32-Sob-LMS-RDS-12

Gaussian-32-Sob-LMS-RDS-14

Gaussian-32-Sob-LMS-RDS-16



$$n = 2^{10}$$

$$n = 2^{12}$$

$$n = 2^{14}$$


$$n = 2^{16}$$

Gaussian-32-Sob-LMS-RDS-IRB-10

Gaussian-32-Sob-LMS-RDS-IRB-12

Gaussian-32-Sob-LMS-RDS-IRB-14

Gaussian-32-Sob-LMS-RDS-IRB-16



Gaussian-32-Sob-NUS-10

Gaussian-32-Sob-NUS-12

Gaussian-32-Sob-NUS-14

Gaussian-32-Sob-NUS-16

