



Random-Parameter QMC comparison: Fper2-4 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: Fper2-8 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: Fper2-16 (10⁴ samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: Fper2-32 (10⁴ samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: Fper5-4 (10⁴ samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: Fper5-8 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp




$n = 2^{10}$

$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: Fper5-16 (10⁴ samples)




Random-Parameter QMC comparison: Fper5-32 (10⁴ samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: IndSumNormal-4 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: IndSumNormal-8 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: IndSumNormal-16 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: IndSumNormal-32 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp




$n = 2^{10}$

$n = 2^{12}$


$n = 2^{14}$

$n = 2^{16}$


Random-Parameter QMC comparison: MC2-4 (10^4 samples)



Random-Parameter QMC comparison: MC2-8 (10^4 samples)




Random-Parameter QMC comparison: MC2-16 (10^4 samples)




Random-Parameter QMC comparison: MC2-32 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: PieceLinGauss-4 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: PieceLinGauss-8 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: PieceLinGauss-16 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: PieceLinGauss-32 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: SmoothGauss-4 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: SmoothGauss-8 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp




$n = 2^{10}$

$n = 2^{12}$

$n = 2^{14}$





$n = 2^{16}$

Random-Parameter QMC comparison: SmoothGauss-16 (10^4 samples)







Random-Parameter QMC comparison: SmoothGauss-32 (10^4 samples)





Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: SmoothPerB4-4 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: SmoothPerB4-8 (10⁴ samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: SmoothPerB4-16 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: SmoothPerB4-32 (10⁴ samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: SumUeU-4 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: SumUeU-8 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: SumUeU-16 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: SumUeU-32 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: SumUeU-4 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: SumUeU-8 (10⁴ samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: SumUeU-16 (10⁴ samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

Random-Parameter QMC comparison: SumUeU-32 (10^4 samples)


Sob-LMS



Lat-Rv



Lat-Rp



$n = 2^{10}$

$n = 2^{12}$

$n = 2^{14}$

$n = 2^{16}$