



RQMC Rank-1 lattice point set comparison: Fper2-4 (10^4 samples)




RQMC Rank-1 lattice point set comparison: Fper2-8 (10⁴ samples)


Lat



Lat-Rv



Lat-Rp



$$n = 2^{10}$$


$$n = 2^{12}$$

$$n = 2^{14}$$


$$n = 2^{16}$$

RQMC Rank-1 lattice point set comparison: Fper2-16 (10⁴ samples)


Lat



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: Fper2-32 (10⁴ samples)


Lat



Lat-Rv



Lat-Rp




$n = 2^{10}$

$n = 2^{12}$


$n = 2^{14}$

$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: Fper2-baker-4 (10^4 samples)




RQMC Rank-1 lattice point set comparison: Fper2-baker-8 (10^4 samples)




RQMC Rank-1 lattice point set comparison: Fper2-baker-16 (10⁴ samples)


Lat



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: Fper2-baker-32 (10⁴ samples)


Lat



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: Fper5-4 (10^4 samples)


Lat



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: Fper5-8 (10^4 samples)


Lat



Lat-Rv



Lat-Rp




$n = 2^{10}$

$n = 2^{12}$


$n = 2^{14}$

$n = 2^{16}$


RQMC Rank-1 lattice point set comparison: Fper5-16 (10^4 samples)



RQMC Rank-1 lattice point set comparison: Fper5-32 (10⁴ samples)




RQMC Rank-1 lattice point set comparison: Fper5-baker-4 (10⁴ samples)




RQMC Rank-1 lattice point set comparison: Fper5-baker-8 (10⁴ samples)


Lat



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: Fper5-baker-16 (10⁴ samples)


Lat



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: Fper5-baker-32 (10⁴ samples)


Lat



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: IndSumNormal-4 (10^4 samples)


Lat



Lat-Rv



Lat-Rp




$n = 2^{10}$

$n = 2^{12}$


$n = 2^{14}$

$n = 2^{16}$


RQMC Rank-1 lattice point set comparison: IndSumNormal-8 (10^4 samples)




RQMC Rank-1 lattice point set comparison: IndSumNormal-16 (10⁴ samples)




RQMC Rank-1 lattice point set comparison: IndSumNormal-32 (10⁴ samples)




RQMC Rank-1 lattice point set comparison: IndSumNormal-baker-4 (10⁴ samples)




RQMC Rank-1 lattice point set comparison: IndSumNormal-baker-8 (10⁴ samples)



RQMC Rank-1 lattice point set comparison: IndSumNormal-baker-16 (10⁴ samples)




RQMC Rank-1 lattice point set comparison: IndSumNormal-baker-32 (10^4 samples)




RQMC Rank-1 lattice point set comparison: MC2-4 (10^4 samples)


Lat



Lat-Rv



Lat-Rp




$n = 2^{10}$

$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: MC2-8 (10^4 samples)




RQMC Rank-1 lattice point set comparison: MC2-16 (10^4 samples)


Lat



Lat-Rv



Lat-Rp




$n = 2^{10}$

$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: MC2-32 (10⁴ samples)




RQMC Rank-1 lattice point set comparison: MC2-baker-4 (10⁴ samples)


Lat



Lat-Rv



Lat-Rp




$n = 2^{10}$

$n = 2^{12}$


$n = 2^{14}$

$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: MC2-baker-8 (10⁴ samples)




RQMC Rank-1 lattice point set comparison: MC2-baker-16 (10⁴ samples)




RQMC Rank-1 lattice point set comparison: MC2-baker-32 (10⁴ samples)


Lat



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: PieceLinGauss-4 (10^4 samples)


Lat



Lat-Rv



Lat-Rp



$$n = 2^{10}$$


$$n = 2^{12}$$

$$n = 2^{14}$$


$$n = 2^{16}$$

RQMC Rank-1 lattice point set comparison: PieceLinGauss-8 (10^4 samples)


Lat



Lat-Rv



Lat-Rp




$n = 2^{10}$

$n = 2^{12}$


$n = 2^{14}$

$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: PieceLinGauss-16 (10^4 samples)




RQMC Rank-1 lattice point set comparison: PieceLinGauss-32 (10^4 samples)




RQMC Rank-1 lattice point set comparison: PieceLinGauss-baker-4 (10^4 samples)


Lat



Lat-Rv



Lat-Rp




$$n = 2^{10}$$

$$n = 2^{12}$$

$$n = 2^{14}$$


$$n = 2^{16}$$

RQMC Rank-1 lattice point set comparison: PieceLinGauss-baker-8 (10⁴ samples)




RQMC Rank-1 lattice point set comparison: PieceLinGauss-baker-16 (10⁴ samples)


Lat



Lat-Rv



Lat-Rp




$n = 2^{10}$

$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: PieceLinGauss-baker-32 (10^4 samples)




RQMC Rank-1 lattice point set comparison: RidgeJohnsonSU-4 (10^4 samples)


Lat



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: RidgeJohnsonSU-8 (10^4 samples)


Lat



Lat-Rv



Lat-Rp




$n = 2^{10}$

$n = 2^{12}$


$n = 2^{14}$

$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: RidgeJohnsonSU-16 (10^4 samples)




RQMC Rank-1 lattice point set comparison: RidgeJohnsonSU-32 (10^4 samples)




RQMC Rank-1 lattice point set comparison: RidgeJohnsonSU-baker-4 (10^4 samples)


Lat



Lat-Rv



Lat-Rp




$n = 2^{10}$

$n = 2^{12}$


$n = 2^{14}$

$n = 2^{16}$


RQMC Rank-1 lattice point set comparison: RidgeJohnsonSU-baker-8 (10⁴ samples)




RQMC Rank-1 lattice point set comparison: RidgeJohnsonSU-baker-16 (10⁴ samples)



RQMC Rank-1 lattice point set comparison: RidgeJohnsonSU-baker-32 (10⁴ samples)




RQMC Rank-1 lattice point set comparison: SmoothGauss-4 (10^4 samples)




RQMC Rank-1 lattice point set comparison: SmoothGauss-8 (10^4 samples)


Lat



Lat-Rv



Lat-Rp




$n = 2^{10}$

$n = 2^{12}$


$n = 2^{14}$

$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: SmoothGauss-16 (10^4 samples)




RQMC Rank-1 lattice point set comparison: SmoothGauss-32 (10^4 samples)




RQMC Rank-1 lattice point set comparison: SmoothGauss-baker-4 (10^4 samples)


Lat



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: SmoothGauss-baker-8 (10^4 samples)


Lat



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: SmoothGauss-baker-16 (10⁴ samples)


Lat



Lat-Rv



Lat-Rp




$n = 2^{10}$

$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: SmoothGauss-baker-32 (10⁴ samples)




RQMC Rank-1 lattice point set comparison: SmoothPerB4-4 (10^4 samples)


Lat



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: SmoothPerB4-8 (10^4 samples)


Lat



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: SmoothPerB4-16 (10^4 samples)


Lat



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: SmoothPerB4-32 (10⁴ samples)


Lat



Lat-Rv



Lat-Rp




$n = 2^{10}$

$n = 2^{12}$


$n = 2^{14}$

$n = 2^{16}$


RQMC Rank-1 lattice point set comparison: SumUeU-4 (10^4 samples)




RQMC Rank-1 lattice point set comparison: SumUeU-8 (10^4 samples)



RQMC Rank-1 lattice point set comparison: SumUeU-16 (10^4 samples)




RQMC Rank-1 lattice point set comparison: SumUeU-32 (10^4 samples)




RQMC Rank-1 lattice point set comparison: SmoothPerB4-baker-4 (10^4 samples)


Lat



Lat-Rv



Lat-Rp



$n = 2^{10}$


$n = 2^{12}$

$n = 2^{14}$


$n = 2^{16}$

RQMC Rank-1 lattice point set comparison: SmoothPerB4-baker-8 (10⁴ samples)


Lat



Lat-Rv



Lat-Rp



$$n = 2^{10}$$


$$n = 2^{12}$$

$$n = 2^{14}$$


$$n = 2^{16}$$

RQMC Rank-1 lattice point set comparison: SmoothPerB4-baker-16 (10⁴ samples)


Lat



Lat-Rv



Lat-Rp




$n = 2^{10}$

$n = 2^{12}$


$n = 2^{14}$

$n = 2^{16}$


RQMC Rank-1 lattice point set comparison: SmoothPerB4-baker-32 (10⁴ samples)




RQMC Rank-1 lattice point set comparison: SumUeU-baker-4 (10⁴ samples)




RQMC Rank-1 lattice point set comparison: SumUeU-baker-8 (10^4 samples)




RQMC Rank-1 lattice point set comparison: SumUeU-baker-16 (10⁴ samples)




RQMC Rank-1 lattice point set comparison: SumUeU-baker-32 (10⁴ samples)




RQMC Rank-1 lattice point set comparison: SumUeU-4 (10^4 samples)




RQMC Rank-1 lattice point set comparison: SumUeU-8 (10^4 samples)




RQMC Rank-1 lattice point set comparison: SumUeU-16 (10^4 samples)




RQMC Rank-1 lattice point set comparison: SumUeU-32 (10^4 samples)




RQMC Rank-1 lattice point set comparison: SumUeU-baker-4 (10^4 samples)



RQMC Rank-1 lattice point set comparison: SumUeU-baker-8 (10^4 samples)



RQMC Rank-1 lattice point set comparison: SumUeU-baker-16 (10⁴ samples)



RQMC Rank-1 lattice point set comparison: SumUeU-baker-32 (10⁴ samples)

