

Pietro Drogo

Rig Manager / Senior Drilling Superintendent / Drilling Foreman / Senior Toolpusher

pietro.drogo@gmail.com | mobile/WhatsApp +39 338 128 1629 | Italy & Brazil

Professional Profile

Highly experienced drilling professional with over 20 years managing onshore operations across Latin America, India, and Europe. Extensive expertise in budgeting, operational cost control, and API Level IV inspections for drilling equipment certification renewal (5- or 10-year cycles depending on manufacturer and rig type). Proven track record in complex rig moves (well-to-well and country-to-country), managing full-scale land and sea logistics. Skilled in rig performance monitoring, reducing NPT and downtime through effective repair management. Strong leadership in supervising operational crews, ensuring maximum efficiency while maintaining high standards of quality and safety for both personnel and equipment. Fluent in Spanish and Portuguese, with professional working proficiency in English.

Key Skills

- Rig Management (HH102, HH220, HH300)
- Budgeting & Operational Cost Control
- API Level IV Equipment Inspections (5/10-year cycles)
- Rig Moves – Well-to-Well and Country-to-Country (Land & Sea Logistics)
- Rig Performance Optimization (Minimizing NPT & Downtime)
- Leadership & Crew Supervision
- Drilling Operations Management & Troubleshooting
- Directional Drilling, BOP Operations & Equipment Knowledge
- Cementing, Testing Procedures & API Standards Compliance
- HSE & ISO Management Systems Implementation

Professional Experience

Rig Manager / Superintendent – Petreven Brazil – MEIL Group

2022 – Present | Rio Grande do Norte & Salvador de Bahia, Brazil

- Managed drilling operations for HH102 and HH300 rigs.
- Oversaw budgeting, operational cost control and budget performance monitoring.
- Conducted API Level IV inspections for equipment certification renewal.

- Coordinated Rig moves between wells and countries, coordinating land and sea logistics.
- Monitored rig performance, reducing NPT and downtime.
- Maintained direct client relations for problem resolution and technical consultancy regarding operations and planning of future wells.
- Supervised spare parts orders and critical stock to ensure uninterrupted operations.
- Selected consumable materials in collaboration with maintenance, ensuring an optimal balance of quality, durability, and cost.
- Actively collaborated with clients to propose operational solutions to recurring issues.

Superintendent – Petreven Perú – MEIL Group
2021-2022 | Talara, Piura, Peru

- Simultaneously managed four drilling rigs serving different clients (CNPC, SAPET, GMP-UNNA, and others).
- Coordinated all operational activities, personally visiting and supervising each rig on different days to address and resolve operational issues.
- Maintained direct client relations for problem resolution and technical consultancy regarding ongoing operations and planning of future wells.
- Managed rig performance KPIs and compared operational costs against budget figures, taking personal accountability for all cost items with detailed statistics and reports.
- Implemented MBO programs to incentivize personnel, successfully achieving targets and providing justified reports when goals were not met.
- Supervised spare parts orders and critical stock to ensure uninterrupted operations while avoiding unnecessary purchases.
- Selected consumable materials in collaboration with maintenance to optimize quality, durability, and cost-effectiveness.
- Proposed operational solutions to recurring problems in direct collaboration with clients.

Senior Toolpusher – Petreven India (for Schlumberger / Cairn)
2020 – 2021 | Rajasthan, India

- Managed HH200 rig for gas wells under H2S conditions, ensuring compliance with strict safety regulations.
- Coordinated daily operations, performance tracking, and cost management in line with budget objectives.
- Maintained direct communication with client representatives to address operational challenges and propose optimized drilling solutions.
- Supervised procurement and inventory of critical components to prevent operational downtime.
- Coordinated initiatives to improve rig performance KPIs and reduce NPT.

Rig Manager – Petreven Argentina – MEIL Group
2018 – 2019 | Argentina

- Responsible for **RIG UP projects** for two Drillmec rigs (HH104 and HH108) for clients Panamerican Energy and YPF.

- Managed all aspects of the project including planning, scheduling, and execution in close collaboration with the maintenance team.
- **Oversaw maintenance planning**, logistics for transport and internal services, and **Level IV API** inspections for rigs, tubular equipment, and tools.
- Coordinated external services in line with daily planned activities, including welding, painting, and specialized inspections.
- Led daily planning meetings, prepared daily progress reports, and updated **Microsoft Project** schedules covering operational, HR, and financial aspects.
- Controlled and reported on all project costs, including third-party services, spare parts, raw materials, transportation, travel, and administration, ensuring **detailed cost tracking and project delivery within schedule.**
- Implemented HSEQ procedures, special permits, and personnel training programs in collaboration with the HSEQ department.

Superintendent – Petreven Chile – ENEL Green Power (Geothermal)
2015 – 2018 | Pampa Apacheta, Andes, Chile – HH220 EXTREME WINTERIZED

- Managed geothermal drilling operations at 4500m altitude for a 48 MW power plant project.
- Coordinated operational planning, logistics, and budget control for a high-altitude, high-complexity environment.
- Worked closely with clients to develop solutions to technical challenges affecting drilling performance.
- Oversaw spare parts logistics, procurement strategies, and performance monitoring to ensure operational efficiency.

Superintendent – Petreven Venezuela – Gruppo Trevi
2012 – 2014 | Venezuela

- Supervised wellsite activities for two Drillmec HH-series rigs (HH200 and HH300).
- Managed drilling operations for clustered wells, executing complex projects with challenging geometries and directional drilling requirements specified by client PDVSA.
- Utilized oil-based mud systems to enhance drilling performance and mitigate wellbore problems, which remained a constant operational challenge.
- Applied specialized directional drilling tools and techniques to resolve stuck pipe incidents, perform sidetracks, back-off operations, and wireline runs for special logging services.

Senior Toolpusher / Drilling Supervisor – Petreven Perú – Gruppo Trevi
2006 – 2012 | Perú

- Drilled over 500 wells (oil & gas), achieving top daily advance records.
- Managed maintenance, API inspections, client relations, and ISO certifications.

- Developed leadership skills and operational strategies that would later define superintendent-level performance.

Core Competencies

- **Onshore Rig & Drilling Operations**: deep wells, geothermal, HPHT environment
- **Rig Equipment Management**: **Rig Systems & Equipment**
- Comprehensive expertise in **rig systems and mechanical equipment**, including **BOP stack and all well control equipment, degassers in accordance with API 12J / API 650, mud pumps, centrifugal pumps, top drives, hydraulic power units, and accumulator systems**, in compliance with **API 6A / 16A / 16C / 16D / RP 53**.
- **Expert in inspection, control, and construction of wire ropes** for lifting and hoisting applications, in full compliance with **API RP 9B**, including selection criteria, safety factors, lubrication, socketing, and visual inspection procedures.
- Oversight of **API Level IV inspections** and rig recertification programs (5- or 10-year intervals depending on OEM and service conditions).
- Deep understanding of **hydraulic hoisting systems (Parker LS pumps, hydraulic cylinders, load-sensing circuits)** and **Drillmec HH series hydraulic rigs**.
- Experience on **fully winterized rigs**, protected by external insulation structures and equipped with **RUFNECK heating systems** to maintain optimal working temperatures in extreme cold climates.
- **Well Control & Drilling Operations**
- Skilled in **cementing operations**, fishing activities, sidetracks, back-off procedures, and use of **wireline tools** for downhole diagnostics.
- Direct experience with **mud systems and circulation control**, optimizing viscosity, weight, and solids content to maintain safe and efficient drilling parameters.
- **Automation, Control & Instrumentation**
- Good working knowledge of **PLC (Programmable Logic Controllers)** and **PCR control systems**, including reading, interpreting, and troubleshooting automation logic.
- Capable of interfacing with **rig HMI** and **Bartec safety modules** for diagnostics and system supervision.
- Basic skills in **electronics, electrical systems, and electromechanics**, applied to rig troubleshooting and equipment maintenance.

- **Mechanical, Hydraulic & Technical Fabrication**
- Advanced knowledge of **hydraulic circuits**, pump calibration, valve settings, and preventive maintenance for high-pressure systems.
- **Extensive technical knowledge of lathe operations and machining processes**, with strong understanding of how to repair or rework damaged threaded components, ensuring dimensional accuracy and operational integrity
- Familiar with **DS-1 standards for drill pipe inspection and handling**, ensuring full compliance with industry safety and reliability guidelines.
- **Operational Management & Safety**
- Coordination of **rig move logistics** (well-to-well and international transfers), ensuring timely disassembly, transport, and recommissioning.
- Proven commitment to **HSEQ compliance**, integrating safety, operational discipline, and maintenance to achieve zero-LTI performance and maximum rig efficiency.
- **HSE & Risk Management**: proactive hazard identification, risk assessment and mitigation, emergency response planning, incident investigation & reporting, implementation of best practices for occupational safety and environmental protection
- **Work Authorization Systems**: advanced application of Permit to Work procedures (including lockout-tagout, confined space entry, hot work), integration with HSE management systems, training & enforcement to ensure compliance across multi-disciplinary crews
- **Contractor, Logistics & Workforce Coordination**: strong track record in managing multi-vendor operations, supply chain and field personnel
- **Management Systems**: ISO 9001, ISO 14001, ISO 45001 implementation and compliance auditing
- **Professional Development**: certified courses with Petrobras, Schlumberger, MISWACO, Weatherford, API Inspections, H2S Services, HSEQ
- Strong leadership in multicultural teams
- **Leadership:** proven ability to lead and motivate multicultural teams in complex drilling environments

Certifications & Training

- **IADC Certificate No. 0820771F-A5F8D1 – Drilling Operations, Supervisor, Surface/Subsea. Completed 21 April 2026; expires 21 April 2028. Supplement: Drilling Operations, Workover Completions, Supervisor.**
- H2S Training – attended (certificate renewal pending)
- Firefighting & First Aid – attended (certificate pending)
- Permit to Work systems (hot work, confined space, working at height, lifting operations)
- LOTO (Lockout-Tagout) Training – attended
- Other HSE & technical trainings – available on request

Languages

- Italian – Native
- Spanish – Fluent
- Portuguese – Fluent
- English – Professional working proficiency

Availability & Mobility

- **Availability:** Immediate
- **Mobility:** Worldwide (Middle East, Latin America, Africa)
- **Preferred Contract Type:** Rotational; Permanent only if living conditions are satisfactory
- **Fully adaptable to multicultural environments and rotational schedules.**

IT Skills

- Operating Systems: Windows (desktop/laptop), Android (mobile)
- Office Suite: Microsoft Office 365 (advanced user)
- Project Management: Microsoft Project (planning & scheduling)
- Design Software: AutoCAD 2D & 3D

- Industry-Specific Tools: Company drilling management systems for statistics, daily reports, warehouse/inventory control, purchase orders, and document printing
- General: Excellent overall IT literacy for operational and administrative applications

---

Education

- I completed my Diploma in Surveying (Geometra) in 1993.

Hobbies & Interests

- Sailing (skipper experience on sailing yachts)
- Windsurf & Surf
- Trekking & Outdoor Exploration
- Travel & Cultural Discovery
- Cooking & Gastronomy
- Reading (technical and narrative literature)

TECHNICAL & HSEQ RIG PORTFOLIO

DRILLMEC HH SERIES | EQUIPMENT INTEGRITY | DRILLING OPERATIONS

Pietro Drogo • pietro.drogo@gmail.com • +39 338 128 1629 • Italy & Brazil

PROFESSIONAL SCOPE

Technical portfolio focused exclusively on hands-on knowledge of Drillmec HH-series land rigs, drilling equipment, maintenance, fault diagnosis, well control and safe field execution.

Technical scope: Drillmec HH rigs • Drilling equipment • Troubleshooting • Maintenance • Well control • HSE

TECHNICAL SCOPE & FIELD PRACTICE

- Direct technical knowledge of hydraulic hoisting rigs throughout drilling, tripping, casing, cementing and well intervention operations, including equipment interfaces and operating limitations.
- Detailed understanding of rig mechanical assemblies, hydraulic circuits, electrical systems, PLC interfaces, inspection routines, preventive maintenance and corrective repairs carried out in the field.
- Practical verification of rig readiness, drilling equipment condition, downhole component traceability and compliance with operating procedures before critical operations.
- Continuous cooperation with HSE personnel to apply task-specific risk assessments, permits to work, toolbox talks, equipment isolation and safe maintenance procedures.
- Systematic analysis of equipment faults, recurrent failure modes and wear mechanisms, including differentiation between operational misuse and normal service fatigue.
- Technical oversight of rig systems (hydraulic hoist, pipe handling, top drive, HPUs, mud systems, BOP stack, choke manifold), understanding capacities, limits, and failure modes to guide maintenance teams and resolve issues.
- Delivery of safe, practical solutions for client-specific operational requests, including non-standard scenarios.

Geographies: Italy, Brazil, Peru, Chile, Argentina, Venezuela, India.

FIELD TECHNICAL PRACTICE

- Hands-on troubleshooting and repair support for top drives, mud pumps, BOP assemblies, accumulator systems and auxiliary equipment, with attention to safe return-to-service checks.
- Routine monitoring of equipment condition, operating hours, critical consumables and inspection records to support timely maintenance and prevent avoidable equipment failures.
- Regular crew instruction and practical drills on equipment use, well-control response and safe execution of critical rig activities.

ONSHORE RIG EXPERIENCE

Note: All my experience has been onshore. No offshore assignments.

Drillmec HH100 Series (Rigs HH102 – HH104 – HH106 – HH107 – HH108 – HH109)

Rig type: Hydraulic Hoisting Rigs (onshore)

TECHNICAL & HSEQ RIG PORTFOLIO

Power: 1,000 HP • Max hook load 100 ton-m

Depth capacity: up to 1,500 m (3 phases)

Typical hole sections: 17" – 12 ¼" – 8 ½"

Casing programs: 13 3/8" – 9 5/8" – 7" or 5 ½"

Main equipment & tools:

- Hydraulic top drive 400 HP
- 5" G105 Range III drill pipe
- Automatic slips, casing devices, spider tools
- Hydraulic power tong for makeup/breakout torque
- Drillmec 9T1000 triplex mud pumps (National type)

Projects: Multiple onshore wells, 3-phase drilling, development wells in Italy and South America.

Drillmec HH200 Series (Rigs HH201 – HH202 – HH203 – HH204)

Rig type: Hydraulic Hoisting Rigs (onshore, cyber generation)

Power: 1,400 HP • Max hook load 200 ton-m

Power engine: 4 CAT 3412 – 1200 hp

HPU: 2 electrical motor 550 HP each

AUTOMATIC PIPE HANDLER TO MANAGE DRILL PIPE

Depth capacity: 3,500 – 3,800 m (depending on contract)

Typical hole sections: 27" – 17" – 12 ¼" – 8 ½"

Casing programs: 24" – 13 3/8" – 9 5/8" – 7" or 5 ½"

Main equipment & tools:

- Cyber rig package / automated systems
- Hydraulic power tong, casing devices, spider tools
- Top drive (hydraulic)
- 3 Mud pumps 9T100 DRILLMEC and solids control adapted to depth programs

Projects: International assignments with different clients across several countries.

Drillmec HH300 Series (Rigs HH300 Venezuela – HH300-1 – HH300-2 India – HH302 Brazil)

Rig type: Hydraulic Hoisting Rigs (onshore, high capacity)

Hydraulic power pack: 1,150 kW (approx. 1,542 HP) • Max hook load: 272 metric tonnes

Prime movers: 4 × CAT 3512 – reported 1,470 HP

HPU: 2 × 575 kW electric motors

Mud pumps: 3 × Drillmec 12T1600 triplex – 1,600 HP each

Rated drilling depth: 13,000 ft (approx. 3,962 m), based on 3½ in drill pipe

Typical hole sections: 17" – 12 ¼" – 8 ½"

Casing programs: 13 3/8" – 9 5/8" – 7" or 5 ½"

TECHNICAL & HSEQ RIG PORTFOLIO

Main equipment & tools:

- Hydraulic top drive 600 HP
- 5" S135 Range III drill pipe
- Pipe handling system, automatic slips
- Hydraulic power tong for torque operations

Projects: Venezuela, India, Brazil – development wells, deep drilling campaigns.

ADVANCED RIG EQUIPMENT KNOWLEDGE, MAINTENANCE & DRILLING OPERATIONS

Hands-on technical expertise developed through international onshore drilling operations on Drillmec HH-series rigs. My approach combines detailed equipment knowledge, preventive maintenance, fault diagnosis, operational decision-making and crew training. I work closely with maintenance specialists while retaining direct technical oversight of equipment condition, failure causes, repair feasibility and safe return to service.

Drillmec Hydraulic Top Drive Systems

Detailed familiarity with mechanical assemblies, hydraulic actuation and control circuits, gear-dependent torque/power characteristics and operating limitations. Able to diagnose recurrent faults, distinguish indications of misuse from fatigue-related damage and assess the severity of failures and their operational consequences. Direct experience planning and supervising routine servicing and major mechanical repairs, including interventions performed directly on the top drive while installed in the mast, when conditions and approved procedures permit. Daily washpipe lubrication checks, supported by a digital register tracking accumulated rotation hours from drilling data.

Drilling Data Acquisition & Real-Time Monitoring Systems

Practical experience using Electronic Drilling Recorders (EDR) and real-time drilling data acquisition systems, including PASON and NOV technologies, to monitor and interpret drilling parameters such as weight on bit (WOB), hook load, rate of penetration (ROP), rotary speed (RPM), torque, standpipe pressure, flow rate, pump strokes, mud pit levels and drilling depth. Analyse real-time and historical trends to identify abnormal operating conditions, support troubleshooting and verify equipment performance. Use recorded rotation hours and operating data to maintain digital equipment-service records, including top drive washpipe lubrication and maintenance tracking. Pay close attention to sensor accuracy and data reliability when assessing drilling conditions.

Drill String, BHA and Downhole Equipment Control

Technical review of BHA configuration and the identification, serial numbers and traceability of all downhole components, including DP, HWDP, drill collars, stabilizers, near-bit equipment, bits, crossovers and subs. Scrupulous inspection and tracking of tubulars and assemblies before running in hole. Practical understanding of drilling sequences, tripping and downhole operational constraints.

Fishing Equipment and Crew Preparedness

Working knowledge of overshots, grapple/diameter selection, extension guides, magnets, impression blocks, junk baskets, mechanical and hydraulic jars and bumpers. Maintain relevant equipment datasheets at the rig and conduct operational briefings with drillers, assistant drillers and supervisors to review tool function, operating limits and contingency use.

Well Control Readiness and BOP Systems

Plan theoretical and written well-control drills, including kill-sheet preparation based on current well depth and measurement of crew response times. Detailed knowledge of BOP stack components, function testing, fault diagnosis and field maintenance within safe, authorized operating conditions. Personally involved in field repair of a threaded-cover Hydril annular BOP, including packing-element replacement,

and repair of a double Shaffer ram BOP, including seal kits, front seals and top seals. Experience with hydraulic valves, connectors and control lines. Familiar with accumulator pre-charge checks using nitrogen, bladder replacement, four-way valves, pressure regulators and hydraulic-line repairs.

Drillmec Mud Pumps and Consumables

Component-level knowledge of Drillmec triplex mud pumps and both preventive and corrective maintenance. Monitor pump condition and optimize consumable life through drilling-operation checks and electronic tracking of liners, pistons, valves, seats, springs, guides and seals. Use recorded consumption and operating conditions to inform maintenance planning, inventory and cost control.

Mud Circulation, Solids Control and Gas Handling

Practical knowledge of mud tanks, fluid circulation circuits, vacuum degassers and atmospheric mud-gas separators, including operating checks and evaluation of suitability for expected flow and gas-handling demands. Experience with MI SWACO shale shakers and screen selection, balancing solids separation against fluid losses, screen wear and operating costs. Familiar with integrated desander/desilter/shaker packages (3-in-1), hydrocyclone selection, cut-point considerations and changing operating conditions.

Directional Drilling, Cementing and Recovery Operations

Operational familiarity with downhole motors, rotary steerable systems, Schlumberger PowerDrive and TeleScope systems, and MWD/LWD data interfaces. Understanding of tool response and downhole operating behavior, back-off operations, sidetracking and cementing arrangements, including stinger and plug/valve configurations. Coordination of specialized service providers and technical briefings; specialist directional tool operation is not claimed.

Automation, Power and Hydraulic Systems

Strong working knowledge of PLC-controlled rig functions, hydraulic and electrical schematics, hydraulic power units and rig equipment interfaces. Operational and maintenance familiarity with Caterpillar diesel power systems used on Drillmec HH rigs. Apply system-level fault analysis to identify likely causes, prioritize maintenance and reduce avoidable downtime.

Technical Leadership and Knowledge Transfer

Train and brief rig crews on component function, correct operation, equipment limitations and the consequences of misuse. Promote early detection of abnormal conditions, accurate maintenance records, structured troubleshooting and coordination between operations, maintenance and third-party specialists. Decisions on intrusive repairs, pressure-containing equipment and return to service remain subject to approved procedures, competent authorization and required testing.

Technical note: Equipment ratings, specific repair methods and maintenance intervals are rig/model dependent and should be checked against OEM manuals, equipment records and approved site procedures before operational use. This portfolio summarizes personal experience; it is not an operating instruction.

HSE Leadership, Safety Culture & Operational Discipline

I place HSE at the centre of rig management and maintain close, continuous cooperation with the HSE department. For me, reliable drilling performance depends on two inseparable priorities: preserving the health and safety of everyone working on the rig, and maintaining the integrity, reliability and efficiency of the equipment. Safe execution is an essential part of service quality, not a separate administrative exercise.

Permit-to-Work and Task-Specific Controls

Work with HSE personnel and supervisors to ensure that each activity is assessed, authorised and performed in accordance with applicable procedures and permit-to-work requirements. Particular attention is given to working at height, confined-space entry, welding and other hot work in hazardous or non-hazardous areas, isolation requirements, and correct selection and use of personal protective equipment (PPE).

Training, Competency and Crew Engagement

Promote initial and refresher training so that personnel understand equipment, task-specific hazards, operating procedures and their individual responsibilities. Encourage active participation by drillers, assistant drillers, supervisors, maintenance personnel and supporting crews, with practical explanations linked to real rig activities.

Pre-Job Briefings and Operational Coordination

Require pre-job meetings and toolbox talks before activities begin, particularly for non-routine or higher-risk work. Review the sequence of operations, personnel responsibilities, equipment readiness, interfaces between teams, relevant permits and the controls needed to prevent incidents and operational disruption.

Audits, Behavioural Observations and Continuous Improvement

Cooperate with HSE on scheduled inspections, formal audits and behavioural safety observations. Use findings to improve work practices, reinforce procedural compliance and identify training needs. Treat behavioural audits as opportunities for constructive improvement, not merely as a checklist.

Fitness for Duty and Consistent Application of Rules

Support unannounced, random alcohol testing in accordance with company policies and applicable local requirements, with the same rules applying to everyone, including myself. Promote consistent enforcement of HSE expectations regardless of role or seniority.

Equipment Integrity and Safe Maintenance

Coordinate operational and maintenance teams to ensure equipment remains serviceable and interventions are planned and executed under appropriate controls. Apply the same safety discipline to routine maintenance, major mechanical repairs, simultaneous operations and urgent field interventions, without allowing production pressure to override safe working conditions.

Management principle: Good HSE performance protects people, equipment and operational continuity. It is sustained through competent crews, clear procedures, active supervision, consistent controls and practical learning from field observations.

INTERNATIONAL ONSHORE DRILLING OPERATIONS PORTFOLIO

PROFESSIONAL PROFILE

Onshore drilling operations professional with more than 20 years of international field experience and progressively broader operational responsibilities. My management approach is grounded in first-hand knowledge of drilling sites, equipment and crews. I oversee the practical delivery of complex operations from site readiness and rig mobilisation through drilling execution, maintenance, performance monitoring and operational budgeting.

My responsibility is not limited to supervising work or producing plans. I develop detailed execution strategies, coordinate the teams and contractors required to deliver them, anticipate operational interfaces, review performance against agreed targets and take corrective action where required. CAD drawings, project schedules and analytical tools support these decisions; they are not the purpose of my role.

SCOPE OF RESPONSIBILITIES

- Preparation of drilling locations, well positioning and operational layout coordination with clients.
- Well-to-well, pad-to-pad and cross-border rig moves, including logistics, resource planning, installation and readiness.
- Day-to-day coordination of drilling operations against client programmes, contractual commitments and company procedures.
- Equipment reliability, maintenance interfaces, inspection schedules, consumables and spare parts planning.
- Operational KPI reporting, PT/NPT analysis, cost variance management, annual budgets and input to profitability monitoring.
- Coordination with field crews, functional managers, country managers, clients, logistics providers and specialist contractors.

01 DRILLING SITE PREPARATION AND PAD LAYOUT

Before a new drilling location is constructed, I work with the client to establish practical PAD dimensions, access arrangements, the number and configuration of wells, and the footprint of the rig and auxiliary systems. The objective is to create a workable and safe site, not simply to fit equipment within a drawing.

KEY RESPONSIBILITIES

- Assess rig footprint, substructure, equipment envelopes and the space needed for normal operations, servicing and lifting.
- Identify vehicle circulation, laydown areas, access and egress, emergency escape routes and separation between incompatible activities.
- Optimise well positioning in relation to rig installation, subsequent well-to-well skidding and client completion requirements.
- Develop operational site layouts on georeferenced DWG surveys supplied by the client's surveyor, identifying proposed cellar locations and well coordinates.
- Prepare cellar arrangement drawings tailored to rig interface requirements and the client's subsequent completion needs.




FIG 1.2 | Original technical evidence

02 RIG MOVE STRATEGY: WELL-TO-WELL, PAD-TO-PAD AND COUNTRY-TO-COUNTRY

I treat a rig move as an integrated industrial project, with its own engineering preparation, resource strategy, logistics, work sequence, execution controls and close-out. The plan changes according to the move type: short skidding between wells, dismantling and transport to another PAD, or international transfer with additional

KEY RESPONSIBILITIES

- Define the mobilization scope, interfaces, critical constraints, equipment breakdown and installation strategy.
- Coordinate client site readiness, third-party support and transport requirements before physical work begins.
- Develop separate but linked execution plans for dismantling, load-out, transit, unloading, assembly, testing and operational handover.
- Integrate maintenance and inspections into available downtime where safe and technically appropriate.
- Maintain control of the plan as site conditions, available resources and delivery priorities evolve.




FIG 2.2 | Original technical evidence

03 DETAILED SCHEDULING AND RESOURCE CONTROL

I personally develop detailed Microsoft Project schedules, broken down to practical work steps rather than broad milestones. Tasks are linked through operational dependencies and matched to the resources required to execute them. The schedule reflects how a rig is actually dismantled, moved and assembled, including constraints arising

KEY RESPONSIBILITIES

- Break down the work into isolation, dismantling, lifting, loading, transport, unloading, mechanical and electrical assembly, inspections, functional tests and start-up.
- Estimate task durations using field experience, actual equipment capabilities and historical operating records.
- Allocate rig crews, mechanics, electricians, riggers, crane crews, trucks and specialist contractors to individual activities.
- Schedule welders, painters, external maintenance providers and inspectors without creating avoidable conflicts in labour, equipment or working areas.
- Plan parallel workstreams where feasible, with explicit control of task dependencies and simultaneous operations.
- Use a single daytime shift where it offers better direct supervision; assess day/night shifts when programme constraints justify them and safety controls are adequate.




FIG 3.2 | Original technical evidence

04 TRANSPORT ENGINEERING INTERFACE AND ROUTE SURVEYS

Transport planning starts with the physical characteristics of each component. I prepare AutoCAD load arrangement drawings showing dimensions, overall transport heights, component weights and proposed vehicle configurations. I determine the operational requirement for lowboys and trailers, including axle configurations and

KEY RESPONSIBILITIES

- Plan route surveys well in advance of mobilisation and maintain records of identified restrictions and corrective actions.
- Review bridges, viaducts, tunnels, road geometry, overhead lines and other obstacles with competent specialists.
- Coordinate with relevant utility operators when temporary raising or protection of overhead cables is required.
- Adapt vehicle choice, load arrangement and transport sequence to the confirmed route constraints.
- Sequence departures and deliveries to match unloading and assembly needs and avoid congesting the receiving PAD.
- For international moves, coordinate operational inputs with freight forwarders and the departments responsible for customs and authorisations.



FIG 4.2 | Original technical evidence

05 CRANE POSITIONING, UNLOADING AND RIG ASSEMBLY

Before transport vehicles reach the new site, I establish the precise unloading and installation layout. I identify where each incoming component should be placed, mark key installation references and define crane positions and working zones. This is especially important for large cranes, where relocating the machine may require

KEY RESPONSIBILITIES

- Prepare dimensioned layouts for crane positioning, truck access, temporary laydown and assembly interfaces.
- Mark rig and substructure reference positions to minimise repeated handling and misalignment.
- Synchronise the arrival sequence with crane availability, lifting plans and installation priorities.
- Coordinate the actual unloading and assembly process with assigned crews and contractors.
- Close the move with assembly checks, functional testing, outstanding-item resolution and documented readiness according to company procedures.





FIG 5.1 | Crane positioning and rig assembly layout

06 DRILLING OPERATIONS MANAGEMENT

Following rig commissioning, I review the client's drilling programme with field personnel and translate it into an executable operational plan. The purpose is to meet the client's technical sequence and contractual obligations while maintaining full compliance with company procedures and safety requirements. My background on rigs

KEY RESPONSIBILITIES

- Review programme phases, equipment requirements, crew readiness and potential execution bottlenecks.
- Discuss operational sequences and risks with supervisors and field teams before execution.
- Coordinate daily activities and interfaces with the client and service companies.
- Maintain strict adherence to approved work procedures and HSEQ requirements; no unauthorised shortcuts.
- Track performance against company objectives, with attention to productive time, non-productive time and equipment readiness.


1. DADOS DO POÇO

Informação	Descrição:
Nome do Poço	7-SCR-27SD-RN
Sonda	H-108 Petroven
Mesa	5 metros
Sistema de Coordenadas UTM	SIRGAS 2000 24S
Coordenadas Superfície	X: 768.772,14 (m) // Y: 9.431.270,62 (m)
Coordenadas Do fundo	X: 768.810,02 (m) // Y: 9.431.255,29 (m)
GLE	13,52 metros
Previsão do Tempo planejado	6,63 dias
Previsão do Custo Planejado	646.826,25USD
Previsão do Tempo Orçado	6 Dias
Previsão do Custo Orçado	USD 622.913,63
Seções e diâmetros do poço	Superfície: 13 ½" a 9 5/8" Produção: 8 ¾" a 7"
Profundidade (MD / TVD)	860 (m) / 825,00 (m)
Formação Target (TVDSS)	Zona Açu 250 @ 860 m a Açu 400 @ 685m
Perfilagem	ACRT-MSFL+ SDLT-DSNT-GTET
Perfil direcional do poço	Poço Tipo 3

FIG 6.2 | Original technical evidence

07 MAINTENANCE, INSPECTIONS AND EQUIPMENT INTEGRITY

I coordinate with maintenance personnel to plan routine and corrective interventions, align maintenance windows with drilling and rig-move schedules, and ensure timely access to spare parts, consumables and external specialists. This includes monitoring inspection programmes and equipment operating records.

KEY RESPONSIBILITIES

- Plan maintenance priorities and contractor intervention windows.
- Monitor diesel use, spare parts consumption and abnormal equipment costs.
- Coordinate scheduled inspections, NDT/IND activities and technical checks according to applicable equipment programmes.
- Monitor drill pipe and BHA service/rotation records where required, alongside equipment condition and inspection status.
- Investigate recurrent breakdowns and operational downtime with maintenance teams and follow corrective actions.
- Review stock needs and procurement lead times to prevent avoidable interruptions.




FIG 7.2 | Original technical evidence

08 OPERATIONAL PERFORMANCE, KPI AND MANAGEMENT REPORTING

I consolidate field records and prepare periodic reviews that connect physical performance with the operating plan. The reporting cycle normally includes fortnightly and monthly reviews, variance explanations and action follow-up with functional and country management.

KEY RESPONSIBILITIES

- Collect, validate and reconcile information provided by field teams and supporting departments.
- Monitor productive time (PT), non-productive time (NPT), move duration, rig readiness and schedule adherence.
- Build planned-versus-actual curves, progress forecasts and trend analyses.
- Use Excel, pivot analysis and Power BI dashboards to make deviations visible and actionable.
- Document root causes and practical recovery measures, then verify whether subsequent indicators improve.




FIG 8.2 | Original technical evidence

09 OPERATIONAL COST CONTROL AND CORRECTIVE ACTIONS

I personally consolidate operational cost inputs from multiple responsible parties, compare actuals against the approved budget and examine significant deviations. Reviews are generally carried out at mid-month and month-end. When a cost trend deteriorates, I investigate its operational cause and work with the relevant teams

KEY RESPONSIBILITIES

- Verify the source and classification of reported costs before interpreting deviations.
- Compare actual expenditure with budgets and accumulated historical records from comparable campaigns.
- Separate inefficiency, breakdowns, changed work scope, reporting errors and external constraints rather than assuming a single cause.
- Implement operational adjustments within my remit, without compromising safety, equipment integrity or agreed performance requirements.
- Explain findings, decisions and subsequent trends to functional managers and country management.
- Review billed and non-billed operating time against the relevant contractual rules in cooperation with the responsible departments.



FIG 9.2 | Original technical evidence

10 ANNUAL BUDGETS, DRILLING CAMPAIGN ECONOMICS AND FORECASTING

I develop the operational assumptions and cost requirements used in annual drilling campaign budgets, with mid-year revisions when circumstances require them. My input draws on the scope of work, expected operating hours, resource and equipment needs, historical performance, maintenance requirements and anticipated

KEY RESPONSIBILITIES

- Estimate direct operating costs for planned drilling campaigns and mobilisation requirements.
- Use historical operating and cost data as a baseline, adjusting for changed site conditions, equipment and contract requirements.
- Review opportunities to improve cost efficiency and revenue performance without compromising productivity or safety.
- Prepare operational production and potential billing forecasts from contracts already concluded by the contracts department.
- Provide cost and execution assumptions to commercial/contract teams evaluating new opportunities.
- Collaborate on periodic forecast revisions and explain operational drivers behind changes.





FIG 10.2 | Original technical evidence

11 EBITDA AND OPERATING PROFITABILITY AWARENESS

EBITDA (Earnings Before Interest, Taxes, Depreciation and Amortisation) is a widely used measure of operating earnings before specified financing, tax and non-cash depreciation/amortisation effects. It is relevant to understanding company and business-unit operating performance, but it is not the same as cash flow, net profit or

KEY RESPONSIBILITIES

• Management understanding of profitability drivers, operational cost discipline and the relationship between rig utilisation, downtime, productivity and financial results.



EBITDA														
%														
Ammortamenti														
EBIT														
%														
Proventi e Oneri Finanziari														
Differenze Cambio														
Utile Ante Imposte														
Imposte														
Tax Rate %														
Utile Netto														
%														
Check - Differenze	-	-	-	-	-	-	-	-	-	-	-	-	-	-


FIG 11.1 | Original technical evidence

12 HSEQ, FIELD LEADERSHIP AND OPERATING DISCIPLINE

Safety and procedural compliance are integrated into every phase of planning and execution: site layout, lifting operations, simultaneous work, drilling, inspections and maintenance. I coordinate personnel and contractors within their respective responsibilities and work closely with the designated HSEQ functions.

KEY RESPONSIBILITIES

• Embed escape routes, access, work separation and emergency considerations in PAD layouts.
• Coordinate simultaneous activities to avoid conflicts between crews, equipment and contractors.
• Support scheduled audits, field visits, inspections and behavioural observation programmes.
• Verify that approved procedures, competency requirements and permit controls are followed.
• Promote consistent field communication and practical corrective action.



9. CAPACITACIÓN EN HSEQ

Las capacitaciones en HSEQ para el 2019, se encuentran establecidas en los Anexos 4, 5 y 6 del presente Plan.

10. MANUAL SIG EN HSEQ - CSMS

El Manual del SIG en HSEQ está conformado por los capítulos, procedimientos, instructivos y formatos, lo cuales se encuentra en el IQ, cumpliendo además con la legislación y normativas vigentes legales o no legales. Estos son:

Código	Nombre
PU00-PE-GR-RP-E-0.1	Búsqueda y Selección de Personal
PU00-PE-GR-CA-E-0.3	Capacitación
PU00-PE-CO-CI-T-4.7	Codificación Interna Palmeri para los Insumos
PU00-PE-SACO-CE-4.4.6.6	Consignación Equipos – LOTO
PU00-PG-SACO-4.4.6	Control Operacional de Seguridad Industrial, Medio Ambiente y Salud en el Trabajo
PU00-PE-GR-EP-E-0.4	Evaluación de Desempeño del Personal
PU00-PE-SACO-GR-4.6.6.5	Gerenciamiento de Residuos
PU00-PE-CO-GA-T-4.2	Gestión de Almacén
PU00-IT-MP-GM-T- 1.1	Gestión de Reporte de Servicio Mantenimiento
PU00-IT-MP-GM-T-1.1	Gestión de Solicitud de Servicio
PU00-IT-RP-GH-T-1.4	Gestión Horas de Trabajo de Bombas de Lodo
PU00-IT-MP-GM-T-1.6	Libro de Chequeo
PU00-PE-SAE-4.5.2.1	Identificación de Peligros, Evaluación Impactos y Determinación de Controles
PU00-PG-SIE-4.3.1	Identificación de Peligros Evaluación de Riesgos y Determinación de Controles
PU00-PE-SACO-LT-4.4.6.4	Ingreso a Espacios Confinados
PU00-PE-GR-IP-E-0.2	Ingreso de Personal
PU00-PE-GR-MO-T-1.1	Mantenimiento Preventivo Mecánico Planta

12. SALUD OCUPACIONAL

Las actividades de salud ocupacional a desarrollar para el 2019 así como los responsables, son las que se encuentran en los Anexos 7 y 11 Del presente Plan.

El Programa de Higiene Ocupacional (Anexo 7) se realizó tomando en cuenta la línea base de la identificación de agentes de higiene industrial realizada por el especialista externo.

Al igual del Programa de Salud Ocupacional (Anexo 11) fue realizado y aprobado por el médico ocupacional extremo de la empresa. Esta aprobación se encuentra en el mismo programa.

13. CLIENTES, SUBCONTRATISTAS Y PROVEEDORES

Los lineamientos en tema HSEQ – CSMS para contratistas y proveedores son los definidos en los siguientes procedimientos:

- PU00-PE-CO-DP-7.4-3 Solicitud de Documentación a Proveedores.
- PU00-PE-CO-PP-7.4-4 Pago a Proveedores y al Personal.
- PU00-PE-SACO-LT-E-4.4.6.1 Vehículos de la Empresa.
- PU00-PG-SIE-4.5.2.1 Investigación de Incidentes.
- PU00-PG-SAD-4.5.2.1 Investigación de Incidentes.
- PU00-PG-SACO-4.4.6 Control Operacional de Seguridad Industrial Medio Ambiente y Salud en el Trabajo.

Los cuales se encuentran en el IQ.

14. PLAN DE CONTIGENCIAS

FIG 12.2 | Original technical evidence

13 DIGITAL AND TECHNICAL CAPABILITIES

I use technical and analytical applications directly to design, plan, monitor and communicate operational work. These tools are embedded in my management process rather than presented as separate job functions.

KEY RESPONSIBILITIES

- AutoCAD 2D/3D: site arrangements, georeferenced operational layouts, well/cellar positioning, skidding interfaces, transport loads and installation sequences.
- Microsoft Project: task-level schedules, dependencies, calendars, resource allocation and progress updates.
- Excel and Access: operational databases, cost models, resource logs, pivot tables, KPI calculations and structured reporting.
- Power BI: progress curves, operational performance dashboards, deviation analysis and trends.
- Word and PowerPoint: technical procedures, management reports and operational presentations.



FIG 13.2 | Original technical evidence

TECHNICAL EVIDENCE | CONTINUATION OF PREVIOUS SECTIONS



EXHIBIT 01 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)



EXHIBIT 02 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)



EXHIBIT 03 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)




EXHIBIT 04 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)

TECHNICAL EVIDENCE | CONTINUATION OF PREVIOUS SECTIONS




EXHIBIT 05 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)




EXHIBIT 06 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)





EXHIBIT 07 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)



ELENCO RISORSE

	Nombre del recurso	Tipo	Etichetta	Iniziali	Gruppo	Capacidad	Tasa	Tasa horas	Costo/Usc	Attribuiti	Calendario di base
1	PRANCHA-B-1	Lavoro		PB1-T		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
2	PRANCHA-B-2	Lavoro		PB2-T		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
3	PRANCHA-B-3	Lavoro		PB3-T		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
4	PRANCHA-B-4	Lavoro		PB4-T		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
5	GUINDASTE 1 80 TON	Lavoro		G1		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
6	GUINDASTE 2 80 TON	Lavoro		G2		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
7	GUINDASTE 3 250 TON	Lavoro		G3		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
8	MULTIUSO	Lavoro		MTU		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
9	MUKI	Lavoro		MK		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
10	ELETTRICISTA1	Lavoro		EL1		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
11	ELETTRICISTA2	Lavoro		EL2		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
12	MECANICO1	Lavoro		ME1		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
13	MECANICO2	Lavoro		ME2		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
14	CAVALINHO	Lavoro		CAV1		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
15	PLATAFORMISTA1	Lavoro		PL1		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
16	PLATAFORMISTA2	Lavoro		PL2		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
17	PLATAFORMISTA3	Lavoro		PL3		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
18	PLATAFORMISTA4	Lavoro		PL4		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
19	PLATAFORMISTA5	Lavoro		PL5		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
20	ASS. SONDADOR	Lavoro		AS		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
21	SONDADOR	Lavoro		SOND		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
22	OPERADOR MULTIUSO	Lavoro		OP		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
23	ENCARREGADO SONDA	Lavoro		TP		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
24	RIGGER #1	Lavoro		R1		50%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
25	RIGGER #2	Lavoro		R2		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
26	RIGGER #3	Lavoro		R3		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
27	RIGGER #4	Lavoro		R4		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
28	RIGGER #5	Lavoro		R5		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas
29	RIGGER #6	Lavoro		R6		100%	S/ 0,00/ora	S/ 0,00/ora	S/ 0,00	In quote	24 horas

EXHIBIT 08 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)

TECHNICAL EVIDENCE | CONTINUATION OF PREVIOUS SECTIONS




EXHIBIT 09 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)




EXHIBIT 10 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)



EXHIBIT 11 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)



EXHIBIT 12 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)

TECHNICAL EVIDENCE | CONTINUATION OF PREVIOUS SECTIONS

RECOMENDAÇÕES ADICIONAIS
A rota deve ser avaliada pelo dia.
O transporte (DTM) deve ser feito com as mesmas condições climáticas da avaliação
Observar cada detalhe que possa implicar no transporte dos equipamentos.
Registrar riscos e controles ou orientações para cada risco.
Garantir que todos os envolvidos no DTM tenham participado da reunião de segurança apresentando este rotograma.
Meios de comunicação devem se previamente disponibilizados para os veículos.

EXHIBIT 13 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)




EXHIBIT 14 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)




EXHIBIT 15 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)




EXHIBIT 16 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)

TECHNICAL EVIDENCE | CONTINUATION OF PREVIOUS SECTIONS




EXHIBIT 17 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)



EXHIBIT 18 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)




EXHIBIT 19 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)




EXHIBIT 20 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)

TECHNICAL EVIDENCE | CONTINUATION OF PREVIOUS SECTIONS

	Atividade	Unidade de medida	Inicial	Target
1	Tempo de Cx Slip to Slip	min	4	2,5
2	Tempo de Cx Btm to Btm	min	14	10
3	Montagem de BOP	h	7	6
4	Teste de BOP	h	5	4
5	Velocidade de Manobra	mph	350-400	500
6	Avanço	m/dia	Orçamento metros/dia	Orçamento metros/dia
7	Sliding/Rotating Ver	%	15S/85R	10S/90R
8	Sliding/Rotating Kop	%	80S/20R Serra 100S	70S/30R Serra 100S
9	Sliding/Rotating Tg	%	25S/75R	20S/80R
10	Arme/Desarme BHA Direcional	h	8	7
11	Arme/Desarme BHA Empacado	h	5	4
12	Conexão Csg 13-3/8"	min	5	4,5
13	Velocidade de Descida 13-3/8"	mph	110	
14	Conexão Csg 9-5/8"	min	4,5	4
15	Velocidade de Descida 9-5/8"	mph	140	
16	Conexão Csg 5-1/2"	min	4	3,5
17	Velocidade de Descida 5-1/2"	mph	170	

EXHIBIT 21 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)





EXHIBIT 22 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)



12.3. Montar BHA#2 com Broca PDC + MF + MWD.

12.4. Descer com BHA e drill pipes até 1 seção antes da profundidade do topo de cimento.

12.4.1. Conectar top drive e realizar shallow pulse test antes de iniciar corte de cimento. Utilizar vazão de 400 a 500 gpm.

12.4.2. Descer com vazão de 300 (gpm) e rotação (30 rpm) até encontrar cimento.

12.5. Cortar cimento desde colar, shoe track, sapata, lavar rat hole e perfurar 2m de formação.

12.5.1. Cortar cimento de acordo com parâmetros da tabela de recomendação.

12.5.2. Em caso de problemas para avançar em um tempo máximo de 5 min, puxar até 3 metros do fundo e regressar ao fundo para continuar perfurando.

12.6. Continuar a perfuração até a TD programada da seção do poço, realizando registro a cada 2 tubos perfurados (durante build ou em caso de risco de colisão, pode ser efetuado fotos tubo a tubo caso necessário).

⚠ **12.6.1. Não realizar slides no início e no final do tubo.**

12.6.2. Perfurar até 50m do topo do açu procurando a melhor performance dos parâmetros em tabela.

12.6.3. Na transição da formação Jandaira até topo do Açu, controlar parâmetros, devido a heterogeneidade da transição. **Repassar todos os tubos** a partir da zona de transição entre formação Jandaira e Açu. Observar parâmetros durante o repasse, caso seja observado arrastes superiores aos esperados

EXHIBIT 23 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)




EXHIBIT 24 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)

TECHNICAL EVIDENCE | CONTINUATION OF PREVIOUS SECTIONS




EXHIBIT 25 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)





EXHIBIT 26 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)



HH-201

Hrs trabajo		REPUESTO	Consumo (2018)	Hrs trabajo
715	FEB	CAMISAS	4	641
308		PISTONES	4	439
641		ASIENTOS	0	713
580		VALVULAS	3	697
Hrs trabajo		REPUESTO	Consumo (2018)	Hrs trabajo
616	ABR	CAMISAS	3	646
504		PISTONES	6	490
889		ASIENTOS	1	1.119
746		VALVULAS	1	917
Hrs trabajo		REPUESTO	Consumo (2018)	Hrs trabajo
745	JUN	CAMISAS	0	0
491		PISTONES	0	0
1.339		ASIENTOS	0	0
1.189		VALVULAS	0	0
Hrs trabajo		REPUESTO	Consumo (2018)	Hrs trabajo
0	AGO	CAMISAS	0	0
0		PISTONES	0	0
0		ASIENTOS	0	0
0		VALVULAS	0	0
Hrs trabajo		REPUESTO	Consumo (2018)	Hrs trabajo
0	OCT	CAMISAS	0	0

EXHIBIT 27 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)




EXHIBIT 28 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)

TECHNICAL EVIDENCE | CONTINUATION OF PREVIOUS SECTIONS

Nº	TEMA	OBJETIVO	DIRIGIDO A	GESTOR
1	Inducción HSEQ	Dar a conocer las normas, procedimientos y requistos del Sistema Integrado de Gestión de Petreven	Todo el personal	RRHH
2	Curso Well Control	Renovación de Certificación, curso necesario para la actividad de Perforación	Jefe de Equipo, Perforador, Encargado de Turno, Asistente de Perfordaor	RRHH
3	Manejo Defensivo	Reforzamiento y renovación de los conocimientos para el manejo defensivo en forma anual al personal conductor que le toca renovación.	Personal Conductor	RRHH
4	Rigger	Reforzamiento de los conocimietos para la guía a los Operdaores de Cragador Frontal en forma anual y al personal Boca de Pozo y Operadpres de Caragdor Frontal.	Operadores de Cargador Frontal y Boca de Pozos	RRHH
5	Cerfificación Operador Cargador Frontal	Renovación de Certificación, curso necesario para el manejo de Cargador Frontal.	Operadores de Cargador Fronta	RRHH
6	Certificación soldador	Reforzamiento de los conocimietos para el puesto de soldador, y minimizar fallas, errores	Soldaor	RRHH

Programa de Entrenamiento

EXHIBIT 29 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)

15. INVESTIGACIÓN DE INCIDENTES Y ENFERMEDADES OCUPACIONALES

La finalidad de la investigación es revelar la red de causalidad y de ese modo permite a la dirección del empleador tomar las acciones correctivas y prevenir la recurrencia de los mismos, para ello PETREVEN seguirá los lineamientos enmarcados en PU00-PG-SAII-4.5.3.1 Investigación de Incidentes.

16. AUDITORÍA

PETREVEN realiza auditorías periódicas a fin de comprobar si el Sistema de Gestión Integrado de Calidad, Seguridad, Medio Ambiente y Salud en el Trabajo ha sido aplicado, es adecuado y eficaz para la prevención de riesgos en la calidad de sus procesos, en el medio ambiente y en la seguridad y salud de los trabajadores.

Las auditorías que se realizarán para el 2019, así como los responsables de las mismas, son las que se encuentran en el Anexo 2, 3 y 14 del presente Plan.

En cuanto la auditoría externa en Seguridad y Salud en el trabajo liderado por un auditor inscrito por el Ministerio de Trabajo, no se programa para el 2019, ya que la última auditoría data del 2018 y según legislación son cada 2 años (Art. 15 del DS N° 014-2013-TR).

17. MEDIO AMBIENTE

Las actividades relacionadas al Medio ambiente y programadas para el 2019 así como los responsables, son las que se encuentran en los Anexos 5 y 15, Del presente Plan.

También forma parte de este punto, el Plan de residuos sólidos que se encuentra en el

EXHIBIT 30 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)

NOMBRE DEL PROGRAMA: INSPECCIONES | LUGAR: H201 | AÑO: 2019 | Nº DE TRABAJADORES: 136

OBJETIVO: Detectar condiciones inseguras y/o condiciones subestandar en las instalaciones y herramientas para la prevención de accidentes, fallas, etc durante el proceso y actividades que se desarrollan en los Equipos de Perforación. | Porcentaje de Cumplimiento Indicador: 0%

Objetivos Específicos: Determinar los aspectos a mejorar en los equipos de perforación. | Presupuesto: Ver Budget 2019

Meta: Cumplimiento al 100% de inspecciones sin reprogramaciones. | Recurso: Ley 29783, 01-MG-01-01 - Manual de Calidad y de Operaci... MG-01-02 - HSE Manual y legislación aplicable.

ÍTEM	ACTIVIDAD / DESCRIPCIÓN	Responsable	Estado	ENE	FEB	MAR	ABR	MAY	JUN	JUL	AGO	SEP	OCT	NOV	DIC
1	Vehiculos Livianos	Supervisor HSEQ	Programado		3		3		3		3		3		
			Ejecutado												
2	Vehiculos Pesados	Supervisor HSEQ	Programado	2		2		2		2		2		2	
			Ejecutado												
3	Cargador frontal (Montacargas)	Supervisor HSEQ	Programado	1			1			1			1		
			Ejecutado												
4	Arnés de Seguridad , llenas de vida y fajas sintéticas.	Supervisor HSEQ	Programado		1				1				1		
			Ejecutado												
5	Cable anticaídas (T5), Block retráctil (50 y 15 pies)	Jefe de Equipo / Encargado de Turno	Programado	1	1	1	1	1	1	1	1	1	1	1	1
			Ejecutado												
6	Blcok Rectátil (50 y 15 pies)	Supervisor HSEQ / inspector externo	Programado					1							
			Ejecutado												
7	Eslingas, estrobos, elementos de izaje (todo fierro), fajas sintéticas.	Supervisor HSEQ	Programado			1							1		
			Ejecutado												
8	Kit Antiderrame	Supervisor HSEQ	Programado		1		1		1		1		1		1
			Ejecutado												
9	Equipos Contra Incendios	Supervisor HSEQ	Programado	2	2	2	2	2	2	2	2	2	2	2	2
			Ejecutado												
10	Equipo SCBA	Supervisor HSEQ / Endermero	Programado	1	1	1	1	1	1	1	1	1	1	1	1

Página 1

H106, H109 y H110 | H201

EXHIBIT 31 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)

NOMBRE DEL PROGRAMA: AUDITORÍAS COMPORTAMENTALES | LUGAR: Equipo de Perforación | AÑO: 2019 | Nº DE TRABAJADORES: 136

OBJETIVO: Analizar el comportamiento de los trabajadores en las diferentes actividades, detectando preventivamente situaciones o actos inseguras. | Porcentaje de Cumplimiento Indicador: 0%

Objetivos Específicos: Determinar los aspectos a mejorar para trabajar en la prevención de una actitud segura. | Presupuesto: Ver Budget 2019

Meta: Cumplimiento al 100% del programa en tiempo y forma. | Recurso: Ley 29783, 01-MG-01-01 - Manual de Calidad y de Operaciones, 01-MG-01-02 - HSE Manual.

ÍTEM	ACTIVIDAD / DESCRIPCIÓN	Responsable	Estado	ENE	FEB	MAR	ABR	MAY	JUN	JUL	AGO	SEP	OCT	NOV	DIC	TOTAL
1	Rig service (puntos de engrase)	Jefe Equipo, Encargado de Turno y/o Supervisor HSEQ	Programado	1	1	1	1	1	1	1	1	1	1	1	1	12
			Ejecutado													0
2	Colocación Tubería de Revestimiento (Casing)	Jefe Equipo, Encargado de Turno y/o Supervisor HSEQ	Programado	1	1	1	1	1	1	1	1	1	1	1	1	12
			Ejecutado													0
3	Instalación de BOP	Jefe Equipo, Encargado de Turno y/o Supervisor HSEQ	Programado	1	1	1	1	1	1	1	1	1	1	1	1	12
			Ejecutado													0
4	Perforación (coloca / retira Tubería de Perforación)	Jefe Equipo, Encargado de Turno y/o Supervisor HSEQ	Programado	1	1	1	1	1	1	1	1	1	1	1	1	12
			Ejecutado													0
5	BHA (coloca / retira Herramientas Direccionales)	Jefe Equipo, Encargado de Turno y/o Supervisor HSEQ	Programado	1	1	1	1	1	1	1	1	1	1	1	1	12
			Ejecutado													0
	Desmontaje de Equipo	Jefe Equipo,	Programado	1	1	1	1	1	1	1	1	1	1	1	1	12

formato para programas

EXHIBIT 32 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)

TECHNICAL EVIDENCE | CONTINUATION OF PREVIOUS SECTIONS

NOMBRE DEL PROGRAMA:	VISITA DE CAMPO / VISITA GERENCIALES		LUGAR:	Equipo de Perforación	AÑO:	2019						N° DE TRABAJADORES:	13		
OBJETIVO:	Revisiar y evaluar de los controles y procesos operacionales en los equipos de perforación.											Porcentaje de Cumplimiento Indicador	0%		
Objetivos Específicos:	• Determinar los aspectos a mejorar en los diferentes procesos.											Presupuesto:	Ver Budget 2019		
Meta:	Cumplimiento al 100% de visitas de campo sin reprogramaciones.											Recurso:	Ley 29783, 01-MG-01-01 - Manual de Calidad y de Oper MG-01-02 - HSE Manual.		
ÍTEM	ACTIVIDAD / DESCRIPCIÓN	Responsable	Estado	ENE	FEB	MAR	ABR	MAY	JUN	JUL	AGO	SEP	OCT	NOV	DIC
1	Visita Gerencial: Gerente Sucursal	Gerente de Sucursal	Programado	2	2	2	2	2	2	2	2	2	2	2	2
			Ejecutado												
2	Visita Gerencial: Gerente de HSEQ	Gerente de HSEQ	Programado	2	2	2	2	2	2	2	2	2	2	2	2
			Ejecutado												
3	Visita Gerencial: Superintendente	Superintendente	Programado	2	2	2	2	2	2	2	2	2	2	2	2
			Ejecutado												
4	Visita Gerencial: Gerente de Abastecimiento y logística	Gerente de Abastecimiento y Logística	Programado	1	1	1	1	1	1	1	1	1	1	1	1
			Ejecutado												
5	Visita Gerencial: Gerente de RRHH	Gerente de RRHH	Programado		1		1		1		1		1		1
			Ejecutado												
6	Visita Gerencial: Supervisor de Mantenimiento	Supervisor de Mantenimiento	Programado	1	1	1	1	1	1	1	1	1	1	1	1
			Ejecutado												
	Visita de Campo a Equipo de Perforación.	Jefe de Equipo / Supervisor HSEQ	Programado		1			1			1			1	
			Ejecutado												
Fecha de Verificación:			Programado	8	10	8	9	9	9	8	10	8	9	9	9

formato para programas

Página 1

EXHIBIT 33 | ADDITIONAL EVIDENCE (CONTINUED FROM THE OPERATIONAL SECTIONS)




EXHIBIT 34 | CRANE POSITIONING AND RIG ASSEMBLY - SECTION 05