

Table 1: Paired effects vs baseline in vertical layout (Stage 6, 10-day, 3-seed)

Contrast vs baseline	Metric	Mean Δ	95% CI
High Friction + Low Assist	Attempt rate	-0.349	[-0.390, -0.301]
	Neg. share	+0.449	[+0.418, +0.472]
	Helplessness	+18.614	[+16.829, +20.143]
	Trust	-19.783	[-20.425, -19.400]
	Avoidance	+7.167	[+4.850, +8.350]
High Friction + High Assist	Attempt rate	-0.116	[-0.144, -0.078]
	Neg. share	+0.195	[+0.171, +0.219]
	Helplessness	+14.645	[+9.296, +18.175]
	Trust	-22.017	[-29.950, -14.575]
	Avoidance	+12.033	[+4.325, +17.650]
Low Friction + High Assist	Attempt rate	+0.109	[+0.093, +0.133]
	Neg. share	-0.170	[-0.181, -0.155]
	Helplessness	-27.158	[-30.085, -24.262]
	Trust	+40.083	[+34.625, +44.000]
	Avoidance	-35.408	[-41.475, -30.375]

Notes. Mean paired differences across 3 seed-matched pairs, with bootstrap 95% CI from the experiment outputs. Wilcoxon p-values for nonzero contrasts are 0.25 (small-sample setting, $n=3$), so this table is mainly descriptive of direction and magnitude.