

IST 659 Final Project

“Name Navigator” Database Application

Spring Semester 2024

June 18, 2024

Team 1 Members:

La Monte H.P. Yarroll (lhyarrol@syr.edu)

Oluwaseyi Durosinmi-Etti (odurosin@syr.edu)

Patrick Le (ple107@syr.edu)

Christopher A. Murphy (cmurph66@syr.edu)

Table of Contents:

Overview.....	3
Glossary of Terms.....	3
High Level Business Requirements.....	5
Initial Scope.....	5
Business Rules.....	5
Key Stakeholders.....	6
Functional requirements (Goals).....	6
Non-Functional requirements.....	6
Data Modeling.....	7
Conceptual Model.....	7
Logical model.....	9
Entities and Attributes.....	10
External Model.....	12
Application Experience.....	12
CRM Integration.....	12
Mockup.....	12
Data Entry.....	12
Mockups.....	12
Viewing Name Records.....	12
Mockups.....	12
Pronunciation Assistant.....	12

Mockup.....	13
Name Examples & System Logic Explained.....	13
Future Scaling Topics.....	13
Locale Addition Process.....	13
Conclusion & Reflections.....	13
Team Log.....	14

Overview

This database solution aims to support a customer service representative in capturing name information for business contacts in customer relationship management “CRM” systems (i.e. the names of prospects, customers, partners, etc.). The solution integrates into CRM workflows and extends the native capabilities of the CRM. Specifically, the solution leverages the location and language preferences (locale) of each contact, together with naming preferences communicated by the contact, to display their names with respect to cultural and traditional norms and name formatting conventions.

The contact names rendered by the database system are then referenced by numerous stakeholders to assist in various customer relationship management activities:

- formally addressing the individual verbally
- leveraging informal/familiar verbal address when preferred
- properly pronouncing a name
- leveraging the appropriate formal/informal address in various written communications & marketing materials
- Leveraging the appropriate formal/informal address in business documents (quotes, contracts, service agreements, etc.) typically managed in a CRM system.

Glossary of Terms

- **Locale (Language / Country)** - In the scope of this database application, a “locale” is a combination of both language and country codes. To create a locale, we leverage the ISO 3166 standard for 2-character country codes, and 3-character language code (e.g. kat-ge, for Georgian, Georgia)
 - References:
 - <https://www.iso.org/obp/ui/>

- https://en.wikipedia.org/wiki/List_of_ISO_639_language_codes
- **ASCII** – American Standard Code for Information Interchange. It is a character code where each individual bit represents a unique character.
 - References:
 - <https://www.ascii-code.com/>
- **Latin1** – ISO/IEC 8859-1 – ASCII-based standard character encodings, single-byte character encoding consisting of 191 characters from the Latin script.
 - References:
 - <https://www.iso.org/obp/ui/en/#iso:std:iso-iec:8859:-1:ed-1:v1:en>
- **Unicode** – A character encoding standard providing a unique number for every character.
 - <https://www.unicode.org/standard/WhatIsUnicode.html>
- **CRM** – The acronym “CRM” refers to Customer Relationship Management. Customer Relationship Management is the formal practice of managing a company’s interactions with its current and potential customers. Companies leverage CRM software solutions to store information about their current accounts and customers, prospective accounts and customers, and to orchestrate and automate business workflows where the customer intersects with the company’s products, services or support offerings.
 - References:
 - <https://www.salesforce.com/crm/what-is-crm/>
- **IPA** – The acronym “IPA” stands for the International Phonetic Alphabet. IPA is a phonetic notation system that uses symbols to represent each distinct sound in human spoken language.
 - References:
 - <https://www.internationalphoneticalphabet.org/>
- **Given Name** – A name that precedes one’s surname.
 - References:
 - <https://www.merriam-webster.com/dictionary/given%20name>
- **Family Name** – A surname
 - References:
 - <https://www.merriam-webster.com/dictionary/family%20name>
- **Legal Alias** – This refers to a registered name other than the given and family name that a single individual may be using for “doing business as” purposes.
- **Honorific** – A class of grammatical forms used in speaking to or about a social superior.
 - References:
 - <https://www.merriam-webster.com/dictionary/honorific>
- **Dead Name** – A name formerly owned by an individual that is no longer used by that individual in referring to themselves. The use of dead names is to be avoided.
- **Genitive Pronoun** – A pronoun used when indicating the pronoun has ownership over a subject.
 - References:
 - <https://dictionary.cambridge.org/dictionary/english/genitive>
- **Nominative Pronoun** – A pronoun used when indicating the person is a subject of a verb.
 - References:
 - <https://dictionary.cambridge.org/dictionary/english/nominative>

- **Particle** – In the context of this database application, a particle refers to an individual component of a person's full name, specific to the chosen locale (language and country combination).
- **Particle Order** – In the context of this database application, a particle order refers to the order of all particles making up the full component of a name. The particle order is used to organize each component of a name into the correct order with respect to the pre-defined order of the chosen locale (language and country combination).

High Level Business Requirements

The Names system represents human personal names in a culturally aware way, suitable for use in a CRM. Naming conventions vary world-wide. Assumptions based on Western English-speaking culture often results in insensitive mangling of names.

The system provides a set of ISO639 locale-specific views of the underlying name. Each database view provides versions of a name for different applications, such as name to use in conversation, form of address in a business letter, familiar form for chat or other less-formal communication, and pronunciation guidance for all of them.

The expectation is that an account manager or similar front-end person encodes everything we know about a person's name, and the different database views produce locale-specific renderings.

Initial Scope

The initial version of this database application will be limited to the following language and country combinations (i.e. locales):

- English, United States (en-us)
- Georgian, Georgia (kat-ge)

Business Rules

- The Account Manager must gather the customer's country and language preferences (locales).
- The Account Manager captures all the components of the customer's name, titles appropriate to the locales.
- Customer email must be unique.
- For each enabled locale, the individual name components are stored in the database uniquely and will be reused / referenced for all contacts in that locale.
- The naming conventions must respect the communicated gender and pronoun preferences of a contact.
- If the contact does not wish to offer the required information (name, preferences, and locale), the system provides a set of "override" name fields that are used to render a default name in all locales.

Key Stakeholders

- Customer
- Account Manager
- Customer service agents
- CRM application developers

Functional requirements (Goals)


- Collecting name information:
 - Present a data collection form that can be integrated into a CRM contact name collection process.
- Using name information:
 - Present UI screens that format person name information according to ordering for the given locale. Names to be presented in multiple formats that serve as a reference for which name to use in specific cases (legal format, formal format, informal format, preferred name format, etc.)

Non-Functional requirements

- The naming solution integrates with a pronunciation solution that will receive the name information and provides an audio pronunciation.
- Symbols from the international phonetic alphabet will be used to represent the sounds and features that distinguish the proper pronunciation of the name in the database.
- To create a locale, the system uses the ISO 3166 standard for 2-character country codes, and 3-character language code (e.g. kat-ge, for Georgian, Georgia)

Data Modeling

Conceptual Model



Data Requirements

Entity = Locale		
Attribute	Props	Description / Purpose
language	R	Language component of locale associated with a name
country	R	Country component of locale associated with a name

Entity = Particle		
Attribute	Props	Description / Purpose
Type	R	Names of available components of names (i.e. Given, Family). Re-used across individual names in each locale.
Unicode	R	The unicode text for the name of the given particle type. Re-used across individual names in each locale.
Latin1		The Latin1 (ASCII) text for the name of the given particle type. Re-used across individual names in each locale.
ipa		The ipa phonetic notation for the name of the given particle type. Re-used across individual names in each locale.
locale	R	The unique country and language combination associated with a name.

Entity = Particle Order		
Attribute	Props	Description / Purpose
name	RU	The Name of a particle type
particle	RU	Maps to the specific particle in the particles table
order	R	The position of the particle in the overall order of a name.
locale	R	The unique country and language combination associated with a name and the ordering assigned to the name.

Entity = Honorific		
Attribute	Props	Description / Purpose


Unicode	R	The unicode text for the honorific text.
Latin1		The Latin1 (ASCII) text for the honorific text.
ipa		The ipa phonetic notation for the honorific text.
Is prefix	R	Binary flag indicating if an honorific is a prefix
locale	R	The unique country and language combination associated with the available list of honorifics.

Entity = Name		
Attribute	Pro ps	Description / Purpose
Person	R	Refers to the unique person record in the person table.
Locale	R	The unique country and language combination associated with the name record.
Given Name	R	Refers to the particle text of type Given Name in the particle table.
Family Name		Refers to the particle text of type Family Name in the particle table.
Tribe or Clan		Refers to the particle text of type Tribe or Clan in the particle table.
Legal Alias		Refers to the particle text of type Legal Alias in the particle table.
Use Name		Refers to the particle text of type Preferred Name in the particle table (i.e. nickname).
Is legal name	R	Binary flag indicating if the name is a legal name for the person and should be used for business documents.
Is dead name	R	Binary flag indicating if the name is a dead name for the person and should not be used.
Is alias	R	
Gender Identity		Text of preferred gender identity associated with a name. User-entered.
honorific		Refers to the chosen honorific from the honorifics table.
Preferred pronouns	C	Text of preferred pronouns associated with a name.
Override Name	C	The full text of a name that should be used in all cases instead of other name entries for a person.
mother		Refers to a unique person ID for a person that is the current person record's mother. Will make inheritance of

		name information for a specific name possible in appropriate locales (future application versions).
father		Refers to a unique person ID for a person that is the current person record's father. Will make inheritance of name information for a specific name possible in appropriate locales (future application versions).

Entity = Person		
Attribute	Props	Description
email	RU	Unique email address for a single person in the database

Logical model



Entities and Attributes

Table	Column	Data Type	Relationship
honorifics	honorific_id	Int, not null	Primary Key
	honorific_text	nvarchar(50), not null	Unique Key
	honorific_latin1	varchar(50), null	
	honorific_ipa	nvarchar(50), null	
	honorific_is_prefix	Bit, not null	
	honorifi_locale_id	Int, not null	Unique Key
locales	locale_id	Int, not null	Primary Key
	locale_language	varchar(4), not null	Unique Key (combined)
	locale_country	varchar(4), not null	
names	name_id	Int, not null	Primary Key
	name_locale_id	Int, not null	Foreign Key
	name_is_legal_name	Bit, not null	
	name_is_dead_name	Bit, not null	
	name_preferred_locale_id	Int, null	
	name_gender_identity	varchar(10), null	
	name_preferred_honorific_id	Int, null	Foreign Key
	name_preferred_pronoun_nominative	varchar(50), null	
	name_preferred_pronoun_genitive	varchar(50), null	legal
	name_override_full_name	Nvarchar(max), null	
	name_override_full_name_latin1	Nvarchar(max), null	
	name_override_full_name_ipa	Nvarchar(max), null	
	name_given_name_particle_id	Int, not null	Foreign Key
	name_family_name_particle_id	Int, null	Foreign Key
	name_tribe_or_clan_particle_id	Int, null	Foreign Key
	name_legal_alias_particle_id	Int, null	Foreign Key
	name_use_name_particle_id	Int, null	Foreign Key
	name_person_id	Int, not null	Foreign Key
	name_mother_person_id	Int, null	Foreign Key
	name_father_person_id	Int, null	Foreign Key

Table	Column	Data Type	Relationship
particle_orders	particle_order_id	Int, not null	Primary Key
	particle_order_name_id	Int, not null	Foreign Key
	particle_order_particle_id	Int, not null	Foreign Key
	particle_order_order	Int, not null	
	particle_order_locale_id	Int, not null	Foreign Key
particle_types	particle_type_id	Int, not null	Primary Key
	particle_type_type	varchar(50), null	
particles	particle_id	Int, not null	Primary Key
	particle_type_id	Int, not null	
	particle_unicode	nvarchar(50), not null	
	particle_latin1	varchar(50), null	
	particle_ipa	Nvarchar(50), null	
	Particle_locale_id	Int, not null	Foreign Key
persons	person_id	Int, not null	Primary Key
	person_email	varchar(50), not null	Unique key

External Model

External Data Model

v_eng_us	
PK	<u>v_eng_us_person_id</u>
	v_eng_us_email
	v_eng_us_formal_name
	v_eng_us_formal_name_ipa
	v_eng_us_informal_name
	v_eng_us_informal_name_ipa
	v_eng_us_preferred_name
	v_eng_us_preferred_name_ipa
	v_eng_us_legal_name
	v_eng_us_legal_name_ipa
	v_eng_us_initials

v_kat_ge	
PK	<u>v_kat_ge_person_id</u>
	v_kat_ge_email
	v_kat_ge_formal_name
	v_kat_ge_formal_name_latin1
	v_kat_ge_formal_name_ipa
	v_kat_ge_informal_name
	v_kat_ge_informal_name_latin1
	v_kat_ge_informal_name_ipa
	v_kat_ge_nickname
	v_kat_ge_nickname_latin1
	v_kat_ge_nickname_ipa
	v_kat_ge_legal_name
	v_kat_ge_legal_name_latin1
	v_kat_ge_legal_name_ipa
	v_kat_ge_initials
	v_kat_ge_initials_latin1

Application Experience



Name Navigator

🔍 search for contact

Home History FAQ

Name	Preferred Name	Email	Phone number	Country
Christopher Murphy	Chris	Chris@syr.edu	111-111-1111	US
Oluwaseyi Durosinmi-Etti	Shay	Shay@syr.edu	222-222-2222	US
Patrick Le	Pat	Pat@syr.edu	333-333-3333	US
La Monte Yarroll	Piggy	Piggy@syr.edu	444-444-4444	GE

Export ▼



Preferred Name

Shay

Name Navigator

Home Client Page Account Manager View  Help

Current Locale *

ENG-US

Preferred Name

Given Name*

IPA



Family name

IPA

Email*

is Dead Name?* ☐

is Legal name?* ☒

is Legal Alias * ☒

Additional Info + :

Gender Identity Information

Gender Identity

Pronoun (Nominative) (multi-select) 

Pronoun (Accusative) (multi-select) 

Pronoun (Genitive) (multi-select) 

Prefix

Cultural Considerations

tribe/clan

IPA

Override

Unicode

Latin1

IPA





Preferred Name

Current Locale *

KAT-GE

Preferred Name

Given Name* Given Name* Given Name* Family name Email* is Dead Name?* ☐is Legal name?* ☒is Legal Alias * ☒

Additional Info + ⋮

Gender Identity Information

Gender Identity Pronoun (Nominative) (multi-select) ⋮Pronoun (Accusative) (multi-select) ⋮Pronoun (Genitive) (multi-select) ⋮Prefix

Cultural Considerations

tribe/clan Mother family name Father family name Override

Save

Cancel

 **Name Navigator**

 **Home** **Client Page** **Account Manager**

Preferred Name
Oluwaseyi Durosini-Etti <shay@syredu>

Preferred Name 

formal name 

Informal name 

Email

Country 

Language 

Additional Info 

Legal name ☒



Mockup full page link: <https://balsamiq.cloud/saacwc4/puirfs5/r9374?f=N4IgUiBcCMA0IDkpxAYWfAMhkAhHAsigFo4DSUA2gLoC%2BQA%3D>

Data Questions & Answers

```

1059 -- 1.) How many contacts (unique persons) in the database (eng_us locale)
1060 -- used to track growth of the system
1061 select count(distinct(person_id)) from v_eng_us;

```

Results **Messages**

	(No column name) 
1	4

```

1062
1063 -- 2.) Show preferred names vs. active full name (eng_us locale)
1064 -- Who are the contacts/clients in the system?
1065 -- used to ensure preferred naming preferences are understood in account interactions
1066 select person_id, use_name_unicode + ':' + formal_name_unicode as preferred_name, full_name_unicode as complete_name from v_eng_us
1067 where is_dead_name != 1;
1068

```

Results Messages

	person_id	preferred_name	complete_name
1	1	Chris:Murphy	Mr. Christopher Alan Murphy Jr.
2	2	La Monte:Yarroll	Dr. La Monte Henry Piggy Yarroll esq.
3	3	Eve:Yarroll	Mrs. Eve Karenina Yarroll
4	4	Seyi:Durosinmi-Etti	Mr. Oluwaseyi Olufemi Durosinmi-Etti

```

1068
1069 -- 3.) Show use name vs. non-dead legal name for clients How many legal vs. non legal names?
1070 -- used to ensure legal names are used for formal documentation, agreements, etc.
1071 select person_id, use_name_unicode + ':' + formal_name_unicode as preferred_name, legal_name_unicode as legal_name from v_eng_us
1072 where is_dead_name != 1;
1073

```

Results Messages

	person_id	preferred_name	legal_name
1	1	Chris:Murphy	Christopher Alan Murphy Jr.
2	2	La Monte:Yarroll	La Monte Henry Piggy Yarroll
3	3	Eve:Yarroll	Eve Karenina Yarroll
4	4	Seyi:Durosinmi-Etti	Oluwaseyi Olufemi Durosinmi-Etti

```

----
1074 -- 4.) Show preferred names and emails
1075 -- How should we address contacts/clients for email marketing and system personalization?
1076 select person_email, use_name_unicode as preferred_given_name, use_name_unicode + ' ' + formal_name_unicode as preferred_full_name from v_eng_us
1077 where is_dead_name != 1;
1078

```

Results Messages

	person_id	preferred_name	legal_name
1	1	Chris:Murphy	Christopher Alan Murphy Jr.
2	2	La Monte:Yarroll	La Monte Henry Piggy Yarroll
3	3	Eve:Yarroll	Eve Karenina Yarroll
4	4	Seyi:Durosinmi-Etti	Oluwaseyi Olufemi Durosinmi-Etti

```

1079 -- 5.) Show full name associated with email addresses
1080 -- How should we address contacts/clients for formal communications and engagements requiring introductions?
1081 select person_email, full_name_unicode from v_eng_us
1082 where is_dead_name != 1;
1083

```

Results Messages

	person_id	preferred_name	legal_name
1	1	Chris:Murphy	Christopher Alan Murphy Jr.
2	2	La Monte:Yarroll	La Monte Henry Piggy Yarroll
3	3	Eve:Yarroll	Eve Karenina Yarroll
4	4	Seyi:Durosinmi-Etti	Oluwaseyi Olufemi Durosinmi-Etti

```

1083
1084 -- 6.) Show legal name associated with an email address.
1085 -- How should we address contacts/clients in formal legal documentation?
1086 select person_email, legal_name_unicode as legal_name from v_eng_us
1087 where is_dead_name != 1;
1088

```

Results Messages

	person_email	legal_name
1	cmurph66@syr.edu	Christopher Alan Murphy Jr.
2	piggy@cmu.edu	La Monte Henry Piggy Yarroll
3	baqaqi@gmail.com	Eve Karenina Yarroll
4	odurosin@syr.edu	Oluwaseyi Olufemi Durosinmi-Etti

```

1088
1089 -- 7.) Show the full set of unique email addresses (eng_us locale).
1090 -- reviewed for data maintenance, data cleansing, and GDPR legal compliance
1091 select distinct(person_email) from v_eng_us;
1092
1093 -- 8.) Show all dead names (eng_us locale)
1094 -- this list can be reviewed to ensure all communications and touch points with the person

```

Results Messages

	person_email
1	baqaqi@gmail.com
2	cmurph66@syr.edu
3	odurosin@syr.edu
4	piggy@cmu.edu

```

1093 -- 8.) Show all dead names (eng_us locale)
1094 -- this list can be reviewed to ensure all communications and touch points with the person avoids the use of the dead name
1095 select person_id, name_id, person_email, full_name_unicode as "dead_name - do not use" from v_eng_us where is_dead_name = 1;
1096
1097 -- 9.) How many records lack a particle IPA?

```

Results Messages

	person_id	name_id	person_email	dead_name - do not use
1	3	3	baqaqi@gmail.com	Miss Eve Karenina Prastein

```
1099 -- future versions of the application could integrate with an ipa service and auto-populate these records
1100 select * from particles where particle_ipa is null or particle_ipa = '';
1101
```

Results Messages

	particle_id	particle_type_id	particle_unicode	particle_latin1	particle_ipa	particle_locale_id
1	2	1	Christopher	Christopher	NULL	1
2	3	1	Alan	Alan	NULL	1
3	4	2	Murphy	Murphy	NULL	1
4	5	7	Jr.	junior	NULL	1
5	6	3	Chris	Chris	NULL	1
6	11	2	Yarroll	Yarroll		1
7	12	8	esq.	esquire	NULL	1
8	13	6	Miss	Miss	NULL	1
9	15	1	Karenina	Karenina	NULL	1
10	16	2	Prastein	Prastein	NULL	1
11	17	6	Mrs.	missus	NULL	1
12	23	1	Oluwaseyi	Oluwaseyi	NULL	1
13	24	1	Olufemi	Olufemi	NULL	1
14	25	2	Durosinmi-Etti	Durosinmi-Etti	NULL	1

```
1102
1103 -- 10.) getting average amount of particles per name
1104 -- used to determine if the system is being used as intended.
1105 -- can be used as a metric for marketing teams that maintain a % Complete for IPA entries
1106 -- to ensure the particles being entered assist the team in properly personalizing
1107 -- interactions with clients.
1108 select avg((LEN(f.full_name_unicode) - LEN(REPLACE(f.full_name_unicode, ' ', '')) + 1)) as avg_particle_count from
1109 (select full_name_unicode from v_eng_us) f;
1110 |
1111
```

Results Messages

avg_particle_count
4

```

1111
1112 -- 11.) How to address the customer formally.
1113 select person_email, short_formal_unicode
1114 from v_eng_us;
1115
1116 -- ***** --
1117 -- 10 QUESTIONS - KAT_GE LOCALE SPECIFIC

```

Results Messages

	person_email	short_formal_unicode
1	cmurph66@syr.edu	Mr. Murphy
2	piggy@cmu.edu	Dr. Yarroll
3	baqaqi@gmail.com	Miss Prastein
4	baqaqi@gmail.com	Mrs. Yarroll
5	odurosin@syr.edu	Mr. Durosinmi-Etti

```

1118 -- ***** --
1119 -- 11.) How to address the customer formally.
1120 select person_email, short_formal_unicode, short_formal_latini, short_formal_ipa
1121 from v_kat_ge;
1122

```

Results Messages

	person_email	short_formal_unicode	short_formal_latini	short_formal_ipa
1	piggy@cmu.edu	ბატონ ლამონტი	baton lamonti	baton la'monti

Future Scaling Topics

We plan to integrate AI technology to assist Customer Service agents in correctly pronouncing names, enhancing personalized service.

With Machine Learning adaptability the use of neural network and deep learning can give the software adaptability to learn subtle patterns and strategies.

Conclusion & Reflections

We actively controlled scope to fit within our deadline

By starting and brainstorming ideas early we were able to pick a sufficient topic that we were all passionate about

By starting all the deliverables early and in parallel, we were able to delegate tasks evenly among the team.

By working on the conceptual and logical models together, we gained a great understanding of the project's structure.

We Learned how to parse a list to stored procedure

We were able to use our diverse and individual creativity to achieve a complex and enriched database

Additional Use Cases

- HR system integration to assist HR managers with honoring cultural differences of employees
- Integration into a dual citizenship passport application process to respect name formats of one person across different locales.

- Integration into customer intelligence
- Cultural Sensitivity Training

Team Log

Meeting 1: April 28, 2024

Discussions

- Defined the **scope of work**, including the conceptual and logical models.
- Reviewed the **SQL syntax** for demonstration code.
- Selected **dummy locales**: eng_us, Georgian, Russian, and Spanish.
- Explored **real-life applications** and scenarios for the database.
- Discussed the integration of various **locales**.

Tasks

- **La Monte**: Set up GitHub collaboration.
- **Seyi**: Create a OneDrive folder and develop a demo report.
- **Chris**: Review requirement documents and research mockup applications (screens).
- **Seyi & Chris**: Set up a Trello dashboard and research dummy names for the table.

Meeting 2: May 1, 2024

Discussions

- **Team** continued development of the **logical model**.
- **Team** reviewed the **Kablan dashboard** and **High-Level Business Requirements**.

Tasks

- **La Monte**: Updated the logical model.
- **Chris**: Created an entity-relationship table and added it to the draft paper.

Meeting 3: May 12, 2024

Discussions

- Further development of the **logical model**.

- **Seyi** and **La Monte** collaborated on the **conceptual model**.

Tasks

- **Seyi**: Begin working on a PowerPoint presentation.
- **Patrick & La Monte**: Started writing SQL scripts for the database.
- **Patrick**: Write up-down script including creating all tables, removing all tables, primary/foreign keys, and verification of all tables

Meeting 4: May 19, 2024

Discussions

- **Full Team** reviewed and signed off on the **conceptual** and **logical models**.
- Reviewed the SQL script prepared by **Patrick**.

Tasks

- **Seyi**: Start assembling the presentation.
- **Chris**: Added the conceptual and logical models, glossary, document outline and table of contents to the final paper.
- **Patrick & Seyi**: Begin work on the mockup.
- **La Monte**: Finish the up-down SQL script.
- **Patrick**: Review up-down script and update changes made on the models to the code

Meeting 5: May 24, 2024

Discussions

- Final review and approval of the **conceptual** and **logical models**.
- Review of the updated SQL script by **Patrick**.

Tasks

- **Patrick & Seyi**: Develop the user interface (UI).

Meeting 6: May 26, 2024

Discussions

- **Team:** Reviewed First draft of the user interface in Balsamiq.

Tasks

- **Chris:** Lo-fi design drawing of the organization of the user interface for name entry. Validated against the logical design, the up/down script, and database schema.
- **Patrick & Seyi:** Update user interface screens from lo-fi and discussions.

Meeting 7: June 2, 2024

Discussions

- **Team:** reviewed the Trello dashboard. Planned development tasks.

Tasks

- **Seyi:** continued to build out the power point presentation and collaborated with the team to review the conclusion and lesson learned
- **Seyi:** Finalize user interface screens from lo-fi and discussions.
- **Chris/La Monte:** planned SQL name upsert collaborative development session
- **Chris:** Created “stub” of insert name stored procedure.
- **La Monte:** Researched and identified SQL solutions for inserting particles and the associated order of operations.
- **La Monte:** Trained Chris on GIT commands required to develop SQL in source control and with development branches.

Meeting 8: June 6, 2024

La Monte / Chris: Joint Development Session: insert name stored procedure

Tasks

- SQL code to insert particles.

Meeting 9: June 7, 2024

La Monte / Chris: Joint Development Session: insert name stored procedure

Tasks

- SQL code to insert person and particle orders.

Meeting 10: June 10, 2024

La Monte / Chris: Joint Development Session: insert name stored procedure

Tasks

- SQL code to insert names into the names table
- Created insert name stored procedure calls to insert test particles, particle orders, persons and names.
- Merged all insert name stored procedure code into the up/down script.

Meeting 11: June 10, 2024

La Monte / Patrick: Joint Development Session: views for the external model

Tasks

- SQL code to create views for both active locales (eng-us, kat-ge).
- **Chris:** update report to include data requirements table for the conceptual model. Add functional business goals description.

Meeting 12: June 15, 2024

Discussions

- **Team:** Reviewed SQL Code for eng_us view. Reviewed tasks outstanding. Identified 10 valuable queries.

Tasks

- **La Monte:** SQL code for kat_ge view. Insert Kat_ge test content.

- **Patrick:** Update eng_us view with use name, create functions for ease of use for the views/queries. Insert test use_name content into eng_us.
- **Chris / Seyi:** Write queries. Integrate into the presentation & report.

Meeting 13: June 16, 2024

Discussions

Team: Chris Seyi & Patrick brainstormed and wrote some data base queries
La monte created additional views for the other locales

Tasks

- **Team:** Seyi to add the questions to the PowerPoint slide and project paper
- **La monte** to create more lpa and views
- **Chris** should complete the database queries reasoning