Minecraft mod ideas for Strawberry Minecraft



Table of contents

Gameplay 2
First things you need to do 2
Food 2
Biome & dimension changes, generation, and blocks 3
Desert 3
Oases 3
Small oases 3
Large oases 4
Technical details 4
Palm trees 4
Palm bark 4
Coconuts 5
Throwing coconuts 5
Planting coconuts 5
Coconut milk and bowls 5
Coconut oil 5
Desert villages 5
Tall houses 6
Farms 6
Town centers 6
Wood 7
Desert Temples 7

First floor 7
Treasure room 8
T-tet-d room 8
Ra 8
Shu 8
Sekhmet 8
Nun 8
Long room 8
With stairs 8
Statue 9
Entities 9
Meerkats 9
Gaining favor 9
Item interaction 9
Entity interactions 9
Meers 10
Burrow blocks 10
Meerkat burrow structure 10
Jungle 10
Groundcover 10
Exposed stone 10
Mossy/Cracked exposed stone 10
Pearlescent vine 10
Swamps 10
Lily pads 11
Small lily pads 11
Rivers 11
Savanna 11
Baobab tree 11

Interior 12
Baobab wood 12
Rope 12
Fire resistance 12
Baobab fruit 12
Termites 12
Behavior 13
Hollow Log 13
Ostriches 13
Badlands 13
Villages 13
Vultures 14
Tumbleweeds 14
Other features 14
Glaciers and Icy Biomes 14
Icy caves 14
Icy stones 14
Icy stalagmite 14
Icy stalactite 14
Spectrite 14
Sulfur caves 14
Surface 15
Geyser block 15
Rocky beaches 15
Glowroots 15
Glowroot paste 15
Glowroot torches 15
Outer end islands 15
Endillary 15

Sensegrass 15
Roasted Sensegrass Tuber 16
Chorite and Chorine 16
Chorite 16
Chorine 16
Recovery template 16
Recovery pearl 16
Echowood tree 16
Echowood planks and products 16
Voiding rod 16
Mechanics 17
Entities 17
Groundling 17
Behavior 17
Geologies 17
Soil 17
Soil Crusts 17
Soil crust 17
Cracked sand 17
Cracked dirt 17
Farmland variants 17
Fertilized Farmland 17
Poor Farmland 17
Rendering changes 18
Rendering of non-collidable objects or entities 18
Flora 18
Cloudcover 18
Wind 19
Particles 19

Wind particle 20
Tech Features 20
Terrain generation 20
Segmented generation method 20
New cave variants 20
Villager trades 21
Librarian 21
Water 21
Water data values 21
Salinity 21
Temperature 21
Water and dirt effects 21
Mud 22
Weather 22
Snow 22
Appendix F: Dictionary 27

This article features a comprehensive list of features that will most likely be added to the new update coming to our mod:

Gameplay

First things you need to do

Get flint. To get flint, find gravel and punch it for a 20% Chance to get flint chips (Normal Flint has a 5% Chance of Dropping). Craft 4 flint chips into flint.

You then must get a stick from punching leaves.

Then you must find an open wound on a tree to get sap (5% Chance from all tree variants).

And finally, you need to make a Flint Dagger in the 2x2 crafting grid.

you can use your Flint Dagger to cut the tall grass to have a 10% chance to Get a plant fiber (Has 7-10 Durability). Then you can use a stick, plant fiber, & a flint to Make a 5 Durability Flint Hatchet (In the 2x2 Crafting Grid- you don't have a crafting table)

While you are doing all that, you only have 5 heart/ 10 HP and 7 Hunger and newly added thirst. There are also new stamina mechanics that cause you to get mining Fatigue if you run for too long. You can regen your Stamina bar by eating a balanced diet, sleeping, or resting near a fire. If you don't eat Protein, Carbs, Fats, Minerals, Vitamins, and water (Within one Minecraft month/30 Days) Then you get the malnourished effect which drains your Hunger, Thirst, and Your Stamina. If your Thirst hit 0 You Instantly Die to keep hydrated, use a charcoal filter to clean the water then then drink (Otherwise you will get Diseases) if you do not have charcoal then you can risk it and drink dirty water but it cannot be ocean water or you The thirsty effect that drains your thirst rapidly.

Food

In order for the player to survive, the player must eat a balanced diet with supporting enough nutrients. If the player fails to eat nutritously, you get the Malnourished effect, which can have a wide variety of side effects depending on what you are deficient in. The good in-game food sources are:

- Apple – Fiber minerals vitamins protein, 50g carb, C136, B30, A20, E20
- Potato
- Cherry

- Melon
- Coconut milk
- Sweet berry
- Beetroot
- Raw tuber
- Raw Carrot
- Wild Wheat
- Wild Oat
- Lava seared Meat

Biome & dimension changes, generation, and blocks

Let's face it: Vanilla biomes are not the best. And instead of adding too many new bad biomes like other resource packs do, Strawberry enhances the existing ones.

Desert

Due to the changes in Strawberry survival, the desert's extreme heat, dry conditions, limited food supply, and the lack of anything except sand and cacti would make it a useless, undesirable biome to avoid and never use. However, the new changes in the desert would make it not only a good place to live, but maybe even better than other biomes.

Oases

Oases would be features that replace desert wells and are near desert villages. It is not logical to have villages out in the hot, dry sun without all the villagers dying, or to have desert wells that do not evaporate within 3 seconds of their existence. It also is obviously better to have oases in the desert for you to hop between. This is why Strawberry adds oases in two types: Small oases and large oases. These would have palm trees which would have many functionalities, making them a desirable option to live in.

Small oases

A small oasis would be a feature that replaces the generation of desert wells. It would consist of a pool of water roughly the size of a charged creeper crater but flatter. It would have 1-2 palm trees, and the area around it would be cooler. Desert wells would be deleted, and these would generate instead. Additionally, meerkat burrows may be here, along with a ruined-looking sandstone structure with the 2 pieces of suspicious sand that you can find in desert wells in it.

Large oases

Large oases would be much bigger, up to 30 – 50 blocks in diameter. These large oases boast a wide range of unique vegetation such as tree ferns terrestrially, marginally, and aquatic. Palm trees are abundant in especially large oasis. They would only generate where desert villages generate, but the desert village would still generate, meaning desert villages can only generate at large oases, and large oases only generate at desert villages. The jigsaw generation has been changed to not have a path originating from the village generating more than 50 blocks away from the oasis. This means the villages would be centered on or around the oasis. Palm trees would scatter on the perimeter of the oasis, generating after the village to prevent palm trees from clipping villagers' doors in half.

Technical details

Oases are a feature, but oasis would also have their own biome as `desert_oasis`. Oasis water would have a salinity of 0.2 - 0.4 or up to 1.0 near the ocean, and a temperature of 2.5 to 3.0 and great purity, so they are desirable for swimming in and drinking.

Minecraft villages generating in the specified biome will now use palm wood instead of jungle. This allows for more wood-oriented house designs that totally won't burn down when lightning strikes

Palm trees



A very highly suggested addition is the addition of palm trees. The trunks of palm trees point straight up and have a 1 block thick trunk in all cases, contrary to the popular but botanically incorrect notion of a bending palm tree. They would be exclusive to oases and sometimes desert islands (deserts surrounded on all edges with river or ocean biomes that have an area of <1024 m^2) and be the only source of palm wood and coconuts.

Palm bark

Palm bark as well as leaves can be used for creating heat resistant armor. Palm bark can be obtained by using shears or right clicking with an axe on the palm tree.

Coconuts

Coconuts grow from palm trees and will fall eventually. If they fall on your head, you take 6 damage (❤❤❤) and when a coconut falls, you can pick up the coconut item, and you can make a coconut fall by hitting the on-tree coconut with swords, shears, or axes.

Throwing coconuts

The player can throw a coconut as a projectile, dealing 6 damage points (❤❤❤). This could be used for 'Coconut combat' kit where people throw coconuts at each other in a form of PvP. Coconuts can be used basically as a heavier form of snowballs. When a coconut is thrown on sand, sand will become cracked sand. If the coconut is thrown with too much force, the coconut may split in half and drop two coconut bowls on impact.

Planting coconuts

The player can click on a piece of cracked sand, poor dirt, soil, cracked red sand, or any other well-draining substance with a coconut to plant it. This is the only way to get an artificial palm tree. After a while the coconut will grow into a palm sapling and eventually, a palm tree.

Coconut milk and bowls

The player can crack a coconut on a crafting table and get two coconut bowls with coconut water in them. Toget Coconut milk, you need to use the newly added juicing machine to juice the Coconut. Giving you Coconut Mink. Coconut milk will restore 5 hunger points ([can't paste in images in review mode]) and will give the "Cooling" effect to the player for 1-5 minutes (Depending on Purity).[more work needed] Coconut bowls are a sustainable way to get bowls; however you can eat them or make them into a sweet delicacy called coconut shreds by crafting them with sugar.

Coconut oil

Coconut oil would be extracted from coconut milk when it is put in the evaporator or fermenter. It would be used to make candles, as a source of fat, lubricant for gem cutters, and most importantly as a lubricant for pistons, making them silent and reducing push time.

Desert villages

Tall houses

The tower house in the desert consists of a single bed at the bottom with a long staircase up to the top, and a chest somewhere in the middle. To make these easier to renovate, the spiral staircase will be on the sides, like this:

Wall	Wall	Wall	Wall	Wall
Wall	Hole for stairs	Floor	Staircase	Wall
Wall	Hole for stairs	Floor	Staircase	Wall
Wall	Hole for stairs	Floor	Staircase	Wall
Wall	Wall	Wall	Wall	Wall

This gives 4 blocks of space (under stairs) to use on each floor, possibly for village expansion by the player. Also, other houses would be redesigned so that the desert village is more focused on vertical, not horizontal. Many would have 2 floors and a terrace.

Farms

Farm irrigation is now connected to oases to prevent evaporation within the irrigation ditches

Town centers

In vanilla Minecraft these are the 3 town centers for desert villages and my names for them:

The fountain | The well



The marketplace/agora

The marketplace/agora is obviously the best one because wells would evaporate and be pointless. The town center would feature:

- Stands (shelf) like the one in the marketplace where villagers display their items from (Same profession shares stands)
- A meeting place with stair-benches and a glazed-terracotta centerpiece
- Stairs into the oasis biome
- An always – generating palm tree or two that provide shade to the poor villagers standing in the sun which is deadly without proper protection

It would be much better than the current desert villages.

Wood

Minecraft villages generating in the specified biome will now use palm wood instead of jungle. This allows for more wood-oriented house designs that totally won't burn down when lightning strikes

Desert Temples

Desert temples have been improved in strawberry Minecraft because the current desert temples are not the best with only 2 secret rooms and not enough interesting features that draw the player's attention. Desert temples in Strawberry Minecraft now generates based off a blueprint that uses jigsaws for an improved desert temple by @Aggarwal, Aadarsh that will now generate only ½ the time because of the loot contained inside.

First floor

Each square represents a 3x3x3 cube

0	x	**GIVE ERIC EDITOR**			x	Eric and sai y0
x	x	x		x	x	x
|/|||||||	x	^	__	^	x	|\\||||||
		|	@	|		
	x	^	``	^	x	
x	x	x		x	x	x
0	x	||||||||||||||			x	0

Key:

0 = Treasure room

X = T-tet-d room

||| = Long room

|/| = Long room with stairs

| or __ or ` ` = Statue of an Egyptian God/Goddess

@ = tunnel to basement

Treasure room

The treasure room would be a small 1x1 or 2x2 room with a chest inside. It also has an 11% chance of a spider inside. One of the items in the chest depends on the room in front of the treasure area.

T-tet-d room

This room would span 2 floors and have 4 different possible rooms, honoring Ra, Shu, Sekhmet, and Nun.

Ra

Ra's room would contain a mapmaker's hand that detects when the player breaks into the room and sends an effect called Ra's Shockwave throughout, which creates fire and a lot of light, enough to give you a quickly fading blindness effect, and deals knock-forward, bringing you close to the 7 parched and 5 husks that await inside. The shockwave also disables shields used to block the shockwave, leaving an iron nugget behind. Gives the Light tool upgrade [coming soon]

Shu

Shu's room would contain constant, silent, dry, unending level 3.5 wind originating from a mapmaker's hand in the center. The challenge would be to survive this and reach the center to blast yourself in whichever direction you choose. Gives the Worn Armor Trim [coming soon]

Sekhmet

This would contain basic lava parkour to the center, where a water stream is so perfectly positioned that nothing turns to stone, that you may climb up to the top. Gives Fire Charges and Snowballs.

Nun

The loot behind the Nun room would be replaced with more basic loot, like bones and rotten flesh, with the occasional Coast Armor Trim. The real loot lies below, where a 3x3 water hole with one block of air in the middle leads downwards all the way to y=59. Lava caves give obsidian walls of the tunnel, and the lava there becomes obsidian in the chest. This would be useful for finding caves and mining. Tunnels in underwater caves have walls with cobblestone, and so do regular caves, but regular caves also have torches in front of a door.

Long room

A long room [more to come]

With stairs

2 of the 3 of these rooms have stairs leading to the 2nd floor tower level.

Statue

Entities

Meerkats

Meerkats are curious little animals that live in meers[2] in a burrow. A special structure generates with a burrow entrance block at the top, and burrow blocks on each side. Inside is an intricate tunnel system. They always are there near small oases and spawn instead of cats in the large oasis village, but they can also have a burrow anywhere in the desert.

Gaining favor

If a meerkat is tamed with a spider eye (which takes a while), the burrow will become slightly favored to you. [coming soon]

Item interaction

If meerkats find items of any sort, they will run towards it, grab it, and preform 1 of the following actions:

- Refuse the item and abandon the item on the ground, which will activate when they find it undesirable.
- Go back to its burrow and attempt to eat it
- Go back to its burrow and place it in a burrow block

If a burrow block is full, the meerkat will turn a sand block in its burrow to a burrow block, then put the item in. Meerkats also have a lore relating to Trial Chambers. If they find a Vault or an Ominous Vault and they have a matching key in their burrow, they will attempt to go get the key and use it on the vault to get the ‘shiny stuff’ inside.

Entity interactions

Meerkats will actively hunt and kill desert snakes and scorpions (new pouncing animation) [coming soon] and other insects and arthropods like termites, ants, spiders, and silverfish. They will also attack tumbleweed. They also find desert melons [coming soon] and sometimes cactus flowers palatable. These creatures are curious and will attempt to interact with non-natural entities such as armor stands, minecarts, and boats. For minecarts, they will sometimes get in and try to scoot the minecart forward. Meerkats are social animals, as Meerkats stay in a group and play/socialize with each other, as well as attempting to play

with any animal originating outside the desert. Meerkats are curious about and have fun with armadillos in particular. They will mingle with ocelots and sometimes an ocelot joins a group of meerkats.

Meers

Meerkats are highly social and have a rigid social structure. [coming soon]

Burrow blocks

Burrow blocks would be blocks that meerkats can place items in. They have 16 item slots but stack up to 4. The items inside would be accessible via brush. If the block is broken via hand, the items will seep into the block below it which will become a burrow block if it was sand, otherwise the items are lost. However, they are not as fragile as suspicious sand or gravel.

Meerkat burrow structure

Meerkats structure their burrows carefully, with the average Meerkat burrow structured with a root cellar for storing food, a main chamber, and separate “bedrooms” for each Meerkat. Meerkats will form mounds of sand outside of their burrow during excavation. All items on Meerkat burrow blocks will not despawn.

Jungle

Groundcover

Exposed stone

Exposed stone is a special newly added type of bucolic decorative stone that can be found throughout forests. Exposed stone serves as a habitat for Glowroots, Stoneshrooms, moss, lichen, and many other faunas.

Mossy/Cracked exposed stone

After moss grows on exposed stone, exposed stone turns either into cracked exposed stone or mossy exposed stone.

Pearlescent vine

Pearlescent vines are parasitic vines native to biomes with a temperature >6 and high humidity. The pearlescent vine will slowly creep up large jungle trees until the entire tree is covered.

Swamps

Lily pads

Small lily pads

Small lily pads are a variant of regular iliy pads that generate in any non saline body of water. Players can not stand on small lily pads, while frogs can.

Rivers

River cascade biome



Savanna

Baobab tree



The baobab tree is a type of tree that generates as a lumpy tree with a hollow interior and a new type of baobab wood.

Interior

The interior, roughly 3 blocks in radius, would be a good starter base for savanna spawns as it already has walls and a roof. It could also be filled with relatively clean water as baobab trees store water in their trunk. Baobab wood is yellow in color, and the color of baobab wood will turn darker over time.

Baobab wood

Baobab wood would not be your usual wood, and it would have multiple uses (no pun intended) from crafting rope to being fireproof. Baobab wood is also not palatable for termites.

Rope

Crafting baobab wood into planks, then crafting the planks into what usually yields sticks, will instead give you rope. Placing the rope on the ground will allow you to use it like scaffolding, but a unique feature would be that you can also place it on a cliff to descend into a ravine or cave. Another thing is that you can get your rope back from both sides, so you can reuse your rope once in the ravine and collect it back when using it to reach your skybase.

Fire resistance

Baobab wood, planks, and the like would be fire resistant and give builders that want to avoid arsonists but still use wood more options than crimson, warped, and echo.

Baobab fruit

Highly nutritious red fruit that can be obtained by mining baobab leaves (rare) or found dropped on the ground [coming soon]

Termites



Termites (left) would be animals that spawn in termite mounds (right) and would be larger than their real-life counterparts.

Behavior

Termites can go up to 50 blocks from the original mound searching for food such as leaf litter, grass, planks, logs, and other organic matter. After a termite eats a log, the log becomes a hollow log, which may become housing for the termite, or can be harvested and used for decorative purposes. [see hollow log]

Hollow Log

The hollow log would be a very useful block for decorative purposes. While it yields only one plank, its main use is its decorative ability. When a block has a hitbox with volume less than a slab, it can fit inside. Also, some blocks like snow, water, cracked sand, sand, and termite mound blocks fit as well. Blocks also retain their functionality, like ladders, and multiple blocks can sometimes be combined, like moss and wildflowers. They can also trap tumbleweeds when placed horizontally.

Ostriches

Would be a peaceful animal until it is a mama [coming soon]

Badlands

The badlands biome has challenges like the desert, and despite its greatness for mining gold, it is not all that good to live in.

Villages

Villages would now naturally spawn in the badlands, with large, low buildings and flat roofs so that they look like a mining town. The chance of the villages being abandoned is 55% opposed to the 25% in other biomes. This fits with a

Vultures

Tumbleweeds

Other features

Glaciers and Icy Biomes

Icy caves

Icy caves are a special type of cave that boasts fossils, diamonds, obsidian, sniffer eggs buried in packed snow, ice, and the endemic spectrite. Icy caves can be found where glaciers and icy biomes like the ice hills [coming soon] are adjacent to a rocky biome, such as gravel slopes, jagged peaks, rocky beaches, etc. Only soul torches and Glowroot torches can be placed in icy caves, as regular torches will melt the surrounding ice, unleashing the random pockets of gravel that generate in a glacier. Generation of this cave exists in “noodle caves” and “spaghetti caves”.

Icy stones

Icy stalagmite

A variant of normal cavern spawning stalagmites; icy stalagmites (aka icicles) are stalagmites that spawn in icy caves, found on the perimeter surrounding glacier biomes.

Icy stalactite

A variant of normal cavern spawning stalactites; icy stalactites are stalactites that spawn in icy caves, found on the perimeter surrounding glacier biomes.

Spectrite

Spectrite is an ore decorative ore with stats like iron endemic to the glacier biome [read also: glacier biome]. Raw spectrite is coated dull and grayish blue, but after cutting the spectrite via a gem cutter and coconut oil lubricant [coming soon], the spectrite reveals a wide spectrum of colors, that can either be used to create armor and equipment or armor trims.

Sulfur caves

Surface

Geyser block

Geyser blocks are specialized uncraftable blocks that generate near or above sulfur caves. Geyser blocks will spew a column of mist into the air around every 5-minute interval

Rocky beaches

Glowroots

Glowroots are a special plant with a large tap root and tuber, that grows only close to lava pools in a cold biome. Glowroots are also fire resistant and give off a cold aura.

Glowroot paste

Glowroot paste is a paste that can be crafted by crafting slimeballs and the root of a Glowroot.

Glowroot torches

Glowroot torches can be made by combining Glowroot paste with any type of torch. Glowroot torches are a special type of torch that will not melt the surrounding snow or ice(useful for exploring glacial caves). Glowroot torches give off a soft, creamy yellow light that has the same illumination index as a normal torch.

Outer end islands

Endillary

Endillary plants are a special species of plants endemic to the outer end islands. The plant will generate on top of End Anchors[coming soon]. When the flower of the plant is ripe, the plant can be right clicked on with a glass bottle, resulting in a bottle of Endillary nectar. When Endillary nectar is drunk, the player will receive 15 seconds of effect immunity of potion effects. Effect immunity is useful in end cities to prevent shulkers from poking you. Silk touch is needed to mine Endillary plants

Sensegrass

Sensegrass is a tuberous plant native to the outer end islands. Cultivated Sensegrass will output a redstone signal based on how far away a player is within a radius of 2-4 of the Sensegrass tuber. The Sensegrass stems will retract into the ground based on how far away the player is. Sensegrass can be corrupted by either right clicking the sensegrass with dragon's breath, or naturally spawning corrupted Sensegrass, which has a purple hue to

the stems. The player will take 6 damage points every second from standing on corrupted Sensegrass (❤❤❤).

Roasted Sensegrass Tuber:

A delicacy found in the end in end cities and respawn anchors.

Chorite and Chorine

Chorite

Chorite ore is when Chorus fruit ferments into an ore; similar to coal; that is distributed throughout the outer end islands. Chorite ore can be refined through a blast furnace only, to Chorine.

Chorine

Chorine pellets are the refined version of Chorite, through using a blast furnace powered by coal. Chorine has many uses, such as charging up End Anchors [coming soon], plating armor and equipment, and many other uses.

Recovery template

Recovery templates are a special item that can be used in smithing tables, crafted with 1 netherite surrounded by Chorine. When a recovery template is applied to a tool, the tool will basically be “keep inventory”, but only once then must be re-plated

Recovery pearl

The recovery pearl, a similar item to the ender pearl, is crafted with 1 Chorine and 1 ender pearl. A recovery pearl will teleport any item, entity, or block struck by the pearl to whichever dispenser, entity, or player that threw the recovery pearl.

Echowood tree

Echowood planks and products

Echowood is a green colored wood native to End Anchor rooms with a twisted, ancient feel and structure. Echowood leaves will fall upwards and will deter endermen.

Echowood acoustics

All sounds originating from behind any Echowood products will boast a high reverb, and sound muffled and sound like it came from far away.

Voiding rod

Mechanics

The voiding rod is a special fishing rod variant crafted with a fishing rod and Chorine. The voiding rod is used as a fishing rod in the void to acquire items from the void dimension or lost items.

Entities

Groundling

Groundlings are a burrowing rodent native to large outer end islands without End Anchor structures.

Behavior

Groundlings are neutral, but if the player steps near or jumps on the burrow's holes, groundlings may ambush the player and jump back into its burrow.

Geologies

Soil

Soil Crusts

Soil crust

Soil Crust is a block that naturally generates on Cracked Sand, Sand, Poor Dirt, Dirt, Degraded Farmland, Limestone, and any other block that cactus can grow on. [more to come]

Cracked sand

Special type of sand found in desert temples, deserts, badlands, and beaches [more to come]

Cracked dirt

Cracked dirt will from when mud is dried out in a biome with a temperature index >7. Cracked dirt also naturally spawns near deserts, near mangroves, and near badlands. [more to come]

Farmland variants

Fertilized Farmland

Farmland containing yellow specks, suitable for growing crops on. A 1.2x speed boost is applied. Fertilized farmland will remain fertilized for 3 rounds of crops, in which the fertilized farmland block will lose the yellow specks and turn into regular farmland

Poor Farmland

When farmland has been overused without proper fertilization; such as planting 3 rounds of crops without any amendments to the pre-existing soil, Farmland blocks will degrade into Poor Farmland, which stunts all plant growth on the farmlandRendering changes

Rendering of non-collidable objects or entities

Flora

I think we can all agree right now that the rendering function used to render flowers, plants, etc. has lots of space for improvement. The current fatal flaw for the rendering script that is currently in use uses 2 two-dimensional bitmaps of the rendered object that have been interwoven together like a “X”. To fix this, Strawberry Minecraft will overhaul the entire rendering script and make objects 3d, instead of interwoven 2d planes.

Cloudcover

Cloudcover now determines weather, with a new way to render clouds. Clouds are now more 3d, floating in the direction of the wind. Clouds are rendered via block models of pure white that are 32x32 pixels, so 2 blocks wide and 2 blocks tall.



Wind

Wind now has 3 levels:

-breeze

-gust

-cyclone

These 3 levels of wind will trigger different effects in rendering in the game. At wind level 1, grass and other flora as well as leaf falling particles will start to move in the direction of the wind (land breeze or sea breeze). At wind level 2, wind particles [see wind particles] will start to dot the lower atmosphere, and clouds will start picking up pace. Campfires at this wind level's smoke will start to drift in the direction of the wind. Torches may flicker from the strong gust. Rain starts to fall diagonally, which is more dramatic as the wind level increases. At wind level 3, torches become unusable, and dust particles will start to form near the ground. If sand, barren soil, or dirt is next to a grass block or other vegetation, it will die and turn into a dirt block. Standing down wind of snow will give you frostbite and not wearing wool armor in areas colder than 7 will slowly drain your health. Note that the player takes more hunger moving against the wind, but less hunger than usual moving in the same direction as the wind.

Particles

Wind particle

Wind particles render when wind levels are >1.



Tech Features

Terrain generation

Segmented generation method

Even though vanilla Minecraft uses a refined Perlin Noise biome generation, Strawberry Minecraft's cofounders have found a better method. The new method will first segment the entire world into adjacent superbiomes; an area that will eventually encompass many biomes of similar temperature. The superbiome containing spawn is given a random temperature ranging from 1(coldest) to 10(hottest). Then, when superbiomes adjacent to spawn are loaded in by the player, the adjacent superbiomes are given a temperature value like the temperature value of the spawn superbiome. After superbiome temperature values have been determined, Strawberry Minecraft will proceed to fragment the superbiome into normal biomes of that or similar temperature ranges.

New cave variants

Villager trades

Librarian

Instead of trading yellow and red candles as the master level trade for librarian [as of current version], librarians now trade jungle temple exploration maps, and an end island exploration map for locating End Anchors instead

Water

Water data values

Water has multiple new continuous data float (double) values between 0.0 and 5.0. These are:

Salinity

Water salinity. 0.0 to 1.25 is safe to drink, 1.25 to 2.5 is risky to drink, 2.5 to 3.0 is very risky to drink, and 3.0+ is undrinkable. Using charcoal to filter water is only effective if the salinity index is below 2.25, which will only reduce the salinity of the water by 0.1 for every filter. Evaporation also increases salinity, and once salinity exceeds 4.25, salt within the water will crash out and crystallize into halite

- 0.0 = Fresh
- 1.0 = Brackish
- 2.0 = Saline
- 3.0 = Seawater
- 4.0 = Brine
- 5.0 = Supersaturated

Temperature

The value for water is the water temperature in °C/20. Will not only mix with adjacent water, but also with the ground and air around it as well as the biome using temperature diffusion. Water with a value over 5 will evaporate instantly, but levels 4-5 also can evaporate slower. Water with a value of 0 or under will freeze unless near more water, making ice bottles and ice cauldrons. Laws of convection hold true, and hot water rises while cold water sinks; however, the two can mix.

Water and dirt effects

Mud

All dirt from within 2 blocks of radius from a block of water with a salinity < a salinity of 3 will transform into mud blocks, which sugar can be grown on. Note sugar can also grow submerged within water a maximum of 1 block deep

For dirt with a radius of 2 next water with a salinity value of 3 or > will transform into Hadal Dirt; which only specialized beach plants are able to grow on. Hadal sand and gravel also exist; but due to their coarse texture, both saline and fresh water can penetrate a radius of up to 7 blocks, depending on the temperature of the biome.

Weather

Snow

Precipitation is now instead of determined by the original, rigid function for checking current biome and altitude for generating snow, Strawberry Minecraft will now use a temperature and cloud cover check, with “snow” being a separate weather option instead of a variation of “rain” in Minecraft’s codeLocation

All weather is now determined by overhead cloud cover, meaning that instead of the entire world either precipitating or clear, now only Perlin Noise determined clouds determine the weather conditions below, giving the world a more dynamic feel

Weather forecaster

The weather forecaster is a craftable item requiring 4 copper ingots surrounding 1 redstone dust. The weather forecaster has 4 sections, rainy, snowy, overcast, and clear. Based on the forecast in the next 10 days, the weather forecaster’s pointer will rotate clockwise and point towards the current and future weather.

Additions

Fog

Fog is a new weather type that has a 20% chance of occurring before or after precipitation, especially snow. During fog, all surfaces within 300 blocks of a large water source and under a y level of 200 will have reduced render distance as well as overcast weather to give the game a gloomy look.



Overcast

Overcast weather occurs 10% of the time in biomes with a temperature index >7, 40% of the time with biomes with a temperature index from 4-6, and 60% of the time in biomes with a temperature index from 1-3.



Sound

Ambience

Overworld

Birds

Bird sounds now naturally occur near all trees except pale oaks, and especially occur in jungle, birch, and oak trees. Bird sounds depend on the biome, with toucans, paradise birds, macaws and hornbill chirps playing in jungles and dark oak forests, while sparrow, junco and more temperate bird sounds play in temperate biomes (4-6). Bird sounds decrease in frequency as the day goes on from morning.

Frogs

Frog sounds now play from late evening to after dusk in jungles, savannahs, birch forests, old growth birch forests, taigas, groves, old growth taigas, spruce forests (note does not play in pine forests), oak forests, forests, dark oak forests. Frogs can also now spawn in these biomes near water on mud.

Waves

Wave sounds now play if sand is in contact with a body of water with a salinity >2 and if the body of water exceeds the player's render distance. Wave sounds intensify if the wind level is >2.

Echoes

Echoing sounds now reverberate through areas sealed in that are deeper than a y level of 0. Echo sounds only play in dark areas.

Rain

Rain sounds now play differently if rain is hitting water, with a deeper muffled feel to the sound.

Thunder

Further away thunder will be more muffled and closer thunder is louder.

Appendices


Appendix A: Blocks

Appendix B: Items

Appendix C: Entities

Appendix D: Creation

Inventory 2x2 Crafting Recipes



-> Flint 

* Flint Scrap



If near open wound in tree, -> Flint dagger 



-> Flint Hatchet  ↻

*Plant Fiber




-> Dyed Candle 



-> Candle 

* Coconut oil

Crafting table 3x3 Crafting Recipes



-> Gem Cutter

* Raw Diamond

Appendix E: Raw changelog:

The following is the raw nbt data that will be used:

The update:

Update section [End update]

Subsection blocks:

Added Endillary Plant > Endillary Plant Family > nbt:<hasNectar?>,<didNaturalGenerate?>[needsSilkTouch=true]

Added Chorite ore //"Raw unrefined state is Chorite, Refined state is Chorine"

Added Chorine Block > Chorine Ore Block Family > nbt:<isChiseled?>,<isPolished?>,<isCracked>,<isStairs?>{<east?>,<west?>,<south?>,<north?>,<cornerIn?>,<cornerOut?>},<isSlab>{<topSlab?>,<bottomSlab?>},<verticleSlab?> //"Crafted from 9 Chorite shards, prob someone will use for decor"

Added Sensegrass Tuber > Sensegrass Tuber Family > nbt:<isCorrupted?>,<isDecor?>,<inHotBiome?>[Change palette] //"Will sense player and retract into tuber, outputs redstone signal on how far away player is"

Added End Vine > End Vine Family > nbt:<onTop?>,<onMiddle?>,<onBottom?>

Added Void Anchor > Void Anchor family > nbt:<charged1?>,<charged2?>,<charged3?>,<charged4?>

Subsection items:

Added Endillary nectar bottle [/Effect @s End_Immunity] //”Will be useful for levitation effect in end cities”

Added Recovery template //“Crafted with Chorite Shard and 7 diamonds”

Added Chorite Shard //”Obtained from mining Chorite Ore with

Added Potion of Sense //”Obtained by brewing with Sensegrass Tuber, still working out what will happen when drunk”

Added Void Rod //”Made by plating fishing rod; works in the void and will fish lost items out, low durability”

Subsection structures:

Added structure “\structure:end_anchor” //”Place for players to set respawn point in end, uses jigsaw generation”

Subsection generation:

Modified dim 1 terrain generation //”3d terrain generation for outer End Islands”

Modified dim 1 terrain generation //”<isDecor?> == false atributed Endillary plants having a 50% chance of generating on “\structure:end_anchor”

Modified dim 1 terrain generation //”End caves; 2 types”

Subsection entities:

Added “strawberrymc:groundling” //”Octopus like creature that will tunnel through endstone and ambush players (simmilar to evoker fangs)”

Subsection boolean events:

Now checking for blocks:

“strawberrymc:sensegrass_tuber” or “strawberrymc:sensegrass” ~~-1~ of “strawberrymc:sensegrass” during block updates

“minecraft:endstone” or “strawberrymc:chorus_hummus” or “minecraft:obsidian” ~~-1 of “strawberrymc:endillary_flower” or “strawberrymc:endillary_stem” during block updates

Now checking for entities:

“\natural_entity{}” on ~-1~-1~-1 to ~1~1~1 on “strawberrymc:sensegrass_tuber” containing attribute condition <isCorrupted?> == true, for running [/effect <target> blindness until //”Not fulfilling previous condition(s)]”,[/ damage <target>//”Take damage”]

Subsection existing mechanics/textures

Changed texture of block: “minecraft:string”: //”Lowered opacity of string texture”

Subsection nbt data:

Added attribute to block: “minecraft:endstone” : > Endstone Family > <isMited?>

Added attribute to block: “minecraft:sand”: > Sand Family > <inEndDim?> //”Attribute for sand in areas near Groundling spawns”

Added attribute to item: “minecraft:**<var>_shovel”: > Shovel Family > <isPlated?>

Added attribute to item: “minecraft:**<var>_sword”: > Sword Family > <isPlated?>

Added attribute to item: “minecraft:**<var>_hoe”: > Hoe Family > <isPlated?>

Added attribute to item: “minecraft:**<var>_axe”: > Axe Family > <isPlated?>

Added attribute to item: “minecraft:**<var>_pickaxe”: > Pickaxe Family > <isPlated?>

Added attribute to item: “minecraft:**<var>_spear”: > Spear Family > <isPlated?>

Added attribute to item: “minecraft:**<var>_mace”: > Mace Family > <isPlated?>

Added attribute to item: “minecraft:**<var>_bow”: > Bow Family > <isPlated?>

Added attribute to item: “minecraft:**<var>_crossbow”: > Crossbow Family > <isPlated?>

Added attribute to item: “minecraft:**<var>_trident”: > Trident Family > <isPlated?>

Added attribute to item: “minecraft:**<var>_trident”: > Flint Family > <isPlated?>

Subsection entity effects:

Added “strawberrymc:fritliosis” //”Revamped purple nausea”

Added “strawberrymc:effect_immunity” //”Self explanatory”

Subsection UI and commands:

For BE:

Added attribute to “/gamerule” with “MaxMinecartSpeed” with states == true, false

Added command “/tick” //”increase speed of everything, eg entity movement, etc.”

Update section [Terra]:

Subsection blocks:

Added Salt Block

Added Hollow Termite Mound Block

Added Occupied Termite Mound Block

Added “strawberrymc:cracked_sand”

Added “strawberrymc:biocrust” //”Sand/dirt biocrust”

Added “strawberrymc:poor_dirt” //”Note is not the same as pre-existing “minecraft:dirt””

Subsection items:

Added “strawberrymc:salt”

Added “strawberrymc:hollowed_*<var>_log

Added “strawberrymc:cracked_*<var>_planks

Added “strawberrymc:four_leaved_clover” //”1% drop rate from mining clover mat, used to brew potion of luck”

Added “strawberrymc:three_leaved_clover” //”Found in clover glades”

Added “strawberrymc:crab_claw” //”Used to reach further away”

Added “strawberrymc:wool_hood”

Added Wool Vest

Added Wool Pants

Added Wool Boots

Added Leaf Hat

Added Leaf Vest

Added Leaf Skirt

Added Leaf Pads

Subsection biomes:

Added “strawberrymc:clover_glades” //”

Subsection structures:

Added “\structure:gyeser” //”Generates on to of sulfur caves, has gyeser block”

Subsection entities:

Added “strawberrymc:termite”

Added “strawberrymc:crab”

Added “strawberrymc:athensissuperior”

Subsection boolean events:

“\natural_entities:sulfur_cube” with var [contain] == barrel //”portable moving storage”

Subsection nbt data:

Modified nbt data for previously “minecraft:dirt” to “minecraft:soil”

Added attribute to “minecraft:soil”: <isMud?>

Added attribute to “minecraft:soil”: <nextWaterR?>

Added attribute to “minecraft:farmland”: <isFertile?>,<isOkay?>,<isDegraded?>

Added subattribute to all variants of “minecraft:<var>_log: <isHollow?>,<hasTermites>,<hasBlock?>{//”All small hitbox items”}

Appendix F: Dictionary

[1]

[2] Meers: The plural form of Meerkats.

Comment thread