. ,.

8 2025

, ,

- .

Github pages.

- 1.
- 2
- 3. Git
- 4. URLs
- 5. Github pages.

- hugo (. 1).
- Github
- git
- Github pages

♥hugo_extended_0.144.2_Linux-64bit.tar.gz	17.8 MB	2 weeks ago
♦ hugo_extended_0.144.2_linux-amd64.deb	18.6 MB	2 weeks ago
♦ hugo_extended_0.144.2_linux-amd64.tar.gz	17.8 MB	2 weeks ago
♦ hugo_extended_0.144.2_linux-arm64.deb	17.1 MB	2 weeks ago
♦ hugo_extended_0.144.2_linux-arm64.tar.gz	16.4 MB	2 weeks ago
♦ hugo_extended_0.144.2_windows-amd64.zip	18.5 MB	2 weeks ago
♦ hugo_extended_withdeploy_0.144.2_darwin-universal.tar.gz	46.3 MB	2 weeks ago
♦ hugo_extended_withdeploy_0.144.2_Linux-64bit.tar.gz	23.9 MB	2 weeks ago
♦ hugo_extended_withdeploy_0.144.2_linux-amd64.deb	24.9 MB	2 weeks ago


5/11

blog (. 2).



##

(. 3).



URLs


Start your repository with a template repository's contents. Owner * Repository name * pikhtovnikova 🔻 pikhtovnikova.github.io pikhtovnikova.github.io is available. Great repository names are short and memorable. Need inspiration? How about probable-syste Description (optional) **Public** Anyone on the internet can see this repository. You choose who can commit. Private

. 4).

URLs

public blog,

gitignore publi (. 5).



URLs

```
public ( . 6).
```

```
pikhtovnikovaav@fedora:~/work/blog$ git submodule add -b main https://github.com
/pikhtovnikova/pikhtovnikova.github.io.git public
fatal: 'public' already exists and is not a valid git repo
```

Github pages.

public

```
( .7).

pikhtovnikovaav@fedora:~/work/blog$ cd public/
pikhtovnikovaav@fedora:~/work/blog/public$ git remote

origin
pikhtovnikovaav@fedora:~/work/blog/public$ git add .
pikhtovnikovaav@fedora:~/work/blog/public$ git commit -am "add cite"
```

pikhtovnikova.github.io,

■ Github pages

