

Cucumber Report

18 Dec 2023, 14:21:05

Start : Dec 18, 2:16:05.884 pm

End : Dec 18, 2:21:03.563 pm

Duration : 4 m 57.679 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 4
FAILED - 6
SKIPPED - 0


PASSED - 65
FAILED - 6
SKIPPED - 36




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Desktops Test</u>	4 m 41.073 s	7	1	6	0	95	53	6	36
<u>Top Menu Test</u>	16.593 s	3	3	0	0	12	12	0	0

#	Feature Name	Scenario Name
1	<u>Desktops Test</u>	<u>User should be able to verify that product is added to shopping cart successfully</u>
2		<u>User should be able to verify that product is added to shopping cart successfully</u>
3		<u>User should be able to verify that product is added to shopping cart successfully</u>
4		<u>User should be able to verify that product is added to shopping cart successfully</u>
5		<u>User should be able to verify that product is added to shopping cart successfully</u>
6		<u>User should be able to verify that product is added to shopping cart successfully</u>


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	10	4	6	0	2	1	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Desktops Test</u>	7	1	6	0	4 m 41.073 s
2	<u>Top Menu Test</u>	3	3	0	0	16.593 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Desktops Test</u>	<u>User should be able to verify the product arranged in alphabetical order</u>	5	5	0	0	27.547 s
2		<u>User should be able to verify that product is added to shopping cart successfully</u>	15	8	1	6	50.612 s
3		<u>User should be able to verify that product is added to shopping cart successfully</u>	15	8	1	6	45.766 s
4		<u>User should be able to verify that product is added to shopping cart successfully</u>	15	8	1	6	20.660 s
5		<u>User should be able to verify that product is added to shopping cart successfully</u>	15	8	1	6	30.068 s
6		<u>User should be able to verify that product is added to shopping cart successfully</u>	15	8	1	6	47.383 s
7		<u>User should be able to verify that product is added to shopping cart successfully</u>	15	8	1	6	58.920 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Top Menu Test</u>	<u>User should be able to navigate to Desktops menu successfully</u>	4	4	0	0	5.639 s
9		<u>User should be able to navigate to LaptopsAndNotebooks menu successfully</u>	4	4	0	0	5.357 s
10		<u>User should be able to navigate to Components menu successfully</u>	4	4	0	0	5.583 s

Desktops Test



<div>FAILED</div> <div>DURATION - 4 m 41.073 s</div>		<div>Scenarios</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 6</div> <div>Skip - 0</div>		<div></div>		<div>Steps</div> <div>Total - 95</div> <div>Pass - 53</div> <div>Fail - 6</div> <div>Skip - 36</div>		<div></div>	
/ 2:16:05.884 pm // 2:20:46.957 pm /									

User should be able to verify the product arranged in alphabetical order

<div>PASSED</div> <div>DURATION - 27.547 s</div>		Steps	
/ 2:16:05.887 pm // 2:16:33.434 pm /		Total - 5	
Desktops Test		Pass - 5	
@regression		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover and click on Desktops tab	PASSED	0.238 s
3	And I pass selectMenu method name "Show AllDesktops"	PASSED	6.444 s
4	And I select sort by position "Name (Z - A)"	PASSED	0.653 s
5	Then I should be able to verify that the product is arranged in descending order	PASSED	0.480 s

User should be able to verify that product is added to shopping cart successfully

<div>FAILED</div> <div>DURATION - 50.612 s</div>			<div>Steps</div> <div>Total - 15</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 2:16:33.477 pm // 2:17:24.089 pm /				
Desktops Test				
@regression				



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover and click on Currency Dropdown	PASSED	0.062 s
3	And I mouse hover and click on £Pound Sterling	PASSED	0.691 s
4	When I mouse hover and click on Desktops tab	PASSED	0.165 s
5	And I pass selectMenu method name "Show AllDesktops"	PASSED	1.185 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.496 s
7	And I click on "HTC Touch HD"	PASSED	0.000 s
8	And I verify the text "HTC Touch HD"	PASSED	0.068 s
9	And I enter qty "1"	FAILED	40.133 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='input-quantity']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [44e0f6f5fb4d3c366b3be8b593df1b6d, findElement {using=xpath, value=//input[@id='input-quantity']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\halva\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55638}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55638/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 44e0f6f5fb4d3c366b3be8b593df1b6d

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source)

#	Step / Hook Details	Status	Duration
	at com.tutorialsninja.demo.utility.Utility.sendTextToElement(Utility.java:75) at com.tutorialsninja.demo.pages.DesktopsPage.enterQuantity(DesktopsPage.java:180) at com.tutorialsninja.demo.steps.DesktopsTestSteps.iEnterQty(DesktopsTestSteps.java:43) at ?.I enter qty "1"(file:///C:/Users/halva/IdeaProjects/tutorialsninja-demo-sw-6/src/test/resources/features/desktopstest.feature:23) * Not displayable characters are replaced by '?'.		
10	And I click on "Add to Cart" button	SKIPPED	0.001 s
11	And I verify the message "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.001 s
12	And I click on link "shopping cart"	SKIPPED	0.001 s
13	Then I Verify the Product name "HTC Touch HD"	SKIPPED	0.001 s
14	And I Verify the Model "Product 1"	SKIPPED	0.001 s
15	And I Verify the Todal "£74.73"	SKIPPED	0.001 s

User should be able to verify that product is added to shopping cart successfully



FAILED	DURATION - 45.766 s		Steps Total - 15 Pass - 8 Fail - 1 Skip - 6	
/ 2:17:24.110 pm // 2:18:09.876 pm /				
Desktops Test				
@regression				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover and click on Currency Dropdown	PASSED	0.103 s
3	And I mouse hover and click on £Pound Sterling	PASSED	1.710 s
4	When I mouse hover and click on Desktops tab	PASSED	0.166 s
5	And I pass selectMenu method name "Show AllDesktops"	PASSED	5.331 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.848 s
7	And I click on "iPhone"	PASSED	0.000 s
8	And I verify the text "iPhone"	PASSED	0.064 s
9	And I enter qty "1"	FAILED	24.285 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //input[@id='input-quantity'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver		

#	Step / Hook Details	Status	Duration
	<p>info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) at com.tutorialsninja.demo.utility.Utility.sendTextToElement(Utility.java:75) at com.tutorialsninja.demo.pages.DesktopsPage.enterQuantity(DesktopsPage.java:180) at com.tutorialsninja.demo.steps.DesktopsTestSteps.iEnterQty(DesktopsTestSteps.java:43) at ?.I enter qty "1"(file:///C:/Users/halva/IdeaProjects/tutorialsninja-demo-sw-6/src/test/resources/features/desktopstest.feature:23) * Not displayable characters are replaced by '?'. </p>		
10	And I click on "Add to Cart" button	SKIPPED	0.000 s
11	And I verify the message "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
12	And I click on link "shopping cart"	SKIPPED	0.001 s
13	Then I Verify the Product name "iPhone"	SKIPPED	0.000 s
14	And I Verify the Model "product 11"	SKIPPED	0.001 s
15	And I Verify the Todal "£75.46"	SKIPPED	0.000 s
	<p>AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6bd000b0cd7c36066d8b946a7fba5019, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\halva\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55683}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55683/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6bd000b0cd7c36066d8b946a7fba5019 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) </p>	FAILED	0.013 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.tutorialsninja.demo.utility.Utility.getScreenShot(Utility.java:357) at com.tutorialsninja.demo.steps.Hooks.tearDown(Hooks.java:17) </pre>		

User should be able to verify that product is added to shopping cart successfully



<div>FAILED</div> <div>DURATION - 20.660 s</div>			<div>Steps</div> <div>Total - 15</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 2:18:09.891 pm // 2:18:30.551 pm /				
Desktops Test				
@regression				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover and click on Currency Dropdown	PASSED	0.070 s
3	And I mouse hover and click on £Pound Sterling	PASSED	0.678 s
4	When I mouse hover and click on Desktops tab	PASSED	0.161 s
5	And I pass selectMenu method name "Show AllDesktops"	PASSED	1.183 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.478 s
7	And I click on "iPod Classic"	PASSED	0.000 s
8	And I verify the text "iPod Classic"	PASSED	0.041 s
9	And I enter qty "1"	FAILED	11.128 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db2481447ae7bfc4e068d051024e48a4, findElement {using=xpath, value=//input[@id='input-quantity']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\halva\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55725}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55725/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, </pre>		

#	Step / Hook Details	Status	Duration
	<p>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db2481447ae7bfc4e068d051024e48a4</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) at com.tutorialsninja.demo.utility.Utility.sendTextToElement(Utility.java:75) at com.tutorialsninja.demo.pages.DesktopsPage.enterQuantity(DesktopsPage.java:180) at com.tutorialsninja.demo.steps.DesktopsTestSteps.iEnterQty(DesktopsTestSteps.java:43) at ?.I enter qty "1"(file:///C:/Users/halva/IdeaProjects/tutorialsninja-demo-sw-6/src/test/resources/features/desktopstest.feature:23)</p> <p>* Not displayable characters are replaced by '?'. </p>		
10	And I click on "Add to Cart" button	SKIPPED	0.002 s
11	And I verify the message "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
12	And I click on link "shopping cart"	SKIPPED	0.001 s
13	Then I Verify the Product name "iPod Classic"	SKIPPED	0.000 s
14	And I Verify the Model "product 20"	SKIPPED	0.001 s
15	And I Verify the Todal "£74.73"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.008 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db2481447ae7bfc4e068d051024e48a4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\halva\AppData\Loca...},</p>		

#	Step / Hook Details	Status	Duration
	<p>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55725}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55725/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db2481447ae7bfc4e068d051024e48a4</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.tutorialsninja.demo.utility.Utility.getScreenShot(Utility.java:357) at com.tutorialsninja.demo.steps.Hooks.tearDown(Hooks.java:17)</p>		

User should be able to verify that product is added to shopping cart successfully



<div>FAILED</div> <div>DURATION - 30.068 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 2:18:30.558 pm // 2:19:00.626 pm /</div>				
<div>Desktops Test</div>				
<div>@regression</div>				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover and click on Currency Dropdown	PASSED	0.053 s
3	And I mouse hover and click on £Pound Sterling	PASSED	0.751 s
4	When I mouse hover and click on Desktops tab	PASSED	0.172 s

#	Step / Hook Details	Status	Duration
5	And I pass selectMenu method name "Show AllDesktops"	PASSED	1.342 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.545 s
7	And I click on "MacBook"	PASSED	0.000 s
8	And I verify the text "MacBook"	PASSED	0.046 s
9	<p>And I enter qty "1"</p> <p>org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //input[@id='input-quantity'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver</p> <pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) at com.tutorialsninja.demo.utility.Utility.sendTextToElement(Utility.java:75) at com.tutorialsninja.demo.pages.DesktopsPage.enterQuantity(DesktopsPage.java:180) at com.tutorialsninja.demo.steps.DesktopsTestSteps.iEnterQty(DesktopsTestSteps.java:43) at ?.I enter qty "1"(file:///C:/Users/halva/IdeaProjects/tutorialsninja-demo-sw-6/src/test/resources/features/desktopstest.feature:23) </pre> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	22.697 s
10	And I click on "Add to Cart" button	SKIPPED	0.001 s
11	And I verify the message "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
12	And I click on link "shopping cart"	SKIPPED	0.000 s
13	Then I Verify the Product name "MacBook"	SKIPPED	0.000 s
14	And I Verify the Model "Product 16"	SKIPPED	0.000 s
15	And I Verify the Todal "£368.73"	SKIPPED	0.001 s
	<p>AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [974a413d439d04c981ec5df50e937e68, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\halva\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55753}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55753/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 974a413d439d04c981ec5df50e937e68</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) </pre>	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.tutorialsninja.demo.utility.Utility.getScreenShot(Utility.java:357) at com.tutorialsninja.demo.steps.Hooks.tearDown(Hooks.java:17) </pre>		

User should be able to verify that product is added to shopping cart successfully

FAILED	DURATION - 47.383 s		Steps Total - 15 Pass - 8 Fail - 1 Skip - 6	
/ 2:19:00.639 pm // 2:19:48.022 pm /				
Desktops Test				
@regression				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover and click on Currency Dropdown	PASSED	0.063 s
3	And I mouse hover and click on £Pound Sterling	PASSED	0.688 s
4	When I mouse hover and click on Desktops tab	PASSED	0.165 s
5	And I pass selectMenu method name "Show AllDesktops"	PASSED	1.208 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.476 s
7	And I click on "MacBook Air"	PASSED	0.000 s
8	And I verify the text "MacBook Air"	PASSED	0.041 s

#	Step / Hook Details	Status	Duration
9	<p>And I enter qty "1"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='input-quantity']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [783d1434ff9c1148aa072e2317c387fd, findElement {using=xpath, value=//input[@id='input-quantity']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\halva\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55788}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:55788/devtoo..., se.cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 783d1434ff9c1148aa072e2317c387fd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) at com.tutorialsninja.demo.utility.Utility.sendTextToElement(Utility.java:75) at com.tutorialsninja.demo.pages.DesktopsPage.enterQuantity(DesktopsPage.java:180) at com.tutorialsninja.demo.steps.DesktopsTestSteps.iEnterQty(DesktopsTestSteps.java:43) at ?.I enter qty "1"(file:///C:/Users/halva/IdeaProjects/tutorialsninja-demo-sw-6/src/test/resources/features/desktopstest.feature:23) * Not displayable characters are replaced by '?'. </pre>	FAILED	40.077 s
10	And I click on "Add to Cart" button	SKIPPED	0.000 s
11	And I verify the message "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
12	And I click on link "shopping cart"	SKIPPED	0.000 s
13	Then I Verify the Product name "MacBook Air"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
14	And I Verify the Model "Product 17"	SKIPPED	0.000 s
15	And I Verify the Total "£736.23"	SKIPPED	0.000 s

User should be able to verify that product is added to shopping cart successfully

FAILED	DURATION - 58.920 s	<table><caption>Test Results Summary</caption><thead><tr><th>Step</th><th>Status</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>Pass</td><td>0.000</td></tr><tr><td>2</td><td>Pass</td><td>0.048</td></tr><tr><td>3</td><td>Pass</td><td>0.707</td></tr><tr><td>4</td><td>Pass</td><td>0.157</td></tr><tr><td>5</td><td>Pass</td><td>8.296</td></tr><tr><td>6</td><td>Pass</td><td>0.800</td></tr><tr><td>7</td><td>Pass</td><td>0.000</td></tr><tr><td>8</td><td>Pass</td><td>0.070</td></tr><tr><td>9</td><td>Failed</td><td>40.157</td></tr><tr><td>10</td><td>Pass</td><td>0.000</td></tr><tr><td>11</td><td>Pass</td><td>0.000</td></tr><tr><td>12</td><td>Pass</td><td>0.000</td></tr><tr><td>13</td><td>Pass</td><td>0.000</td></tr><tr><td>14</td><td>Pass</td><td>0.000</td></tr><tr><td>15</td><td>Pass</td><td>0.000</td></tr></tbody></table>	Step	Status	Duration (s)	1	Pass	0.000	2	Pass	0.048	3	Pass	0.707	4	Pass	0.157	5	Pass	8.296	6	Pass	0.800	7	Pass	0.000	8	Pass	0.070	9	Failed	40.157	10	Pass	0.000	11	Pass	0.000	12	Pass	0.000	13	Pass	0.000	14	Pass	0.000	15	Pass	0.000	Steps Total - 15 Pass - 8 Fail - 1 Skip - 6	
Step	Status		Duration (s)																																																	
1	Pass		0.000																																																	
2	Pass		0.048																																																	
3	Pass	0.707																																																		
4	Pass	0.157																																																		
5	Pass	8.296																																																		
6	Pass	0.800																																																		
7	Pass	0.000																																																		
8	Pass	0.070																																																		
9	Failed	40.157																																																		
10	Pass	0.000																																																		
11	Pass	0.000																																																		
12	Pass	0.000																																																		
13	Pass	0.000																																																		
14	Pass	0.000																																																		
15	Pass	0.000																																																		
/ 2:19:48.037 pm // 2:20:46.957 pm /																																																				
Desktops Test																																																				
@regression																																																				



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover and click on Currency Dropdown	PASSED	0.048 s
3	And I mouse hover and click on £Pound Sterling	PASSED	0.707 s
4	When I mouse hover and click on Desktops tab	PASSED	0.157 s
5	And I pass selectMenu method name "Show AllDesktops"	PASSED	8.296 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.800 s
7	And I click on "Sony VAIO"	PASSED	0.000 s
8	And I verify the text "Sony VAIO"	PASSED	0.070 s
9	And I enter qty "1"	FAILED	40.157 s


org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='input-quantity']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9f88933f7d3d0bc6baf54d0cd13ca62, findElement {using=xpath, value=//input[@id='input-quantity']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\halva\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55831}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55831/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9f88933f7d3d0bc6baf54d0cd13ca62

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) at com.tutorialsninja.demo.utility.Utility.sendTextToElement(Utility.java:75) at com.tutorialsninja.demo.pages.DesktopsPage.enterQuantity(DesktopsPage.java:180) at com.tutorialsninja.demo.steps.DesktopsTestSteps.iEnterQty(DesktopsTestSteps.java:43) at ?.I enter qty "1"(file:///C:/Users/halva/IdeaProjects/tutorialsninja-demo-sw-6/src/test/resources/features/desktopstest.feature:23) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
10	And I click on "Add to Cart" button	SKIPPED	0.000 s
11	And I verify the message "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
12	And I click on link "shopping cart"	SKIPPED	0.000 s
13	Then I Verify the Product name "Sony VAIO"	SKIPPED	0.000 s
14	And I Verify the Model "Product 19"	SKIPPED	0.000 s
15	And I Verify the Todal "£736.23"	SKIPPED	0.000 s

Top Menu Test

PASSED		DURATION - 16.593 s		Scenarios		Steps	
/ 2:20:46.970 pm // 2:21:03.563 pm /		Total - 3 Pass - 3 Fail - 0 Skip - 0				Total - 12 Pass - 12 Fail - 0 Skip - 0	
							

User should be able to navigate to Desktops menu successfully

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover and click on Desktops tab	PASSED	0.152 s
3	And I pass selectMenu method name "Show AllDesktops"	PASSED	0.976 s
4	Then I should be able to verify Desktops text	PASSED	0.056 s

User should be able to navigate to LaptopsAndNotebooks menu successfully

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover and click on Laptops & Notebooks tab	PASSED	0.176 s
3	And I pass selectMenu method name "Show AllLaptops & Notebooks"	PASSED	0.693 s
4	Then I should be able to verify Laptops & Notebooks text	PASSED	0.051 s

User should be able to navigate to Components menu successfully


PASSED

DURATION - 5.583 s

/ 2:20:57.980 pm // 2:21:03.563 pm /

Top Menu Test

@regression




Steps

Total - 4

Pass - 4

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover and click on Components tab	PASSED	0.170 s
3	And I pass selectMenu method name "Show AllComponents"	PASSED	0.754 s
4	Then I should be able to verify Components text	PASSED	0.059 s