

# Cucumber Report

18 Dec 2023, 15:42:55

Start : Dec 18, 3:37:13.355 pm

End : Dec 18, 3:42:53.973 pm

Duration : 5 m 40.618 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 4  
FAILED - 6  
SKIPPED - 0


PASSED - 65  
FAILED - 6  
SKIPPED - 36




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Desktops Test</u>	5 m 4.371 s	7	1	6	0	95	53	6	36
<u>Top Menu Test</u>	36.196 s	3	3	0	0	12	12	0	0

#	Feature Name	Scenario Name
1	<u>Desktops Test</u>	<u>User should be able to verify that product is added to shopping cart successfully</u>
2		<u>User should be able to verify that product is added to shopping cart successfully</u>
3		<u>User should be able to verify that product is added to shopping cart successfully</u>
4		<u>User should be able to verify that product is added to shopping cart successfully</u>
5		<u>User should be able to verify that product is added to shopping cart successfully</u>
6		<u>User should be able to verify that product is added to shopping cart successfully</u>


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	10	4	6	0	2	1	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Desktops Test</u>	7	1	6	0	5 m 4.371 s
2	<u>Top Menu Test</u>	3	3	0	0	36.196 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Desktops Test</u>	<u>User should be able to verify the product arranged in alphabetical order</u>	5	5	0	0	10.434 s
2		<u>User should be able to verify that product is added to shopping cart successfully</u>	15	8	1	6	49.287 s
3		<u>User should be able to verify that product is added to shopping cart successfully</u>	15	8	1	6	48.456 s
4		<u>User should be able to verify that product is added to shopping cart successfully</u>	15	8	1	6	1 m 18.098 s
5		<u>User should be able to verify that product is added to shopping cart successfully</u>	15	8	1	6	48.229 s
6		<u>User should be able to verify that product is added to shopping cart successfully</u>	15	8	1	6	46.100 s
7		<u>User should be able to verify that product is added to shopping cart successfully</u>	15	8	1	6	23.618 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Top Menu Test	User should be able to navigate to Desktops menu successfully	4	4	0	0	22.590 s
9		User should be able to navigate to LaptopsAndNotebooks menu successfully	4	4	0	0	7.303 s
10		User should be able to navigate to Components menu successfully	4	4	0	0	6.290 s

## Desktops Test



<div>FAILED</div> <div>DURATION - 5 m 4.371 s</div>		Scenarios	<div><div></div></div>	Steps	<div><div></div></div>
/ 3:37:13.355 pm // 3:42:17.726 pm /		Total - 7	7	Total - 95	95
		Pass - 1		Pass - 53	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 36	

### User should be able to verify the product arranged in alphabetical order

<div>PASSED</div> <div>DURATION - 10.434 s</div>		Steps	
/ 3:37:13.362 pm // 3:37:23.796 pm /		Total - 5	
Desktops Test		Pass - 5	
@regression		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover and click on Desktops tab	PASSED	0.235 s
3	And I pass selectMenu method name "Show AllDesktops"	PASSED	1.742 s
4	And I select sort by position "Name (Z - A)"	PASSED	0.821 s
5	Then I should be able to verify that the product is arranged in descending order	PASSED	0.483 s

### User should be able to verify that product is added to shopping cart successfully

<div>FAILED</div> <div>DURATION - 49.287 s</div>			Steps	
/ 3:37:23.837 pm // 3:38:13.124 pm /			Total - 15	
Desktops Test			Pass - 8	
@regression			Fail - 1	
			Skip - 6	





#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover and click on Currency Dropdown	PASSED	0.112 s
3	And I mouse hover and click on £Pound Sterling	PASSED	0.807 s
4	When I mouse hover and click on Desktops tab	PASSED	0.209 s
5	And I pass selectMenu method name "Show AllDesktops"	PASSED	1.083 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.746 s
7	And I click on "HTC Touch HD"	PASSED	0.002 s
8	And I verify the text "HTC Touch HD"	PASSED	0.099 s
9	And I enter qty "1"	FAILED	40.107 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='input-quantity']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [Occ043f4f6a52860d01e71a917868b85, findElement {using=xpath, value=//input[@id='input-quantity']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\halva\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58454}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58454/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: Occ043f4f6a52860d01e71a917868b85

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  
at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  
at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source)

#	Step / Hook Details	Status	Duration
	at com.tutorialsninja.demo.utility.Utility.sendTextToElement(Utility.java:75) at com.tutorialsninja.demo.pages.DesktopsPage.enterQuantity(DesktopsPage.java:179) at com.tutorialsninja.demo.steps.DesktopsTestSteps.iEnterQty(DesktopsTestSteps.java:43) at ?.I enter qty "1"(file:///C:/Users/halva/IdeaProjects/tutorialsninja-demo-sw-6/src/test/resources/features/desktopstest.feature:23) * Not displayable characters are replaced by '?'.		
10	And I click on "Add to Cart" button	SKIPPED	0.000 s
11	And I verify the message "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
12	And I click on link "shopping cart"	SKIPPED	0.000 s
13	Then I Verify the Product name "HTC Touch HD"	SKIPPED	0.000 s
14	And I Verify the Model "Product 1"	SKIPPED	0.001 s
15	And I Verify the Todal "£74.73"	SKIPPED	0.000 s



### User should be able to verify that product is added to shopping cart successfully

<div>FAILED</div> <div>DURATION - 48.456 s</div>			<div>Steps</div> <div>Total - 15</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 6</div>	
<div>/ 3:38:13.152 pm // 3:39:01.608 pm /</div>				
<div>Desktops Test</div>				
<div>@regression</div>				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.004 s
2	When I mouse hover and click on Currency Dropdown	PASSED	0.167 s
3	And I mouse hover and click on £Pound Sterling	PASSED	0.860 s
4	When I mouse hover and click on Desktops tab	PASSED	0.224 s
5	And I pass selectMenu method name "Show AllDesktops"	PASSED	1.117 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.786 s
7	And I click on "iPhone"	PASSED	0.001 s
8	And I verify the text "iPhone"	PASSED	0.098 s
9	And I enter qty "1"	FAILED	40.098 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@id='input-quantity']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name:		

#	Step / Hook Details	Status	Duration
	<p>'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cdcdca07632201928c5a18b816a97089, findElement {using=xpath, value=//input[@id='input-quantity']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\halva\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58498/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cdcdca07632201928c5a18b816a97089</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source)  at com.tutorialsninja.demo.utility.Utility.sendTextToElement(Utility.java:75)  at com.tutorialsninja.demo.pages.DesktopsPage.enterQuantity(DesktopsPage.java:179)  at com.tutorialsninja.demo.steps.DesktopsTestSteps.iEnterQty(DesktopsTestSteps.java:43)  at ?.I enter qty "1"(file:///C:/Users/halva/IdeaProjects/tutorialsninja-demo-sw-6/src/test/resources/features/desktopstest.feature:23)</p> <p>* Not displayable characters are replaced by '?'.</p>		
10	And I click on "Add to Cart" button	SKIPPED	0.002 s
11	And I verify the message "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.001 s
12	And I click on link "shopping cart"	SKIPPED	0.002 s
13	Then I Verify the Product name "iPhone"	SKIPPED	0.001 s
14	And I Verify the Model "product 11"	SKIPPED	0.001 s
15	And I Verify the Todal "£75.46"	SKIPPED	0.000 s

## User should be able to verify that product is added to shopping cart successfully

<div>FAILED</div>	<div>DURATION - 1 m 18.098 s</div>	<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 3:39:01.624 pm // 3:40:19.722 pm /</div>				
<div>Desktops Test</div>				
<div>@regression</div>				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover and click on Currency Dropdown	PASSED	0.206 s
3	And I mouse hover and click on £Pound Sterling	PASSED	1.145 s
4	When I mouse hover and click on Desktops tab	PASSED	0.248 s
5	And I pass selectMenu method name "Show AllDesktops"	PASSED	6.715 s
6	And I select sort by position "Name (A - Z)"	PASSED	1.331 s
7	And I click on "iPod Classic"	PASSED	0.001 s
8	And I verify the text "iPod Classic"	PASSED	0.090 s
9	And I enter qty "1"	FAILED	40.102 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='input-quantity']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [df98fda102971c3336bb189061c8444e, findElement {using=xpath, value=//input[@id='input-quantity']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\halva\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58543}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:58543/devtoo..., se.cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: df98fda102971c3336bb189061c8444e

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy2.sendKeys(Unknown Source) at com.tutorialsninja.demo.utility.Utility.sendTextToElement(Utility.java:75) at com.tutorialsninja.demo.pages.DesktopsPage.enterQuantity(DesktopsPage.java:179) at com.tutorialsninja.demo.steps.DesktopsTestSteps.iEnterQty(DesktopsTestSteps.java:43) at ?.I enter qty "1"(file:///C:/Users/halva/IdeaProjects/tutorialsninja-demo-sw-6/src/test/resources/features/desktopstest.feature:23) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
10	And I click on "Add to Cart" button	SKIPPED	0.000 s
11	And I verify the message "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
12	And I click on link "shopping cart"	SKIPPED	0.001 s
13	Then I Verify the Product name "iPod Classic"	SKIPPED	0.000 s
14	And I Verify the Model "product 20"	SKIPPED	0.000 s
15	And I Verify the Total "£74.73"	SKIPPED	0.000 s

### User should be able to verify that product is added to shopping cart successfully



<b>FAILED</b> DURATION - 48.229 s / 3:40:19.744 pm // 3:41:07.973 pm / Desktops Test @regression		Steps Total - 15 Pass - 8 Fail - 1 Skip - 6	
--	--	---	--

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover and click on Currency Dropdown	PASSED	0.109 s

#	Step / Hook Details	Status	Duration
3	And I mouse hover and click on £Pound Sterling	PASSED	0.766 s
4	When I mouse hover and click on Desktops tab	PASSED	0.310 s
5	And I pass selectMenu method name "Show AllDesktops"	PASSED	0.874 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.677 s
7	And I click on "MacBook"	PASSED	0.001 s
8	And I verify the text "MacBook"	PASSED	0.073 s
9	And I enter qty "1"	FAILED	40.157 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='input-quantity']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4e3f4a0502524a4f053957874ff934b1, findElement {using=xpath, value=//input[@id='input-quantity']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\halva\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58683}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58683/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4e3f4a0502524a4f053957874ff934b1</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source)  at com.tutorialsninja.demo.utility.Utility.sendTextToElement(Utility.java:75)  at com.tutorialsninja.demo.pages.DesktopsPage.enterQuantity(DesktopsPage.java:179)</p>		

#	Step / Hook Details	Status	Duration
	at com.tutorialsninja.demo.steps.DesktopsTestSteps.iEnterQty(DesktopsTestSteps.java:43) at ?.I enter qty "1"(file:///C:/Users/halva/IdeaProjects/tutorialsninja-demo-sw-6/src/test/resources/features/desktopstest.feature:23) * Not displayable characters are replaced by '?'.		
10	And I click on "Add to Cart" button	SKIPPED	0.001 s
11	And I verify the message "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
12	And I click on link "shopping cart"	SKIPPED	0.000 s
13	Then I Verify the Product name "MacBook"	SKIPPED	0.001 s
14	And I Verify the Model "Product 16"	SKIPPED	0.000 s
15	And I Verify the Total "£368.73"	SKIPPED	0.001 s

### User should be able to verify that product is added to shopping cart successfully

<div>FAILED</div> <div>DURATION - 46.100 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 3:41:07.985 pm // 3:41:54.085 pm /</div>				
<div>Desktops Test</div>				
<div>@regression</div>				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover and click on Currency Dropdown	PASSED	0.097 s
3	And I mouse hover and click on £Pound Sterling	PASSED	1.570 s
4	When I mouse hover and click on Desktops tab	PASSED	0.203 s
5	And I pass selectMenu method name "Show AllDesktops"	PASSED	6.520 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.883 s
7	And I click on "MacBook Air"	PASSED	0.001 s
8	And I verify the text "MacBook Air"	PASSED	0.071 s
9	And I enter qty "1"  org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //input[@id='input-quantity'] For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168)	FAILED	22.056 s





#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) at com.tutorialsninja.demo.utility.Utility.sendTextToElement(Utility.java:75) at com.tutorialsninja.demo.pages.DesktopsPage.enterQuantity(DesktopsPage.java:179) at com.tutorialsninja.demo.steps.DesktopsTestSteps.iEnterQty(DesktopsTestSteps.java:43) at ?.I enter qty "1"(file:///C:/Users/halva/IdeaProjects/tutorialsninja-demo-sw-6/src/test/resources/features/desktopstest.feature:23) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
10	And I click on "Add to Cart" button	SKIPPED	0.001 s
11	And I verify the message "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.001 s
12	And I click on link "shopping cart"	SKIPPED	0.002 s
13	Then I Verify the Product name "MacBook Air"	SKIPPED	0.001 s
14	And I Verify the Model "Product 17"	SKIPPED	0.002 s
15	And I Verify the Todal "£736.23"	SKIPPED	0.000 s
	<p>AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a21228dc40d3ff434043a47fa0fc4702, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\halva\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58877}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58877/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a21228dc40d3ff434043a47fa0fc4702 </pre> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) </pre>	FAILED	0.052 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.tutorialsninja.demo.utility.Utility.getScreenShot(Utility.java:357) at com.tutorialsninja.demo.steps.Hooks.tearDown(Hooks.java:17)		

### User should be able to verify that product is added to shopping cart successfully



<div>FAILED</div> <div>DURATION - 23.618 s</div>			<div>Steps</div> <div>Total - 15</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 3:41:54.108 pm // 3:42:17.726 pm /				
Desktops Test				
@regression				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover and click on Currency Dropdown	PASSED	0.104 s
3	And I mouse hover and click on £Pound Sterling	PASSED	0.807 s
4	When I mouse hover and click on Desktops tab	PASSED	0.197 s
5	And I pass selectMenu method name "Show AllDesktops"	PASSED	1.305 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.794 s
7	And I click on "Sony VAIO"	PASSED	0.001 s
8	And I verify the text "Sony VAIO"	PASSED	0.081 s
9	And I enter qty "1"	FAILED	12.847 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [12087a31af855a4bc70f87d47a6ba7bc, findElement {using=xpath, value=//input[@id='input-quantity']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\halva\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58918}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58918/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		



#	Step / Hook Details	Status	Duration
	<p>12087a31af855a4bc70f87d47a6ba7bc</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) at com.tutorialsninja.demo.utility.Utility.sendTextToElement(Utility.java:75) at com.tutorialsninja.demo.pages.DesktopsPage.enterQuantity(DesktopsPage.java:179) at com.tutorialsninja.demo.steps.DesktopsTestSteps.iEnterQty(DesktopsTestSteps.java:43) at ?.I enter qty "1"(file:///C:/Users/halva/IdeaProjects/tutorialsninja-demo-sw-6/src/test/resources/features/desktopstest.feature:23) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
10	And I click on "Add to Cart" button	SKIPPED	0.000 s
11	And I verify the message "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
12	And I click on link "shopping cart"	SKIPPED	0.000 s
13	Then I Verify the Product name "Sony VAIO"	SKIPPED	0.000 s
14	And I Verify the Model "Product 19"	SKIPPED	0.000 s
15	And I Verify the Todal "£736.23"	SKIPPED	0.001 s
	<p>AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [12087a31af855a4bc70f87d47a6ba7bc, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\halva\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58918}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58918/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, </pre>	FAILED	0.026 s

#	Step / Hook Details	Status	Duration
	<p>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 12087a31af855a4bc70f87d47a6ba7bc</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)  at com.tutorialsninja.demo.utility.Utility.getScreenShot(Utility.java:357)  at com.tutorialsninja.demo.steps.Hooks.tearDown(Hooks.java:17)</p>		

## Top Menu Test



<b>PASSED</b>	<b>DURATION - 36.196 s</b>	<b>Scenarios</b>		<b>Steps</b>	
/ 3:42:17.777 pm // 3:42:53.973 pm /		Total - 3		Total - 12	
		Pass - 3	3	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User should be able to navigate to Desktops menu successfully

<div>PASSED</div>	<div>DURATION - 22.590 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 3:42:17.777 pm // 3:42:40.367 pm /</div>				
<div>Top Menu Test</div>				
<div>@regression</div>				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover and click on Desktops tab	PASSED	0.211 s
3	And I pass selectMenu method name "Show AllDesktops"	PASSED	5.537 s
4	Then I should be able to verify Desktops text	PASSED	0.094 s

### User should be able to navigate to LaptopsAndNotebooks menu successfully

<div>PASSED</div>	<div>DURATION - 7.303 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:42:40.374 pm // 3:42:47.677 pm /</div>				
<div>Top Menu Test</div>				
<div>@regression</div>				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover and click on Laptops & Notebooks tab	PASSED	0.261 s
3	And I pass selectMenu method name "Show AllLaptops & Notebooks"	PASSED	0.951 s
4	Then I should be able to verify Laptops & Notebooks text	PASSED	0.079 s

### User should be able to navigate to Components menu successfully


PASSED

DURATION - 6.290 s

/ 3:42:47.683 pm // 3:42:53.973 pm /

Top Menu Test

@regression




Steps

Total - 4

Pass - 4

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover and click on Components tab	PASSED	0.340 s
3	And I pass selectMenu method name "Show AllComponents"	PASSED	0.820 s
4	Then I should be able to verify Components text	PASSED	0.085 s