


Original – API

Objective: Integration partner Dispatch Original Software

Format: JSON

Respons.: Rogerio

Rev.: 07/04/2025



1. Format JSON (Web Service – POST (preferred) or GET)
2. IP and Port: One server for each client

Example endpoint: <https://vm1d.taxifone.com.br:8893/getOffer?>

POST Header: authorization: Basic Original_2024

WebServices - Methods

Calls (Partners -> Original)

Successful return standardization and errors

https code	Meaning	Comments
200	OK	Standard response for successful HTTPs requests.
500	Internal error	A generic error message Entity body may contain an error structure for more details on the error - optional

getOffer

- requests the best available car according to the customer's position and their preferences. It also returns the estimated value of the trip

/getOffer

```
{
  "partner": "322",
  "user": "10222525000108",           (ID of contract/company)
  "password": "1059",
  "request_id": "12345678ABC",
  "pickup_time": "1549957900",        (UNIX Time: seconds_since_epoch)
  "distance": "2000",                  (Optional. We can calculate it. Tax may apply)
  "duration": "600",
  "stopped_time": "5",
  "pickup": {
    "address": "ALAMEDA OLGA, 422",
    "city": "Sao Paulo",
    "state": "SP",
    "postal_code": "01155-040",
    "lat": "-23.55555",
    "lng": "-46.66666"
  },
  "destination": {
    "address": "AV PAULISTA, 2800",
    "city": "Sao Paulo",
    "state": "SP",
    "postal_code": "01643-000",
    "lat": "-23.65345",
    "lng": "-46.72346"
  }
}
```

Response

```
{
  "request_id": "12345678ABC",
  "success": "True",
  "data": [
    {
      "name": "Regular Taxi",
      "code": "taxi",
      "cost": "21.50",
      "eta": "120",
    }
  ]
}
```

```

        "number": "235",
        "lat": "-23.55555",
        "lng": "-46.66666"
    },
    {
        "name": "Taxi Premium",
        "code": "taxi_premium",
        "cost": "23.80",
        "eta": "180",
        "number": "814",
        "lat": "-23.53325",
        "lng": "-46.67656"
    }
]
}

```

rideCreate

- requests a booking of the taxi application with all the necessary information

/rideCreate

```

{
    "partner": "322",
    "user": "10222525000108",           (ID of contract/company)
    "password": "1059",
    "request_id": "12345678ABC",
    "pickup_time": "1549957900",        (UNIX Time: seconds_since_epoch)
    "distance": "2000",                  (Optional. We can calculate it. Tax may apply)
    "stopped_time": "5",
    "category": "taxi",
    "passengers_no": 1,
    "suitcases_no": 1,
    "passenger_note": "someNote",
    "passenger_name": "Joao da silva",
    "passenger_phone_number": "11923989655",
    "payment_type": "ONLINE_PAYMENT",
    "extra1": "someExtraField1",        (new - Optional)
    "extra2": "someExtraField2",        (new - Optional)
    "extra3": "someExtraField3",        (new - Optional)
    "extra4": "someExtraField4",        (new - Optional)
    "users": [
        {
            "id": 1,
            "sequence": 1,
            "name": "Passageiro 1",
            "phone": "11992181117",
            "pickup": {
                "address": "ALAMEDA OLGA, 422",
                "neighborhood": "Barra Funda",
                "city": "Sao Paulo",
                "state": "SP",
                "postal_code": "01155-040",
                "reference": "Travessa da Av Pacaembu",
                "lat": "-23.55555",
                "lng": "-46.66666"
            }
        },
        {
            "id": 2,

```

```

        "sequence": 3,
        "name": "Passageiro 2",
        "phone": "11992222222",
        "pickup": {
            "address": "RUA TEATRAL, 333",
            "neighborhood": "Pinheiros",
            "city": "Sao Paulo",
            "state": "SP",
            "postal_code": "01155-040",
            "reference": "Pacaembu",
            "lat": "-23.44444",
            "lng": "-46.88888"
        }
    },
    "destinations": [
        {
            "passengerId": 1,
            "sequence": 2,
            "location": {
                "address": "RUA JABAQUARA, 1200",
                "city": "Sao Paulo",
                "state": "SP",
                "postal_code": "01155-040",
                "reference": "Perto da lua",
                "lat": "-23.99999",
                "lng": "-46.77777"
            }
        },
        {
            "passengerId": 2,
            "sequence": 4,
            "location": {
                "address": "RUA TEATRAL, 333",
                "District": "Pinheiros",
                "city": "Sao Paulo",
                "state": "SP",
                "postal_code": "01155-040",
                "reference": "Pacaembu",
                "lat": "-23.44444",
                "lng": "-46.88888"
            }
        }
    ]
}

```

Response

```

{
  "ride_id": "6365",
  "accepted_and_looking_for_driver": true
}

```

rideCancel

- requests the cancellation of a booking and informs the reason

/rideCancel

```
{
  "partner": "322",
  "user": "10222525000108",      (ID of contract/company)
  "password": "1059",
  "request_id": "12345678ABC",
  "ride_id": "12345",
  "cancel_reason": "Any reason"
}
```

Response

```
{
  "cancel_accepted": true,
  "cancel_reason": "Any reason"
}
```

rideDetails

(It will be sent every 10 seconds via Web Hook or can be actively consulted)

- requests the status and positioning of the car of an order made

/rideDetails

```
{
  "partner": "322",
  "user": "10222525000108",      (ID of contract/company)
  "password": "1059",
  "request_id": "12345678ABC",
  "ride_id": "12345"
}
```

Response

```
{
  "request_id": "12345678ABC",
  "user": "12345",
  "password": "5AXCDFG22",
  "ride_id": "6365",
  "taxi_id": "122",
  "taxi_brand": "FIAT",
  "taxi_model": "IDEA",
  "taxi_plate": "ASB-0B33",
  "taxi_lat": "-23.43566",
  "taxi_lng": "-46.63499",
  "driver_name": "ANTONIO DA SILVA",
  "driver_phone": "11996555587",
  "status_code": "ACCEPTED",
  "status_information": "ACCEPTED",
  "message": "I'm waiting outside the building",
  "start_time": "1549957900",      (UNIX Time: seconds_since_epoch)
  "finish_time": "1549957922",    (UNIX Time: seconds_since_epoch)
  "finish_details": "any obs",
  "finish_address": "Destino efetivo",
  "route_distance": "12.40",
  "price_stopped": "0.00",
  "price_other": "0.00",
}
```

```

"price_toll": "3.50",
"price": "23.50",
"price_estimated ": "0.00",
"price_per_km_b1": "0.00",
"price_per_km_b2": "0.00",
"price_on_start ": "0.00",
"price_stopped ": "0.00",
"price_b1": "0.00",
"price_b2": "0.00",
"route_distance_b1": "0.00",
"route_distance_b2": "0.00",
"time_stopped_seconds ": "0.00",
"booked_for_later": false,
"b2": false
}

```

****Possible status:** ACCEPTED, DRIVER_EN_ROUTE, AT_PICKUP, PASSENGER_ON_BOARD, CANCELED, COMPLETED e MESSAGE_TO_CUSTOMER

**** Parameter “price” available only in the status COMPLETED**

**** Parameter “message” available in status MESSAGE_TO_CUSTOMER**

driverDetails

- requests the details of the driver of a ride and his photo

/driverDetails

```

{
  "partner": "322",
  "user": "10222525000108",      (ID of contract/company)
  "password": "1059",
  "ride_id": "12345"
}

```

Response

```

{
  "success": true,
  "taxi_id": "123",
  "taxi_model": "Renault Logan",
  "driver_name": "Manoel Sampaio",
  "picture": "FDE1233445545665768768789080" (Base64 blob imagem)
}

```

driverMessage

- sends a text message to the driver

/driverMessage

```

{
  "partner": "322",
  "user": "10222525000108",      (ID of contract/company)
  "password": "1059",
  "request_id": "12345678ABC",
  "ride_id": "12345",
  "msg ": "teste de envio de mensagem para o motorista"
}

```

Response

```
{  
  "success ": true  
}
```