

HW2 EXTRA CREDIT





Interactivity & Shortcuts

Interactivity

On O

Any interactions with shortcuts, modals, or interactive components (such as buttons, select menus, and datepickers) will be sent to a URL you specify. Learn more.

Request URL

https://610c-67-188-236-58.ngrok.io/function/slack-interactive

Slack will send an HTTP POST request with information to this URL when users interact with a shortcut or interactive component.

Shortcuts

Let people take actions - like filing a bug or adding a new sales lead - while using your app in Slack. Learn more.

Name Location Callback ID

Create New Shortcut

Select Menus

If you want to load external data in your select menus, you need to provide an options load URL. Learn more.

Options Load URL

https://my.app.com/slack/options-load-endpoint

Give feedback

User ID Translation

App Manifest NEW Beta Features

Submit to App Directory Review & Submit

Slack • Help

Contact

Policies



Settings

Basic Information

Collaborators

Socket Mode

Install App

Manage Distribution

Features

App Home

Org Level Apps

Incoming Webhooks

Interactivity & Shortcuts

Slash Commands

Workflow Steps

OAuth & Permissions

Event Subscriptions

User ID Translation

App Manifest NEW

Beta Features

Submit to App Directory

Review & Submit

Give feedback

Slack ♥

Help

Contact

Policies

Our Blog

Incoming Webhooks

Activate Incoming Webhooks



Incoming webhooks are a simple way to post messages from external sources into Slack. They make use of normal HTTP requests with a JSON payload, which includes the message and a few other optional details. You can include message attachments to display richly-formatted messages.

Adding incoming webhooks requires a bot user. If your app doesn't have a bot user, we'll add one for you.

Each time your app is installed, a new Webhook URL will be generated.

If you deactivate incoming webhooks, new Webhook URLs will not be generated when your app is installed to your team. If you'd like to remove access to existing Webhook URLs, you will need to Revoke All OAuth Tokens.

Webhook URLs for Your Workspace

To dispatch messages with your webhook URL, send your message in JSON as the body of an application/json POST request.

Add this webhook to your workspace below to activate this curl example.

Sample curl request to post to a channel:

curl -X POST -H 'Content-type: application/json' --data '{"text":"Hello, World!"}'
https://hooks.slack.com/services/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



Webhook URL	Channel	Added By	
https://hooks.slack.com/service Copy	#learn-unreal-engine	Piyush Kulkarni Nov 8, 2022	亩
https://hooks.slack.com/service Copy	#learn-unreal-engine	Piyush Kulkarni Nov 8, 2022	亩
https://hooks.slack.com/service Copy	#general	Piyush Kulkarni Nov 8, 2022	ΠÎ

Request URL: https://610c-67-188-236-58.ngrok.io/function/slack-interactive

Screenshots



