




Quick & Safe
Screw-less Terminal
Suitable for stranded wire

Panasonic



Compliant with the RoHS Directive
on the restriction of the use of
certain hazardous substances in
electrical and electronic equipment.

VISION
JAPANESE QUALITY & STYLISH DESIGN



TERMS AND CONDITIONS

- 1) Prices are in INR (₹).
- 2) All prices are subject to the general terms and conditions of our business.
- 3) Prices are subject to change without prior notice.
- 4) This price list supersedes all our previous price lists.
- 5) If any dispute should arise it will be subject to Thane jurisdiction.
- 6) Company reserves the right to issue amendments which may arise due to any errors in the price list.
- 7) Colour in images are for reference purpose only, please see product for actual colour.

Due to continuous improvements in product design and development and manufacturing methods, the product may differ in some aspects from the details provided herein.

PANASONIC LIFE SOLUTIONS INDIA PVT. LTD.

Corporate & Head Office: 3rd Floor, B Wing, I-Think Techno Campus,
Pokharan Road No.2, Thane (W), Thane - 400 607, Maharashtra.
Tel. 022 4222 8888 | Fax. 022 4222 8884
Customer Care no.: 022-41304130 | WhatsApp: 9136028606
Email: wecare@in.panasonic.com | www.ls.in.panasonic.com

Registered Office: 12th Floor, Ambience Tower, Ambience Island,
NH-48, Gurugram - 122 002, Haryana.

Distributor / Dealer Stamp



Winner of International IF Product Design
and Good Design Award.



Screwless Terminal design
leads to faster wiring and
prevents wire loosening.



Methods of wiring




1 Strip wire and
twist its tip.

2 Flip up the lock
lever and insert wire.

3 Flip back
the lever to finish.

laminated covering process


Due to the laminated covering applied on the product,
painting work can be carried without masking the product.



The stains left by wall painting can be removed by removing the laminated film.

LED Foot Light with PIR Sensor

Lights up in the presence of people/motion,
automatically switches off the light in the
absence of people / motion.



VISION
JAPANESE QUALITY & STYLISH DESIGN

India's First
Switch with Screwless Termination
For Quick, Safe and Easy Installation.



Panasonic

Safety



Screwless terminal holds wire sturdily,
it prevents wire loosening and helps in
quick installation

Comfort



A design for silent operation and soft touch.

Design



6mm-thin plate with matt finish
that matches interior style. Sleek design plate
with blue indicator light.

SWITCHES, SOCKETS

10AX SWITCHES, 250V~ S.P



WHITE	BLACK	DESCRIPTION	HSN Code	Unit Sale Price Rs. per number White / Black	Maximum Retail Price (Inclusive of all taxes) Rs. White / Black	Standard Packing Quantity White / Black
WIM5011	WIM5011B	1 Way Switch, 1 Module	85361010	205	228	4100 2280 20 / 10
WIM5012	WIM5012B	2 Way Switch, 1 Module	85361010	244	273	4880 2730 20 / 10
WIM5111	WIM5111B	1 Way Switch, 1 Module with LED Indicator	85361010	270	300	5400 3000 20 / 10
WIM5021	WIM5021B	1 Way Switch, 2 Module	85361010	290	316	2900 1580 10 / 5
WIM5022	WIM5022B	2 Way Switch, 2 Module	85361010	335	366	3350 1830 10 / 5

10A BELL PUSH SWITCHES, 250V~ S.P



WHITE	BLACK	DESCRIPTION	HSN Code	Unit Sale Price Rs. per number White / Black	Maximum Retail Price (Inclusive of all taxes) Rs. White / Black	Standard Packing Quantity White / Black
WIM50119	WIM50119B	Bell Push, 1 way, 1 Module	85361010	267	300	5340 3000 20 / 10
WIM51119	WIM51119B	Bell Push, 1 way, 1 Module with LED Indicator	85361010	349	392	6980 3920 20 / 10
WIM50219	WIM50219B	Bell Push, 1 way, 2 Module	85361010	335	374	3350 1870 10 / 5
WIM51219	WIM51219B	Bell Push, 1 way, 2 Module with LED Indicator	85361010	450	504	4500 2520 10 / 5

16AX SWITCHES, 250V~ S.P



WHITE	BLACK	DESCRIPTION	HSN Code	Unit Sale Price Rs. per number White / Black	Maximum Retail Price (Inclusive of all taxes) Rs. White / Black	Standard Packing Quantity White / Black
WIM50112	WIM50112B	1 Way Switch, 1 Module	85361020	321	361	6420 3610 20 / 10
WIM50122	WIM50122B	2 Way Switch, 1 Module	85361020	374	423	7480 4230 20 / 10
WIM51112	WIM51112B	1 Way Switch, 1 Module with LED Indicator	85361020	335	382	6700 3820 20 / 10
WIM50212	WIM50212B	1 Way Switch, 2 Module	85361020	402	450	4020 2250 10 / 5
WIM51212	WIM51212B	1 Way Switch, 2 Module with LED Indicator	85361020	525	585	5250 2925 10 / 5

25/32A POWER SWITCHES & MOTOR STARTER SWITCH



WHITE	BLACK	DESCRIPTION	HSN Code	Unit Sale Price Rs. per number White / Black	Maximum Retail Price (Inclusive of all taxes) Rs. White / Black	Standard Packing Quantity White / Black
WIM51113	WIM51113B	1 Way Switch, 1 Module with LED Indicator	85361020	601	676	12020 6760 20 / 10
WIM51234	WIM51234B	1 Way DP Switch, 2 Module with LED Indicator	85361020	1047	1193	10470 5965 10 / 5
WIM4734	WIM4734B	25A, Motor Starter Switch, 2 Module	85361020	744	824	7440 8240 10 / 10

SOCKETS & USB CHARGER



WHITE	BLACK	DESCRIPTION	HSN Code	Unit Sale Price Rs. per number White / Black	Maximum Retail Price (Inclusive of all taxes) Rs. White / Black	Standard Packing Quantity White / Black
WIM113214	WIM113214B	6A, 3Pin Round Socket, 2M, ISI	85366910	336	384	3360 3840 10 / 10
WIM1252	WIM1252B	6/16A Twin Socket, 3 pin, 2 Module, ISI	85366910	410	468	4100 2340 10 / 5
WIM1253	WIM1253B	6/16A Twin Socket, 3 pin, 3 Module, ISI	85366910	475	551	2375 2755 6 / 6
WIM1341	WIM1341B	USB-A Charger, Single Port(2.1A, 5V DC), 1 Module, (CRS Certified) 18W, USB Power Delivery Charger(USB-C),	85044090	2082	2290	41640 45800 20 / 20
WIM1443	WIM1443B	1 Module (CRS Certified) 18W, USB Type-A Fast Charger, 1 Module	85044090	2704	2978	54080 59560 20 / 20
WIM1343	WIM1343B	(CRS Certified)	85044090	2572	2835	51440 56700 20 / 20

Note:- • "Use Weather proof " box for switches and other accessories, in case installed in open atmosphere to avoid dust and water"

• " Socket must be used with MCB for applications such as AC/Geyser according to load requirement"

FANS, DIMMERS & ACCESSORIES

FAN REGULATORS & DIMMERS, 220-240V~, 50Hz



WHITE	BLACK	DESCRIPTION	HSN Code	Unit Sale Price Rs. per number White / Black	Maximum Retail Price (Inclusive of all taxes) Rs. White / Black	Standard Packing Quantity White / Black
WIM4951	WIM4951B	Fan Regulator, 100W, 1 Module	84149030	731	836	7310 8360 10 / 10
WIM4952	WIM4952B	Fan Regulator, 100W, 2 Module	84149030	1021	1145	5105 5725 5 / 5
WIM5714	WIM5714B	Dimmer, 450W, 1 Module (Incandescent lamp)	85365020	913	1026	9130 10260 10 / 10
WIM5726	WIM5726B	Dimmer, 450W, 2 Module (Incandescent lamp)	85365020	1089	1252	5445 6260 5 / 5

ACCESSORIES



WHITE	BLACK	DESCRIPTION	HSN Code	Unit Sale Price Rs. per number White / Black	Maximum Retail Price (Inclusive of all taxes) Rs. White / Black	Standard Packing Quantity White / Black
WIM2501	WIM2501B	TV Socket, 1 Module	85365090	250	285	5000 2850 20 / 10
WIM2164	WIM2164B	RJ-11 Telephone Socket with Shutter, 1 Module	85366910	243	280	4860 2800 20 / 10
WIM2264	WIM2264B	Double RJ11 Telephone Socket, 1 Module	85366910	405	461	8100 4610 20 / 10
WIM3023	WIM3023B	Cord Outlet with Grip, 1 Module	85366910	301	332	3010 3320 10 / 10
WIM3020	WIM3020B	Blank Plate, 1 Module	85389000	57	67	1140 670 20 / 10
WIM2499	WIM2499B	RJ45 Receptor, 1 Module	85366910	235	264	2350 2640 10 / 10
WIM2488	WIM2488B	RJ45 Computer socket, (Cat 5e), 1 Module	85366910	727	751	7270 7510 10 / 10
WIM24886	WIM24886B	RJ45 Computer socket, (Cat 6), 1 Module	85366910	897	1004	8970 10040 10 / 10
WIM3032R	-	LED Indicator - Red, 1 Module	85318000	324	-	3240 - 10 / 0
WIM4702	WIM4702B	Buzzer, 250V~, 2 Module	85318000	1157	1295	5785 6475 10 / 5
WIM4822	WIM4822B	Audio Video Socket, 1 Module	85366910	912	1052	4560 5260 5 / 5
WIM2731	WIM2731B	Satellite Socket, 1 Module	85365090	766	861	3830 4305 5 / 5
WIM2641	WIM2641B	High-Definition Multimedia Interface Socket, 1 Module	85365090	1839	2061	9195 10305 5 / 5
WIM2311	WIM2311B	Projector Socket, 1 Module	85365090	4323	4833	21615 24165 5 / 5

HOSPITALITY RANGE, 240V~



WHITE	BLACK	DESCRIPTION	HSN Code	Unit Sale Price Rs. per number White / Black	Maximum Retail Price (Inclusive of all taxes) Rs. White / Black	Standard Packing Quantity White / Black
WIM57812	WIM57812B	20A, Electronic Keycard Switch with 30 Sec Delay with Plate, 3 Module (without card)	85365090	3519	3940	3519 3940 1 / 1
WIM1051	WIM1051B	20VA, Shaver Socket with Transformer & Plate, 4 Module (110/240V~)	85365090	3773	4232	3773 4232 1 / 1
WIMP5002K-02	WIMP5002K-02B	DND MMR Control Unit, 3+2 Module	85365090	2619	2746	13095 13730 5 / 5
WIM4661	WIM4661B	3.5mm Audio Jack (female to female connector), 1 Module	85444299	1810	1940	27150 29100 15 / 15
	WIM57812BB*	20A, Electronic Keycard Switch with 30 Sec Delay with Plate, 3 Module (without card)	85365090		3940	3940 1
	WIM1051BB*	20VA, Shaver Socket with Transformer & Plate, 4 Module (110/240V~)	85365090		4232	4232 1

FOOT LIGHT, 220-240V~




LED footlight is available in Coolday Light & Warm White variant

WHITE	BLACK	DESCRIPTION	HSN Code	Unit Sale Price Rs. per number White / Black	Maximum Retail Price (Inclusive of all taxes) Rs. White / Black	Standard Packing Quantity White / Black
WIM4012	WIM4012B	LED Foot Light, 2 Module (Cool day light)	94054090	978	1120	4890 5600 5 / 5
WIM4022	WIM4022B	LED Foot Light with PIR sensor, 2 Module (Cool day light)	94054090	16215	18158	16215 18158 1 / 1
WIM40121	WIM40121B	LED Foot light - 2 Module (Warm White)	94054090	978	1120	4890 5600 5 / 5
WIM40221	WIM40221B	LED Foot Light with PIR sensor-2 Module (Warm White)	94054090	16215	18158	16215 18158 1 / 1

*Available through pre order

PLATES

PLATES

WIM6011 1 Module	WIM6012 2 Module	WIM6013 3 Module	WIM6014 4 Module
			
White	Black & Silver	Black	
WIM6016 6 Module	WIM6018 8 Module Horizontal	WIM6024 8 Module Rectangular	WIM6019 9 Module
			
WIM6026 12 Module	WIM6028 16 Module	WIM6036 18 Module	
			
WIM6113 3 Module with LED locator	WIM6114 4 Module with LED locator	WIM6116 6 Module with LED Locator	WIM6118 8 Module with LED Locator
			
WIM6013 3 Module	WIM6013S 3 Module	WIM6013B 3 Module	
			

□ White ■ Black & Silver ■ Black

PLATES WITH INNER METAL FRAME

HSN Code: 85381090

WHITE	BLACK& SILVER	BLACK	DESCRIPTION	Dimensions in cm Width x Height	Unit Sale Price Rs. per number White / Black & Silver	Maximum Retail Price (Inclusive of all taxes) Rs. White / Black & Silver	Standard Packing Quantity White / Black
WIM6011	WIM6011S	WIM6011B	1 Module	8.7 x 9.5	190 219	1900 2190	10
WIM6012	WIM6012S	WIM6012B	2 Module	9.8 x 9.5	197 228	1970 2280	10
WIM6013	WIM6013S	WIM6013B	3 Module	12.1 x 9.5	234 265	2340 2650	10
WIM6014	WIM6014S	WIM6014B	4 Module	15.6 x 9.5	272 316	2720 3160	10
WIM6016	WIM6016S	WIM6016B	6 Module	22.6 x 9.5	407 473	2035 2365	5
WIM6018	WIM6018S	WIM6018B	8 Module - Horizontal	24.8 x 9.5	473 514	2365 2570	5
WIM6024	WIM6024S	WIM6024B	8 Module - Rectangular	15.6 x 15.8	473 514	2365 2570	5
WIM6019	WIM6019S	WIM6019B	9 Module	25.9 x 9.5	585 644	2925 3220	5
WIM6026	WIM6026S	WIM6026B	12 Module	22.6 x 15.8	660 772	3300 3860	5
WIM6028	WIM6028S	WIM6028B	16 Module	24.8 x 15.8	787 920	3935 4600	5
WIM6036	WIM6036S	WIM6036B	18 Module	22.6 x 22.1	869 1018	4345 5090	5
WIM6113	WIM6113S	WIM6113B	3 Module with LED locator	12.1 x 9.5	467 524	4670 5240	10
WIM6114	WIM6114S	WIM6114B	4 Module with LED locator	15.6 x 9.5	504 565	5040 5650	10
WIM6116	WIM6116S	WIM6116B	6 Module with LED locator	22.6 x 9.5	913 1018	4565 5090	5
WIM6118	WIM6118S	WIM6118B	8 Module - LED locator	24.8 x 9.5	987 1107	4935 5535	5

*Do not use " Hard Cleaning Agent" for cleaning purpose.

PLATES WITH INNER METAL FRAME W/O GROOVE

HSN Code: 85381090

WHITE	BLACK& SILVER	BLACK	DESCRIPTION	Dimensions in cm Width x Height	Unit Sale Price Rs. per number White / Black & Silver	Maximum Retail Price (Inclusive of all taxes) Rs. White / Black & Silver	Standard Packing Quantity White / Black
WIM6311	WIM6311S	WIM6311B	1 Module	8.7 x 9.5	190 219	1900 2190	10
WIM6312	WIM6312S	WIM6312B	2 Module	9.8 x 9.5	197 228	1970 2280	10
WIM6313	WIM6313S	WIM6313B	3 Module	12.1 x 9.5	234 265	2340 2650	10
WIM6314	WIM6314S	WIM6314B	4 Module	15.6 x 9.5	272 316	2720 3160	10
WIM6316	WIM6316S	WIM6316B	6 Module	22.6 x 9.5	407 473	2035 2365	5
WIM6318	WIM6318S	WIM6318B	8 Module - Horizontal	24.8 x 9.5	473 514	2365 2570	5
WIM6324	WIM6324S	WIM6324B	8 Module - Rectangular	15.6 x 15.8	473 514	2365 2570	5
WIM6319	WIM6319S	WIM6319B	9 Module	25.9 x 9.5	585 644	2925 3220	5
WIM6326	WIM6326S	WIM6326B	12 Module	22.6 x 15.8	660 772	3300 3860	5
WIM6328	WIM6328S	WIM6328B	16 Module	24.8 x 15.8	787 920	3935 4600	5
WIM6336	WIM6336S	WIM6336B	18 Module	22.6 x 22.1	869 1018	4345 5090	5
WIM6413	WIM6413S	WIM6413B	3 Module with LED locator	12.1 x 9.5	467 524	4670 5240	10
WIM6414	WIM6414S	WIM6414B	4 Module with LED locator	15.6 x 9.5	504 565	5040 5650	10
WIM6416	WIM6416S	WIM6416B	6 Module with LED locator	22.6 x 9.5	913 1018	4565 5090	5
WIM6418	WIM6418S	WIM6418B	8 Module - LED locator	24.8 x 9.5	987 1107	4935 5535	5

*Do not use " Hard Cleaning Agent" for cleaning purpose.

Note : Antimicrobial series is also available through pre order



NOTES

NOTES