



by **Panasonic**



MOVE AHEAD WITH THE
»»»»»»»»» *winds of change*

Fans

Soch Badlo...
Hawa Toh Badalti Rahegi!

**NAYI HAWA
NAYI SOCH**

Stars hai
toh savings hai...





INTRODUCTION

Growing in strength and stature for 59 years, PLSIND is recognized for its product quality, trust & innovation. Joining forces with Panasonic in 2007, the company today employs 10,000+ professionals, and is constantly looking to expand its horizons.

The Fans division of Panasonic Life Solutions Pvt. Ltd. constantly endeavours to deliver stellar products to the end-user and is vital towards the growth of Anchor as a preferred brand.

 **FOUNDATION**
1963

 **AQUISITION**
Apr. 2007

 **HEAD QUARTERS**
Thane, India

 **SALES**
Upwards of INR 47 billion*

 **EMPLOYEES**
10,000+

 **SALES OFFICES**
35
+
5 Regional Offices

 **FACTORY**
7 Factories


MANUFACTURING

PLSIND's commissioned fan factory is spread across 108.68 million sq. cm. This facility constantly endeavours to manufacture path-breaking products to serve the ventilation needs of the diverse economic segments across the nation. Equipped with contemporary manufacturing machinery, this facility is a wholly integrated unit that manufactures the entire range of Anchor Ceiling Fans. The fans unit imported winding machines and ultra-modern CNC machines that have facilitated Anchor Fans to deliver quality products that benefit the modern housing requirements.



The entire manufacturing process is proficiently supported with Panasonic's technical prowess and continuous efforts are taken for improving the processes, upgrading the technology and designing of products, that are customised to meet the needs of Indian consumers.

The fully automated, state-of-the-art winding shop ensures the optimum quality and consistent product performance of the ceiling fan motors. Specially customised and automated CNC machines aid the production by ensuring zero defect in manufacturing of the fan's major components. Computerised alignment of the blades deliver absolute consistency in the air delivery. The advanced aerodynamics ensure a superior air throw. Finally, the superior quality of paints and evolved coating process make the fans rust-resistant.



HIGH ENERGY EFFICIENT RANGE (BLDC)

Beating soaring energy prices is a breeze with our range of BLDC products.
These stylish, efficient fans are built on technology that provides maximum
comfort while consuming the least possible energy.
Choose BLDC for superior ventilation and unparalleled quality!

ECOBREEZE URBAN

High Speed Fan



Features



- BEE 5-star rating with more than 50% energy saving
- 6 Speed + Turbospeed control with 2-4-6-8-10 hrs Auto OFF Function through remote
- Remote Control Operation For LED & Fan ON/OFF & Speed Control
- Full RPM even at low voltage with super efficient noiseless motor
- Safety wire included

Remote control is lost & Ceiling Fan not rotating when switch is ON

. We can operate the Ceiling Fan by manual mode as mentioned below.
. First OFF the supply switch when its ON mode.
1st Cycle 2nd Cycle 3rd Cycle
OFF → ON → OFF → ON → OFF → ON → Fan will ON (at 4th speed)
5-7 Sec. immediate 5-7 Sec. immediate 5-7 Sec. immediate

Specification

Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
4 Blades	1200	370	31	210
3 Blades	1200	370	31	220



Ring Type Magnet

- Easy to assemble & replace .
- Motor Jam issue Eliminated.
- High Productivity.

Saving Calculation	ECOBREEZ URBAN 3B ECOBREEZ URBAN 4B	Ordinary Fan
Power Consumption per hour @ Highest speed (watt)	31	75
Unit Consumed per month @ 16 hrs./day	14.9	36
Electricity cost @ ₹ 9.5/- per unit for 2 years.	₹3,397	₹8,208
Savings in 2 years	₹3,545	

PENTA TURBO STAR

NEW

High Speed Fan



Smoke Brown
14992SBR

Features

- BEE 5-star rating with more than 50% energy saving
- Full RPM even at low voltage
- Remote control operation for Fan On/OFF & speed control
- 6 Speed + Turbospeed control & Eco mode through remote
- Remote Control Operation with 1-2-4-6-8 hrs
- Auto OFF Function
- Safety wire included

Remote control is lost & Ceiling Fan not rotating when switch is ON	We can operate the Ceiling Fan by manual mode as mentioned below. First OFF the supply switch when its ON mode.
	1 st Cycle OFF → ON → OFF → ON → OFF → ON → immediate 5-7 Sec. immediate 5-7 Sec. immediate 5-7 Sec. immediate 2 nd Cycle Fan will ON (at 4 th speed)

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	370	34	210



210 AIR DELIVERY



Creame White
14992CWH



Ring Type Magnet

- Easy to assemble & replace .
- Motor Jam issue Eliminated.
- High Productivity.



PCB Outside the Motor

- Easy to Service/Maintenance
- No chance of PCB Contact with Stator.
- High Productivity.


Saving Calculation	Penta Turbo Star	Ordinary Fan
Power Consumption per hour @ Highest speed (watt)	34	75
Unit Consumed per month @ 16 hrs./day	16.32	36
Electricity cost @ ₹ 9.5/- per unit for 2 years.	₹3,720.96	₹8,208
Saving in 2 Years.	₹4,487	-

LUXURY RANGE

Who says you can't indulge when it comes to your fans?
Experience majesty along with comfort under the fans in this category

CAPTOR i-KRAFT STAR

IoT Based - High Speed Fans



Honey Gold Briken
13054HGB

Features

- App Based Controls & Remote Operations (With Pre-select)
- Temperature and Humidity Sensor with App Based Controls
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Unique Motif Design Matching Interior Décor
- Twin down rod options
- 1 in 1 packing
- Safety wire included
- Anti Dust coating enables easy cleaning of fans

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	53	220

MirAli
Connected Living



White Inky Gold
13054WIG



works with the Google Assistant

WORKS WITH amazon alexa

Wi-Fi Based

ON/ OFF Scheduling

Control From Anywhere

Supports Voice Command




PREMIUM RANGE

The sky is the ultimate symbol of limitlessness. The area covered by the fans in this range is as wide in the expanse as the sky itself, their premiumness evoking the ultimate ideal of the sky itself.

CAPTOR KRAFT STAR

High Speed Fan



Honey Gold Briken
13016HGB


Features

- Unique trim design matching modern décor
- Superior air delivery fan
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Premium attractive colors to match interiors
- Anti Dust coating enables easy cleaning of fans
- Safety wire included

Specification


Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	53	220
1050*	425	50	175
900*	450	45	155

* 900mm & 1050mm is available in Honey Gold Briken & Metallic Ivory Walnut only.



OTRIX PRIME STAR

High Speed Fan



Features

- Premium attractive colors to match interiors
- Superior air delivery fan
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Anti Dust coating enables easy cleaning of fans
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	53	220



Aurum Inky Gold
13058AIG



Foliage Ivory
13058FIV



Metallic Ivory Walnut
13058MIW



Foliage Brown
13058FBR



RYKER STAR

NEW

High Speed Fan



Brown Oak Wood
13071BOW

Features

- Premium attractive colors to match interiors
- Superior air delivery fan
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Anti Dust coating enables easy cleaning of fans
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	53	220



Matt Ivory Cinnamon
13071MIC




Aurum Floral
13071AF



VENICE PRIME NEO STAR

NEW

High Speed Fan



Cocoa Brown
13060CBR

Features

- Premium attractive colors to match interiors
- Superior air delivery fan
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Anti Dust coating enables easy cleaning of fans
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	53	220



Monsoon Grey
13060MGY



Orac White
13060OWH



CAPTOR STAR

High Speed Fan



Features

- Premium attractive colors to match interiors
- Superior air delivery fan
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Anti Dust coating enables easy cleaning of fans
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	53	220




DECORATIVE RANGE

Water flows in different ways - calm, smooth, strong and extreme. The fans in this category create air flow that's reminiscent of flowing water, its flexibility and fluidity. The decorative nature correlates with all the ways the flow of water itself can be aesthetic to watch.

SONORA DLX STAR

High Speed Fan



Soft Brown Copper
13006SBC

Features

- Decorative trim to compliment your interiors
- Premium classy colors in soft matt and semi glossy
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Anti Dust coating enables easy cleaning of fans
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	53	220
1050*	425	48	165
900*	450	42	145

*900mm & 1050mm is available in Soft Brown Copper only.



Metallic Ivory Gold
13006MIG



Honey Gold Briken
13006HGB



Farm Green
13006FGR



Moss Green
13006MGR



LUXORIA DLX STAR

High Speed Fan



Matt White Mahogany
13008MWM

Features

- Anti-dust coating enables easy cleaning of fans
- Elegant body design and unique blade shape offering contemporary looks
- Exclusive matt finish designs
- Safety wire included



Moss Green
13008MGR



Matt Smoke Brown Teak
13008MST



Metallic Ivory Mahogany
13008MIM

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	53	220



XL ACE PRIME STAR

NEW

High Speed Fan




Pearl Brownny
13061PBR



Golden Copper
13061GC



Chocolate Brown
13061CBR



Terra Brown
13061TBR



Oyster Ivory
13061OIV

Features

- Anti Dust coating enables easy cleaning of fans
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Wider tip blades for effective air circulation
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	410	52	215



EMPRESS STAR

High Speed Fan



Matt Ivory Maple
13042MIM

Features

- High speed fan for greater air thrust
- Premium attractive colors for everlasting looks
- Anti Dust coating enables easy cleaning of fans
- Superior air delivery fan
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	53	220



Coffee Bean Floral
13042CBF



Expresso Magma
13042EM



Glossy Ivory Folium
13042GIF



CRUZE DLX STAR

High Speed Fan



Soft Brown
13012SBR



Pearl Cream
13012PC

Features

- High speed fan for greater air thrust
- Wider blades for effective air circulation
- Anti Dust coating enables easy cleaning of fans
- Superior air delivery fan
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	53	220




CRUZE URBAN STAR

High Speed Fan



Pearl Winter Blue
13059PWB



Vintage Browny
13059VBR

Features

- High speed fan for greater air thrust
- Wider blades for effective air circulation
- Anti Dust coating enables easy cleaning of fans
- Superior air delivery fan
- Unique side body ring design
- Attractive trim design
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	53	220



XL ACE STAR

NEW

High Speed Fan



Pearl Winter Blue
13062PWB



Ruby
13062RB



Anchor Ivory
13062AIV

Features

- Powerful motor with silent operation
- Wider blades for effective air circulation
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	410	52	215



PEGASUS STAR

NEW

High Speed Fan



Choco Brown Copper
13027CBC

Features

- Premium attractive colors to match interiors
- Superior air delivery fan
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Anti Dust coating enables easy cleaning of fans
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	53	220




STANDARD RANGE

Our amazing range of fans give you cooling like it's a breath of fresh air. Making you feel you're one with nature again. This segment is as essential and standard as air itself is; hence the perfect sync between the standard segment and the air nomenclature.

TURBOPACE STAR



Ceiling Fan



Glossy Brown
14993GBR



Glossy Ivory
14993GIV



Creame White
14993CWH

Features

- Powerful motor with silent operation
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Aluminium Blade for longer life & rust free
- Safety wire included

Specification


Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	340	38	215


38W POWER



TURBOSPEED STAR

High Speed Fan



Matt Brown
13010MB



Ivory
13010IV



Luster White
13010LWH

Features

- Powerful bulky motor with silent operation
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Aluminium Blade for longer life & rust free
- Durable lifelong powder coating finish
- Safety wire included


Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	50	210



ALTRIX STAR

High Speed Fan



Features

- High speed fan for greater air thrust
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Aluminium Blade for longer life & rust free
- Safety wire included


Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	410	50	210



ALTRIX STAR 900

High Speed Fan



Ruby
13066RB



Coffee Brown
13066CBR



Ivory
13066IV



Luster White
13066LWH

Features

- High speed fan for greater air thrust
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Aluminium blade for longer life & rust free
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
900	440	45	143



ALTRIX

High Speed Fan



Ruby
14149RB

Features

- High speed fan for greater air thrust
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Aluminium Blade for longer life & rust free

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
600	850	60	115



Coffee Brown
14149CBR




Ivory
14149IV



Luster White
14149LWH

TRADACE 50 STAR

High Speed Fan



Glossy Brown
14997GBR



Glossy Ivory
14997GIV



Glossy White
14997GWH

Features

- Energy efficient motor with silent operation
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Durable lifelong powder coating finish
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	380	50	210



ACCUSTAR 215

NEW

High Speed Fan



Glossy Brown
14986GBR



Glossy Ivory
14986GIV



Glossy White
14986GWH

Features

- High quality pre-greased double ball bearings for frictionless & noiseless working
- Durable lifelong powder coating finish
- Aluminium blade for longer life & rust free
- Powerful motor with silent operation
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	380	50	215



AMSTAR 215

Ceiling Fan



Features

- High quality pre-greased double ball bearings for frictionless & noiseless working
- Durable lifelong powder coating finish
- Die-casted aluminum motor endshield
- Powerful motor with silent operation
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	340	50	215

IS 374
LST
CM/L-6300082299
www.bis.gov.in



NEW FLYER

High Speed Fan



Brown
14026BR



Ivory
14026IV



White
14026WH

Features

- Powerful motor
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Aluminium Blade for longer life & rust free

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
600	850	70	115



ECO-DECO RANGE

The blades are designed in such a way that the fan runs swiftly, just the way fire does. The fans in this segment support sustainability, just like fire is essential to sustain human civilization.

VENTUS MAX STAR

High Speed Fan



Smoke Brown Briken
14161SBB

Features

- Anti Dust coating enables easy cleaning of fan
- High speed fan for greater air thrust
- Aesthetic design with decorative body & canopy ring
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Die Casted aluminium motor endshield & blades for longer and rust free life
- Premium attractive colors with Matt & Glossy Finish
- Canopy with ring for premium look
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	50	210



Metallic Ivory Gold
14161MIG



VENTUS STAR

High Speed Fan



Smoke Brown Briken
14103SBB

Features

- Good aesthetic design
- High speed fan for greater air thrust
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Premium attractive colors with Matt & Glossy Finish
- Die Casted aluminium motor endshield & blades for longer and rust free life
- Safety wire included


Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	400	50	210



VENTUS

High Speed Fan



Smoke Brown Briken
14103SBB



Honey Gold Briken
14074HGB

Features

- Good aesthetic design
- High speed fan for greater air thrust
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Premium attractive colors with Matt & Glossy Finish
- Die Casted aluminium motor endshield & blades for longer and rust free life

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
600	810	60	120



RAVENO STAR

High Speed Fan



Honey Gold Briken
14110HGB



Smoke Brown Briken
14110SBB

Features

- Lacquered metallic paint for superior aesthetics
- High speed fan for greater air thrust
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Decorative trim and body ring
- Premium attractive colors with Matt & Glossy Finish
- Die Casted aluminium motor endshield & blades for longer and rust free life
- Canopy with ring for premium look
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	390	50	210



FLO NEO STAR

High Speed Fan



Brown
14162BR



Ivory
14162IV



White
14162WH

Features

- Powerful motor with silent operation
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Die Casted aluminium motor endshield & blades for longer and rust free life
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	390	50	210




FINNAIR STAR

High Speed Fan



Ivory Gold
14109IGL



Smoke Brown Briken
14109SBB

Features

- High speed fan for greater air thrust
- Durable lifelong powder coating finish
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	390	50	210



COOLKING NEO DLX STAR


High Speed Fan



Ivory
13063IV



White
13063WH



Brown
13063BR



Ruby
13063RB

Features

- Powerful motor with silent operation
- High quality both side sealed bearing for frictionless and noiseless working
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	390	50	210




SPRINT NEO DLX STAR


High Speed Fan



Ivory
14999IV



White
14999WH



Brown
14999BR

Features

- Good aesthetic design with decorative body ring & blade trims
- Long-lasting powder coated finish
- High speed motor for good air delivery and air thrust
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	390	50	210



FLO GS STAR 900

High Speed Fan



White
13067WH



Ivory
13067IV



Brown
13067BR

Features

- Powerful motor with silent operation
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Die Casted aluminium motor endshield & blades for longer and rust free life
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
900	430	40	130



FLO GS STAR


High Speed Fan



White
13043WH



Ivory
13043IV



Brown
13043BR

Features

- Powerful motor with silent operation
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Die Casted aluminium motor endshield & blades for longer and rust free life
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	390	50	210



LUANCO DLX

High Speed Fan



Choco Brown Copper
13022CBC

Features

- High speed fan for greater air thrust
- Anti Dust coating enables easy cleaning of fans
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Die casted aluminum motor endshield and blades for longer & rust-free life

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
600	850	70	115



MASS ECONOMY RANGE


The ground is strong and unshakable, just like the performance of the fans in this category and the resulting confidence of the consumer.

SPRINT NEO STAR

High Speed Fan



Ivory
14998IV



White
14998WH



Brown
14998BR

Features

- High Speed motor for good air delivery and air thrust
- Long lasting powder coated finish
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	390	50	210



COOLKING STAR 1400

Ceiling Fan



Brown
14118BR



Ivory
14118IV



White
14118WH

Features

- Powerful motor with silent operation
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Pressure die casted aluminium bottom endshield
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1400	300	59	245



COOLKING STAR

High Speed Fan



Brown
13055BR
14099BR



Ivory
13055IV
14099IV



White
13055WH
14099WH

Features

- Powerful motor with silent operation
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Pressure die casted aluminium bottom endshield
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	390	50	210



COOLKING STAR 900

High Speed Fan



Brown
13056BR
14117BR



Ivory
13056IV
14117IV



White
13056WH
14117WH

Features

- Powerful motor with silent operation
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Pressure die casted aluminium bottom endshield
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
900	440	40	130



COOLER STAR

High Speed Fan



Brown
13041BR



Ivory
13041IV



White
13041WH

Features

- Powerful motor with silent operation
- High quality pre-greased double ball bearings for frictionless & noiseless working
- Safety wire included

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
1200	390	50	210




TPW RANGE

Everyone wants to have just the best of everything especially when it is comes to the interiors of the house. Every house has its own language and we understand it. Hence, here we are with the TPW range of fans, where every design exceeds your expectations and its superior performance add a cherry on the cake.

ALTRIX HS

NEW

Table Fan



Orac White
14168OWH

Features

- Ability to withstand a wide range of voltages
- Finger proof powder coated guards
- Dynamically balanced blade for vibration-free rotation
- Jerk free & uniform oscillation
- Thermal overload protector for extra safety

Specification

Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
Table	400	2200	115	95



ALTRIX HS

NEW

Pedestal Fan



Features

- Ability to withstand a wide range of voltages
- Finger proof powder coated guards
- Dynamically balanced blade for vibration-free rotation
- Jerk free & uniform oscillation
- Thermal overload protector for extra safety
- Fully adjustable height for a pedestal fan

Specification


Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
Pedestal	400	2200	115	95




ALTRIX HS

NEW

Wall Fan



Orac White
141660WH
141670WH



Red-Black
14166RBK
14167RBK

Features

- Ability to withstand a wide range of voltages
- Finger proof powder coated guards
- Dynamically balanced blade for vibration-free rotation
- Jerk free & uniform oscillation
- Thermal overload protector for extra safety
- Pull cord control for speed and oscillation for wall fan

Specification

Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
Wall	400	2200	115	95
Wall	300	2200	75	75



RAPIDO HS

Table, Pedestal, Wall Fan



Grey
14082GY



Grey
14083GY



Grey
14081GY
14080GY

Features

- Ability to withstand a wide range of voltages
- Finger proof powder coated guards
- Dynamically balanced blade for vibration-free rotation
- Jerk free & uniform oscillation
- Thermal overload protector for extra safety
- Fully adjustable height for a pedestal fan
- Pull cord control for speed and oscillation for wall fan

Specification

Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
Table	400	2200	120	96
Pedestal	400	2200	120	96
Wall	400	2200	120	96
Wall	300	2200	75	75



PENTA TURBO

Table, Pedestal Fan



Crystal White-Grey
14152CWG

Features

- Ability to withstand a wide range of voltages
- Dynamically balanced blade for vibration-free rotation
- Thermal Overload Protector for Extra Safety
- Fully adjustable height for a pedestal fan
- Blade with 5 leaves

Specification

Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
Table,Pedestal	400	1350	60	70




Crystal White-Grey
14151CWG

WIDE
OSCILLATION

5 LEAVES

FANCY

Table Fan



Features

- Aerodynamically balanced PP blades for low-noise operation
- Finger proof powder coated guards
- The oscillation function brings a wider range of airflow
- Thermal overload protector for extra safety

Specification

Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
Table	400	1350	60	75

**WIDE
OSCILLATION**

FANCY

Pedestal Fan



White
14148WH



Blue
14148BL

Features

- Aerodynamically balanced PP blades for low-noise operation
- Fully adjustable height for Pedestal
- The oscillation function brings a wider range of airflow
- Thermal overload protector for extra safety



Specification

Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
Pedestal	400	1350	60	75

WIDE OSCILLATION

FANCY

Wall Fan



Features

- Aerodynamically balanced PP blades for low-noise operation
- Pull cord control for speed and oscillation
- The oscillation function brings a wider range of airflow
- Thermal overload protector for extra safety

Specification

Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
Wall	400	1350	60	75

**WIDE
OSCILLATION**

FLORA NEO

Table, Pedestal, Wall Fan



Graphite Grey
14154GGY

Features


- Ability to withstand a wide range of voltages
- Dynamically balanced blade for vibration free rotation
- Thermal Overload Protector for Extra Safety
- Fully adjustable height for a pedestal fan
- Pull cord control for speed and oscillation (Wall Fan)

Specification

Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
Table,Wall,Pedestal	400	1350	60	70



Graphite Grey
14553GGY



Graphite Grey
14155GGY

**WIDE
OSCILLATION**

FARRATA

Farrata FP-02 Fan



Grey
14079GY

Features

- Heavy-duty motor for longer life
- Aerodynamic blades give high air thrust
- High air delivery even at low voltage
- 3 speed rotary switch control

Specification

Product	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
Farrata FP-02	500	1400	135	120

MULTI-PURPOSE RANGE

It's a choice you cannot resist

When you get multiple features in just a single thing, who wouldn't love it? A specially designed range of fans with aspirational qualities and classy looks, having multiple purposes is a choice no one can resist. Our multi-purpose range of fans are all set to give a modernized look to any corner of your house.

GRESTAR MAX

NEW

Personal Fan



White - Grey
14996WGR

Features

- Portable and light weight personal fan
- Manually adjustable angle
- Oscillation function brings wider range of air flow
- Thermal Overload Protection for extra safety
- Multi-purpose fan which can be used on table or wall
- 3 speed rotary switch control
- Inbuilt LED Light
- Dual Color Combination

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
300	2200	80	45



GRESTAR

Personal Fan



Grey
14085GY

Features

- Portable and light weight personal fan
- Multi position adjustment for constant air flow
- Attractive dual tone design
- Multi-purpose fan which can be used on table or wall
- 3 speed rotary switch control

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
225	2500	50	28



OPTIO

Cabin Fan



White
14092WH

Features

- Ideal for ceiling mount in low height areas
- Rotating grill
- High speed motor
- Thermal Fuse for extra safety

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
300	2100	85	61



MINEO

Personal Fan



Grey
14002GY



Blue
14002BU

Features

- Versatile design that can be used on table /wall
- Portable and light weight
- Multi position adjustment for constant air flow
- Thermal Fuse for extra safety

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
230	2600	45	25



VENTILATION RANGE

**Why compromise, when you can have
the best of choice!**

You wouldn't like when you have to compromise with anything that matters to you right? Our ventilation range of fans wouldn't let you do that.

Designed with a modern class, it's performance will blow out the unhealthy air, and will blow out your mind too.

AXIS AIR

Pipe Series



White



Ivory



Black

Features


- Super efficient motor for better suction
- Safety guard on front side
- Silent operation
- Easy removable front for cleaning

Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
14089WH-IV-BK	100	2500	15	98
14090WH-IV-BK	150	2100	20	320



DIMENSIONS (mm)



Model	A	B	C	D	E
Axis Air 100mm	100	129	77	108	9
Axis Air 150mm	150	176	80	147	9

SMART AIR V-01

Pipe Series



White



Ivory



Stainless Steel

Features


- Inbuilt front plate helps eliminate all unwanted odours and smoke
- Equipped with super-efficient motor for durability and designed with sleek aesthetics
- Safety guard for both sides

Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
14031WH-IV-SS	150	2100	25	240
14030WH-IV-SS	100	2500	22	90



DIMENSIONS (mm)



Model	A	B	C	D	E
Smart Air V-01 150mm	195	195	84	146	36
Smart Air V-01 100mm	158	157	82	108	35

SMART AIR V-02

Pipe Series



White
14036WH




Ivory
14036IV



Black
14036BK

DIMENSIONS (mm)



Features

- Aesthetic design with powerful motor
- Inbuilt front grill helps eliminate all unwanted foreign material

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
150	2100	25	240



Model	A	B	C	D	E
Smart Air V-02 150mm	150	197	144	62	25

SMART AIR-GR

NEW

Plastic Ventilation



White


Features

- Safety grill on front side.
- High speed motor
- Suitable for window and wall mounted installation
- Compact design
- Automatic back louvers
- Thermal Fuse for extra safety

Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
14988 WH	200	1300	40	550

DIMENSIONS (mm)



Model	A	B	C	D	E	Wood Frame Size
SMART AIR -GR 200mm	200	294	240	87	67	245 x 245mm

HS SMART AIR NEO

NEW

Plastic Ventilation



Brown



Black

Features


- High speed motor
- Suitable for window and wall mounted installation
- Compact design
- Automatic back louvers

Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
13072-BR-BK	150	2400	48	500
13073-BR-BK	200	1800	55	765



DIMENSIONS (mm)



Model	A	B	C	D	E	Wood Frame Size
HS SMART AIR NEO 150mm	150	244	191	75	30	195 x 195mm
HS SMART AIR NEO 200mm	200	294	240	87	40	245 x 245mm

SMART AIR NEO

NEW

Plastic Ventilation



White



Black

Features


- High performance motor
- Suitable for window and wall mounted installation
- Compact design
- Automatic back louvers

Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
13047 WH -BK	150	1350	25	300
13048 WH -BK	200	1300	30	550
13049 WH -BK	250	1250	32	750



DIMENSIONS (mm)



Model	A	B	C	D	E	Wood Frame Size
Smart Air Neo 150mm	150	244	191	75	30	195 x 195mm
Smart Air Neo 200mm	200	294	240	87	40	245 x 245mm
Smart Air Neo 250mm	250	344	291	91	40	295 x 295mm

SMART AIR

Plastic Ventilation



White



Black


Features

- High performance motor
- Suitable for window and wall mounted installation
- Compact design
- Automatic back louvers
- Thermal Fuse for extra safety

Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
13979WH-BK	150	1350	35	300
13980WH-BK	200	1300	40	550
13981WH-BK	250	1250	45	750

DIMENSIONS (mm)



Model	A	B	C	D	E	Wood Frame Size
Smart Air 150mm	150	244	191	75	30	195 x 195mm
Smart Air 200mm	200	294	240	87	40	245 x 245mm
Smart Air 250mm	250	344	291	91	40	295 x 295mm

SMART AIR HIGH SPEED

Plastic Ventilation



White



Black

Features


- High speed motor
- Suitable for window and wall mounted installation
- Compact design
- Automatic back louvers
- Thermal Fuse for extra safety

Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
14982WH-BK	150	2500	40	500
14983WH-BK	200	1900	60	765



DIMENSIONS (mm)



Model	A	B	C	D	E	Wood Frame Size
Smart Air 150mm	150	244	191	75	30	195 x 195mm
Smart Air 200mm	200	294	240	87	40	245 x 245mm

KOOLAIR

Plastic Ventilation



Ivory



White


Features

- Light weight
- Rust proof body and blades
- Self opening louvers

Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
14086WH-IV	150	1350	35	300
14087WH-IV	200	1300	40	550
14088WH-IV	250	1250	40	820

DIMENSIONS (mm)



Model	A	B	C	D	E	Wood Frame Size
Koolair 150mm	150	230	187	75	30	200 x 200mm
Koolair 200mm	200	298	240	85	30	263 x 263mm
Koolair 250mm	250	345	296	90	40	320 x 320mm

ANMOL

Metal Exhaust Fan



Metallic Grey


Features

- High performance motor with a compact design
- Safety guard for protection from foreign particles

Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
13159	230	1350	35	500
13160	300	1300	50	1250

DIMENSIONS (mm)



Model	A	B	C
Anmol 230mm	233	233	270
Anmol 300mm	317	317	345

ANMOL HI-SPEED

Metal Exhaust Fan



Metallic Grey



Metallic Grey


Features

- High performance motor with a compact design
- Safety guard for protection from foreign particles

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
12098	150	2600	40	500
14984MGY	230	2650	50	950
14985MGY	300	2100	90	1600



DIMENSIONS (mm)



Model	A	B	C
Anmol Hi-speed 150mm	211	211	271
Anmol Hi-speed 230mm	233	233	270
Anmol Hi-speed 300mm	317	317	345

COMMERCIAL RANGE

It's a choice you cannot resist Your simple choice can attract the world

Not just homes, but offices, schools, retail outlets make an impression too. Their interiors and exteriors tell their story to the world in their own way. With this fact, it is absolutely necessary to style it in a manner that attracts the world. And so, our commercial range of fans are here to achieve this milestone. No matter what location it is, making it modern is our prime motto.

ANMOL DELUXE-R

NEW

Metal Exhaust Fan



Metallic Grey

Features

- Powder coated metallic finish
- Sturdy metal body with metal blades
- Guard for protection from birds & foreign material
- Heavy duty motor with double ball bearings
- Switch for reverse - forward rotation


Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH) Forward	Air Delivery (CMH) Reverse
14994MGY	230	1350	40	700	550
14995MGY	300	1300	65	1750	1050



Reverse - Forward
Rotation

DIMENSIONS (mm)



Model	A	B	C
Anmol Deluxe-R 230mm	233	233	254
Anmol Deluxe-R 300mm	303	303	345

ANMOL DELUXE

Metal Exhaust Fan



Metallic Grey


Features

- High performance motor with a compact design
- Sturdy metal body with double ball bearings
- Safety guard for protection from foreign particles

Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
14029	300	1300	65	1750
14028	230	1350	40	750


DIMENSIONS (mm)



Model	A	B	C
Anmol Deluxe 300mm	303	303	345
Anmol Deluxe 230mm	233	233	254

ANMOL HEAVY DUTY

Heavy Duty Exhaust Fan



Features

- Durable epoxy powder coated finish
- Efficient heavy duty motor with double ball bearings
- Sturdy metal body with metal blades

Specification

Product Code	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
14050GY	450	1400	410	6120
14049GY	380	1400	160	3250
14048GY	300	1400	90	1710


IS 2312

CM/L-8300030094
www.bis.gov.in

IP55 Protection

Grey

DIMENSIONS (mm)



Size of Fan	H	X	D	S
Anmol Heavy Duty 450mm	11	455	480	450
Anmol Heavy Duty 380mm	11	375	400	380
Anmol Heavy Duty 300mm	11	313	320	300

TABLE OF SUMMARY

Product Details			Standard Packing	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
BLDC RANGE	ECOBREEZ URBAN (4 BLADES)	Ceiling Fan	2	1200	370	31	210
	ECOBREEZ URBAN (3 BLADES)		2	1200	370	31	220
	PENTA TURBO STAR		4	1200	370	34	210
LUXURY RANGE	CAPTOR i-KRAFT STAR	Ceiling Fan	1	1200	400	53	220
PREMIUM RANGE	CAPTOR KRAFT STAR		2	900	450	45	155
	CAPTOR STAR	Ceiling Fan	2	1050	425	50	175
	RYKER STAR		2	1200	400	53	220
	VENICE PRIME NEO STAR		2	1200	400	53	220
	OTRIX PRIME STAR		2	1200	400	53	220
	PEGASUS STAR		4	1200	400	53	220
DECORATIVE RANGE	EMPRESS STAR	Ceiling Fan	4	1200	400	53	220
	SONORA DLX STAR		4	900	450	42	145
	CRUZE DLX STAR		4	1050	425	48	165
	CRUZE URBAN STAR		4	1200	400	53	220
	LUXORIA DLX STAR		4	1200	400	53	220
	XL ACE PRIME STAR		4	1200	410	52	215
	XL ACE STAR		4	1200	410	52	215
	AUSUM DECO STAR		4	1200	400	50	210
	PENTA DÉCOR STAR		4	1200	370	30	220
	TURBOSPEED STAR	Ceiling Fan	4	1200	400	50	210
	TURBOPACE STAR		4	1200	340	38	215
	ACCUSTAR 215		4	1200	380	50	215
	ALTRIX		6	600	850	60	115
	ALTRIX STAR		6	900	440	45	143
	TRADACE 50 STAR		6	1200	410	50	210
	AMSTAR 215		4	1200	380	50	210
	NEW FLYER		4	1200	340	50	215
			4	600	850	70	115

Product Details			Standard Packing	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
ECO-DECO RANGE	VENTUS MAX STAR	Ceiling Fan	4	1200	400	50	210
	LUANCO DLX		4	600	850	70	115
	RAVENO STAR		4	1200	390	50	210
	FINNAIR STAR		4	1200	390	50	210
	VENTUS		6	600	810	60	120
	VENTUS STAR		4	1200	400	50	210
	FLO NEO STAR		4	1200	390	50	210
	SPRINT NEO DLX STAR		4	1200	390	50	210
	FLO GS STAR		4	900	430	40	130
	COOLING NEO DLX STAR		4	1200	390	50	210
SUB-ECONOMY RANGE	SPRINT NEO STAR	Ceiling Fan	4	1200	390	50	210
	COOLING STAR		6	900	440	40	130
			6	1200	390	50	210
	COOLER STAR		4	1400	300	59	245
			6	1200	390	50	210
TPW RANGE	FANCY	Table Fan	3	400	1350	60	75
	RAPIDO HS		3	400	2200	120	96
	FLORA NEO		1	400	1350	60	70
	PENTA TURBO		1	400	1350	60	70
	ALTRX HS		1	400	2200	115	95
	FANCY	Wall Fan	3	400	1350	60	75
	RAPIDO HS		3	300	2200	75	75
	RAPIDO HS		3	400	2200	120	96
	FLORA NEO		1	400	1350	60	70
	ALTRX HS		1	400	2200	115	95
	ALTRX HS		1	300	2200	75	75
	FANCY	Pedestal Fan	3	400	1350	60	75
	RAPIDO HS		3	400	2200	120	96
	FLORA NEO		1	400	1350	60	70
	PENTA TURBO		1	400	1350	60	70
	ALTRX HS		1	400	2200	115	95
	FARRATA- FP02		2	500	1400	135	120

Product Details			Standard Packing	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMM)
MULTI-PURPOSE RANGE	OPTIO	Personal Fan	4	300	2100	85	61
	MINEO		4	230	2600	45	25
	GRESTAR		3	225	2500	50	28
	GRESTAR MAX		4	300	2200	80	45
VENTILATION RANGE	AXIS AIR	Pipe Series	10	100	2500	15	98 (CMH)
	SMART AIR V-01		10	150	2100	20	320 (CMH)
	SMART AIR V-02		6	100	2500	22	90 (CMH)
	KOOLAIR		6	150	2100	25	240 (CMH)
	SMART AIR		6	150	2100	25	240 (CMH)
	SMART AIR - GR	Plastic Ventilation	6	150	1350	35	300 (CMH)
	SMART AIR NEO		4	200	1300	40	550 (CMH)
	SMART AIR High Speed		4	250	1250	40	820 (CMH)
	HS SMART AIR NEO		6	150	1350	35	300 (CMH)
	ANMOL		4	200	1300	40	550 (CMH)
	ANMOL HI-SPEED		4	250	1250	45	750 (CMH)
	ANMOL DELUXE	Metal Exhaust Fan	6	150	1350	40	500 (CMH)
	ANMOL DELUXE -R		4	200	1300	40	550 (CMH)
	ANMOL HEAVY DUTY		4	250	1300	40	765 (CMH)
	ANMOL DELUXE		4	230	1350	40	500 (CMH)
	ANMOL DELUXE -R		4	300	1300	65	1250 (CMH)
	ANMOL HEAVY DUTY		4	230	1350	40	950 (CMH)
	ANMOL HEAVY DUTY		4	300	2100	90	1600 (CMH)
COMMERCIAL RANGE	ANMOL DELUXE	Metal Exhaust Fan	4	230	1350	40	750 (CMH)
	ANMOL DELUXE -R		4	300	1300	65	1750 (CMH)
	ANMOL HEAVY DUTY		4	230	1350	40	Forward : 750 (CMH)
	ANMOL HEAVY DUTY		4	300	1300	65	Reverse : 550 (CMH)
	ANMOL HEAVY DUTY		2	300	1400	90	Forward : 1750 (CMH)
	ANMOL HEAVY DUTY		2	380	1400	160	Reverse : 1050 (CMH)
	ANMOL HEAVY DUTY		2	450	1400	410	1710 (CMH)
	ANMOL HEAVY DUTY		2	450	1400	410	3250 (CMH)
	ANMOL HEAVY DUTY		2	450	1400	410	6120 (CMH)

Panasonic



FV-24CU8 / FV-17CU8

Features


- HP (half pitch) motor with ball bearing
- Taper blade sirocco fan
- Curve-shaped backdraft shutter
- Super low noise level

SPECIFICATIONS


Model No.	Voltage	Air Volume	Consumption	Noise	Weight	Installation Space	Duct Size		
	[V]	[Hz]	[m ³ /h]	[CFM]	[W]	[dB (A)]	[kg]	[mm]	[mm]
FV-24CU8	230	50	150	88	11	26	2.7	240 x 240	ø 100
FV-17CU8	230	50	85	50	8.5	24.5	1.7	177 x 177	ø 100

CEILING MOUNT VENTILATION FAN

FV-24CU8



FV-17CU8



FV-10EGF1 / FV-15EGF1


Features

- Extraordinary silence 31[dB(A)]
- Insect Screening net
- Slim & sturdy design
- Lowest power consumption (less than a LED bulb)
- Built to last for lifetime*

SPECIFICATIONS

Model No.	Voltage	Air Volume	Consumption	Noise	Weight	
	[V]	[Hz]	[m ³ /h]	[W]	[dB (A)]	[kg]
FV-10EGF1	230	50	75	5.9	31	0.9
FV-15EGF1	230	50	155	6.6	33	1.1

WALL MOUNT VENTILATION FAN - PIPE FAN



	A	B	C	D	E	F
FV-10EGF1	176	170	93	177	100	113
FV-15EGF1	230	220	120	230	100	158

*Tested for 60.000hrs. of operation in our test lab.



Nayi Hawa Nayi Soch

PANASONIC LIFE SOLUTIONS INDIA PVT. LTD.

Registered office : 12th Floor, Ambience Tower, Ambience Island,
NH-48, Gurugram - 122 002, Haryana.

For queries and communication : 3rd Floor, B wing, I-Think Techno Campus,
Pokharan Road No.2, Thane - 400607, Maharashtra.

T: (022)42228888 | F: (022)42228884

Customer Care No.: (022)41304130 | WhatsApp No.: 91360 28606

Email: wecare@in.panasonic.com | www.lsin.panasonic.com