


by Panasonic

ROMA URBAN

SWITCH ON INSPIRATION



PRICELIST: JULY 2023





SLIM & SLEEK DESIGN

The special slim & sleek design of the new ROMA range is crafted for the modern generation who want their space to be more than just a space. The unique curve design of the cover plate gives these switches a smooth finish. The curved look makes the space classier and more glamorous.



SUPER GLOSSY FINISH

The super glossy finish gives these switches the ultimate premium look. They effortlessly complement the interior decoration of a space. Plus, the design also ensures that dust does not settle easily.

SWITCH TO THE WORLD OF GLAMOUR.




EXTRA SAFETY

Urea back and front PC of VO grade material used provides extra safety. It has flame retardant properties, which makes the switches safer with a longer lifespan. It also has higher heat resistance properties as compared to PC of other grades and thermoplastics. In addition to this, the moulding of the switches is not easy. The technology used in developing the special designs and shapes involves high cost and hi tech infrastructure, which makes the duplicity of the product very difficult.



TOGGLED TECHNOLOGY

The all new range of ROMA is not only pleasing to the eyes but also to the ears. Toggle type mechanism is an advanced switch operation technique which provides soft sound. It makes the switches easy to operate and also increases the lifespan of the switch.



	Iter		ltem	Description	HSN	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.				
								SWITCHES	, 10AX (ISI)		
							66101	10AX, 1Way Switch, 1 Module	85361010	145	20	2900
					•		66111	10AX, 1Way Switch with Indicator, 1 Module	85361010	163	20	3260
					1		66102	10AX, 2Way Switch, 1 Module	85361010	164	20	3280
			66101	66111	66102		66201	10AX, 1Way Switch, 2 Module	85361010	169	10	1690
							66211	10AX, 1Way Switch with Indicator, 2 Module	85361010	192	10	1920
						1	66202	10AX, 2Way Switch, 2 Module	85361010	192	10	1920
								, ,				
	Į,				_			BELL PU	JSH (ISI)			
		6620	1	66211		66202	66103	10A, Bell Push Switch, 1 Module	85361010	164	20	3280
	1						66133	10A, Bell Push Switch with Indicator,	85361010	180	20	3600
4		4	4		۵	Δ	66203	1 Module 10A, Bell Push Switch, 2 Module	85361010	192	10	1920
	ı.	_			_	_	66233	10A, Bell Push Switch with Indicator,	85361010	210	10	2100
66103	6	6133	66203	6	66233	66333		2 Module 10A, Bell Push Switch with Indicator,				
							66333	3 Module	85361010	238	5	1190
					1			CHUTCHE	204 ((51)			
							66104		5, 20A (ISI)	107	20	2740
							66104	20A, 1Way Switch, 1 Module 20A, 1Way Switch with Indicator, 1	85361020	187	20	3740
			66104	66144	6610	5	66144	Module	85361020	222	20	4440
							66105	20A, 2Way Switch, 1 Module	85361020	205	20	4100
						'	66204	20A, 1Way Switch, 2 Module	85361020	230	10	2300
				_			66244	20A, 1Way Switch with Indicator, 2 Module	85361020	254	10	2540
		6620)4	66244		66205	66205	20A, 2Way Switch, 2 Module	85361020	246	10	2460
							66301	20A, 1Way Switch, 3 Module	85361020	284	5	1420
	- •					1	66311	20A, 1Way Switch with Indicator, 3 Module	85361020	356	5	1780
							66302	20A, 2Way Switch, 3 Module	85361020	351	5	1755
						1						
	663	301		66311		66302		POWER SW	ITCHES (IS	1)		
-				_			66325	25A, S.P, 1Way Switch with Indicator, 1 Module	85361020	270	10	2700
	0		0				66332	32A, D.P, 1Way Switch with Indicator, 2 Module	85361020	344	10	3440
	1		1		•	<u> </u>						
	66225		66332		66020	66025		MOTOR STAR	TER SWITC	HES		
,	66325		00332	0	00020	00023	66020	20A, Motor Starter Switch, 2 Module	85361020	509	10	5090
				-			66025	25A, Motor Starter Switch, 2 Module	85369010	509	10	5090
		•				U						
		•	•	0 0	•	0		SOCKETS WITH S	AFETY SH	UTTER		
		6640	02	66404		66455	66402	6A, 3Pin Round Socket, 2 Module, ISI	85366910	174	10	1740
							66404	16A, 3Pin Round Socket, 2 Module, ISI	85366910	280	10	2800
							66455	6A/16A, Twin Socket, 2 Module, ISI	85366910	337	10	3370
				0			66406	6A/16A, Twin Socket, 3 Module, ISI	85366910	342	5	1710
				-			30 100			- 12	J	., 10
				66406								

WHITE

						VV 1 11 1 1
	Item	Description	HSN	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs
		FAN REGULATO	RS & DIM	MERS		
	66501	100W, Step Fan Regulator, 1 Module	84149030	531	20	10620
	66502	100W, Step Fan Regulator, 2 Module	84149030	711	10	7110
	66503	100W, Step Fan Regulator, 2 Module (ISI)	84149030	722	10	7220
66501 66502 66503 66508	66504	100W, Step Fan Regulator (For High Speed Fans)	84149030	711	10	7110
66504	66508	100W, 7 Step Fan Regulator, 2 Module	85365090	711	10	7110
	66505	450W, Dimmer, 1 Module (Incandescent Lamp)	85365020	480	20	9600
(*)	66506	650W, Dimmer, 2 Module	85365020	654	10	6540
OF OF	66507	(Incandescent Lamp) 150W, Dimmer for LED 2 Module	85365090	1530	10	15300
66505 66506		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
66507		SUPPORT	MODULES			
	66551	RJ11, Tel Jack, Single with Shutter, 1 Module	85366910	164	20	3280
	66552	RJ11, Tel Jack, Double w/o Shutter, 1 Module	85366910	233	20	4660
	66555	RJ45, Receptor With Shutter, 1 Module	85366910	165	20	3300
	66556	RJ45, Computer Socket, Cat 5e, 1 Module	85366910	599	20	11980
66551 66552 66555 66601 66602 66603 66556	66557	RJ45, Computer Socket, Cat 6, 1	85366910	680	20	13600
66557	66601	Module Cord Outlet with Grip, 1 Module	85366910	140	20	2800
	66602	TV Socket Outlet, 1 Module	85365090	169	20	3380
	66603	Buzzer, Dura, 2 Module	85318000	206	10	2060
	66604	Blank Plate, 1 Module	85389000	41	40	1640
66604 66644 66606 66605 66605	66644	Blank Plate, 2 Module	85389000	66	20	1320
66616	66606	6A, Overload Protection - Manual Resettable Fuse, 1 Module	85361010	211	20	4220
the same control	66616	16A, Overload Protection - Manual	85361020	211	20	4220
	66605R	Resettable Fuse, 1 Module Indicator - LED (Red), 1 Module	85395000	197	20	3940
	66605N	Indicator - LED (Natural), 1 Module	85395000	197	20	3940
SAT LAG	66605G	Indicator - LED (Green), 1 Module	85395000	197	20	3940
66608 66712 66609	66608	Satellite Socket	85365090	294	10	2940
	66712	Audio Video Socket, 1 Module	85366910	523	10	5230
	66609	Bluetooth Speaker, 2 Module	85182900	2871	6	17226
	66711	High-Definition Multimedia Interface, 1 Module	85444999	1177	10	11770
0 0 0 0	66716	Projector Socket, 1 Module	85444999	1820	10	18200
POINT USE 2100mA VISUAL USEA USEA USEA USEA USEA USEA USEA USEA	66715	USB-A Charger, Single Port(2.1A, 5V DC), 1 Module (CRS Certified)	85044090	1248	20	24960
66711 66716 66715 66717 66718	66717	18W, USB Power Delivery Charger(USB-C), 1 Module	85365090	1461	20	29220
	66718	18W, USB Type-A Fast Charger, 1 Module	85044090	1392	20	27840
		HOSPITALI 20A, Electronic Keycard Unit with 30				
KEY MYRON DETURE \$	66701	Sec time delay, 3 Module	85365090	2339	6	14034
	66702	DND MMR Internal unit (DND Switch, MMR Switch), 2 Module DND MMR External unit (DND	85365090	619	5	3095
66701 66702 66703 (Indoor Unit) (Outdoor Unit)	66703	Indicator, MMR Indicator & Bell Push Switch), 2 Module	85365090	828	5	4140
	66704	20VA, Shaver Socket with Transformer (With 4 Module Curve Plate), White	85365090	2752	1	2752
-43	66705	Bell Call Indicator, 1 Module	85318000	388	20	7760
-d > H H	66706	Foot Light,Led Based(Cool Day Light),3 Module	94054090	604	6	3624
	66766	Foot Light,Led Based(Warm White Light),3 Module	94054090	604	6	3624
66704 66705 66706 / 66766 / 66607	66607	Emergency LED Light Unit	94056010	968	6	5808
	66778	Foot Light, Led Based (Cool Day Light),	94054090	662	6	3972
	66779	4 Module Foot Light, Led Based (Warm White	94054090	662	6	3972
0 0	66707	Light),4 Module Foot Light with PIR (Cool Day Light)	94054090	4746	6	28476
0 - 0		, 2 Module Foot Light with PIR (Warm White), 2				
66778 / 66779 66707 66708	66777	Module	94054090	4746	6	28476
66777	66708	PIR Sensor, 2 Module	90318000	4125	6	24750

			Item	Description	HSN
				SWITCHE	5, 10AX (
			66101B	10AX, 1Way Switch, 1 Module	853610
			66111B	10AX, 1Way Switch with Indicator, 1 Module	853610
-			66102B	10AX, 2Way Switch, 1 Module	853610
66101B	66111B 6610	02B	66201B	10AX, 1Way Switch, 2 Module	853610
-			66211B	10AX, 1Way Switch with Indicator, 2 Module	853610
			66202B	10AX, 2Way Switch, 2 Module	853610
66201B	66211B	66202B		BELL P	USH (ISI)
302015	002110	002025	66103B	10A, Bell Push Switch, 1 Module	853610
			66133B	10A, Bell Push Switch with Indicator, 1 Module	853610
۵ ۵	٥	Φ	66203B	10A, Bell Push Switch, 2 Module	853610
			66233B	10A, Bell Push Switch with Indicator, 2 Module	853610
66203B	66233B	66333B	66333B	10A, Bell Push Switch with Indicator, 3 Module	853610
-		_		3 Module	
				SWITCHE	S, 20A (I
			66104B	20A, 1Way Switch, 1 Module	853610
66104B	66144B 66	1 05B	66144B	20A, 1Way Switch with Indicator, 1 Module	853610
			66105B	20A, 2Way Switch, 1 Module	853610
		1	66204B	20A, 1Way Switch, 2 Module	853610
		T _r c-	66244B	20A, 1Way Switch with Indicator, 2 Module	853610
66204B	66244B	66205B	66205B	20A, 2Way Switch, 2 Module	853610
			66301B	20A, 1Way Switch, 3 Module	853610
		1	66311B	20A, 1Way Switch with Indicator, 3 Module	853610
			66302B	20A, 2Way Switch, 3 Module	853610
66301B	66311B	66302B		POWER SW	UTCHES
			66325B	25A, S.P, 1Way Switch with Indicator,	853610
۰	0	9	66332B	1 Module 32A, D.P, 1Way Switch with Indicator,	853610
E.	204	2AA (1)	555520	2 Module	333010
	Name and Address of the Owner, where the Owner, which is the Owner,			MOTOR STAR	TER <u>SWI</u>
5B 66332B	66020B	66025B	66020B	20A, Motor Starter Switch, 2 Module	853610
•	.0.	0	66025B	25A, Motor Starter Switch, 2 Module	853690
W W		Q 2		SOCKETS WITH:	SAFETY
66402B	66404B	66455B	66402B	6A, 3Pin Round Socket, 2 Module, ISI	853669
			66404B	16A, 3Pin Round Socket, 2 Module, ISI	853669
	()		66455B	6A/16A, Twin Socket, 2 Module, ISI	853669
	18.8		66406B	6A/16A, Twin Socket, 3 Module, ISI	853669
			004008	5.4 10.4 14th Sockey S Module, ISI	333009
	66406B				

					DLACK
Item	Description	HSN	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
	SWITCHES	, 10AX (ISI)			
66101B	10AX, 1Way Switch, 1 Module	85361010	152	20	3040
66111B	10AX, 1Way Switch with Indicator, 1 Module	85361010	174	20	3480
66102B	10AX, 2Way Switch, 1 Module	85361010	169	20	3380
66201B	10AX, 1Way Switch, 2 Module	85361010	177	10	1770
66211B	10AX, 1Way Switch with Indicator, 2 Module	85361010	202	10	2020
66202B	10AX, 2Way Switch, 2 Module	85361010	202	10	2020
	BELL PU	JSH (ISI)			
66103B	10A, Bell Push Switch, 1 Module	85361010	175	20	3500
66133B	10A, Bell Push Switch with Indicator, 1 Module	85361010	188	20	3760
66203B	10A, Bell Push Switch, 2 Module	85361010	202	10	2020
66233B	10A, Bell Push Switch with Indicator, 2 Module	85361010	220	10	2200
66333B	10A, Bell Push Switch with Indicator, 3 Module	85361010	251	5	1255
	3 Module				
	SWITCHES	20A (ISI)			
66104B	20A, 1Way Switch, 1 Module	85361020	197	20	3940
66144B	20A, 1Way Switch with Indicator, 1 Module	85361020	234	20	4680
66105B	20A, 2Way Switch, 1 Module	85361020	215	20	4300
66204B	20A, 1Way Switch, 2 Module	85361020	242	10	2420
66244B	20A, 1Way Switch with Indicator, 2 Module	85361020	268	10	2680
66205B	20A, 2Way Switch, 2 Module	85361020	259	10	2590
66301B	20A, 1Way Switch, 3 Module	85361020	299	5	1495
66311B	20A, 1Way Switch with Indicator, 3 Module	85361020	375	5	1875
66302B	20A, 2Way Switch, 3 Module	85361020	369	5	1845
	POWER SW	ITCHES (ISI)		
66325B	25A, S.P, 1Way Switch with Indicator, 1 Module	85361020	282	10	2820
66332B	32A, D.P, 1Way Switch with Indicator, 2 Module	85361020	360	10	3600
	MOTOR STAR	ER SWITCH	HES		
66020B	20A, Motor Starter Switch, 2 Module	85361020	526	10	5260
66025B	25A, Motor Starter Switch, 2 Module	85369010	526	10	5260
	SOCKETS WITH S	AFETY SHI	JTTER		
66402B	6A, 3Pin Round Socket, 2 Module, ISI	85366910	180	10	1800
66404B	16A, 3Pin Round Socket, 2 Module, ISI	85366910	291	10	2910
66455B	6A/16A, Twin Socket, 2 Module, ISI	85366910	354	10	3540
66406B	6A/16A, Twin Socket, 3 Module, ISI	85366910	360	5	1800
50 1 000	o. v 10/y 14411 Jocket, J Module, 131	55300510	500	,	1000

66501B 66502B 66503B 66508B 66504B 66505B 66506B 66507B
66551B 66552B 66555B 66601B 66602B 66603B 66557B
66604B 66644B 66606B 66605 66605 66605 66605
66608B 66712B 66609B
66711B 66716B 66715B 66717B 66718B
66701B 66702B 66703B (Indoor Unit) (Outdoor Unit)
66704B 66705B 66706B / 66766B / 66607B
66778B / 66779B 66707B 66707B 66707B

ltem	ltem Description		Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
	FAN REGULATO	RS & DIMN	MERS		
66501B	66501B 100W, Step Fan Regulator, 1 Module		556	20	11120
66502B	100W, Step Fan Regulator, 2 Module	84149030	744	10	7440
66503B	100W, Step Fan Regulator, 2 Module (ISI)	84149030	756	10	7560
66504B	100W, Step Fan Regulator (For High Speed Fans)	84149030	744	10	7440
66508B	100W, 7 Step Fan Regulator, 2 Module	85365090	744	10	7440
66505B	450W, Dimmer, 1 Module (Incandes- cent Lamp)	85365020	507	20	10140
66506B	650W, Dimmer, 2 Module (Incandes- cent Lamp)	85365020	684	10	6840
66507B	150W, Dimmer for LED 2 Module	85365090	1608	10	16080
	SUPPORT	MODULES			
66551B	RJ11, Tel Jack, Single with Shutter, 1 Module	85366910	170	20	3400
66552B	RJ11, Tel Jack, Double w/o Shutter, 1 Module	85366910	243	20	4860
66555B	RJ45, Receptor With Shutter, 1 Module	85366910	173	20	3460
66556B	RJ45, Computer Socket, Cat 5e, 1	85366910	628	20	12560
66557B	Module RJ45, Computer Socket, Cat 6, 1	85366910	717	20	14340
	Module				
66601B 66602B	Cord Outlet with Grip, 1 Module	85366910	145 174	20 20	2900 3480
66603B	TV Socket Outlet, 1 Module Buzzer, Dura, 2 Module	85365090 85318000	218	10	2180
66604B	Blank Plate, 1 Module	85389000	42	40	1680
66644B	Blank Plate, 2 Module	85389000	72	20	1440
66606B	6A, Overload Protection - Manual	85361010	222	20	4440
66616B	Resettable Fuse, 1 Module 16A, Overload Protection - Manual	85361020	222	20	4440
66605R	Resettable Fuse, 1 Module Indicator - LED (Red), 1 Module	85395000	197	20	3940
66605N	Indicator - LED (Natural), 1 Module	85395000	197	20	3940
66605G	Indicator - LED (Green), 1 Module	85395000	197	20	3940
66608B	Satellite Socket	85365090	332	10	3320
66712B	Audio Video Socket, 1 Module	85366910	551	10	5510
66609B	Bluetooth Speaker, 2 Module	85182900	3015	6	18090
66711B	High-Definition Multimedia Interface, 1 Module	85444999	1720	10	17200
66716B	Projector Socket, 1 Module	85444999	1911	10	19110
66715B	USB-A Charger, Single Port(2.1A, 5V	85044090	1313	20	26260
66717B	DC), 1 Module (CRS Certified) 18W, USB Power Delivery	85365090	1534	20	30680
66718B	Charger(USB-C), 1 Module 18W, USB Type-A Fast Charger, 1	85044090	1461	20	29220
	Module				
	HOSPITAL	TY RANGE			
66701B	20A, Electronic Keycard Unit with 30 Sec time delay, 3 Module	85365090	2456	6	14736
66702B	DND MMR Internal unit (DND Switch, MMR Switch), 2 Module	85365090	648	5	3240
66703B	DND MMR External unit (DND Indicator, MMR Indicator & Bell Push Switch), 2 Module	85365090	869	5	4345
66704B	20VA, Shaver Socket with Transformer (With 4 Module Curve Plate), White	85365090	2889	1	2889
66705B	Bell Call Indicator, 1 Module	85318000	408	20	8160
66706B	Foot Light,Led Based(Cool Day Light),3 Module	94054090	638	6	3828
66766B	Foot Light,Led Based(Warm White	94054090	638	6	3828
66607B	Light),3 Module Emergency LED Light Unit	94056010	1020	6	6120
66778B	Foot Light, Led Based (Cool Day Light),	94054090	699	6	4194
	4 Module Foot Light, Led Based (Warm White				
66779B	Light),4 Module Foot Light with PIR (Cool Day Light)	94054090	699	6	4194
66707B	, 2 Module Foot Light with PIR (Warm White) , 2	94054090	5055	6	30330
66777B	Module	94054090	5055	6	30330
66708B	PIR Sensor, 2 Module	90318000	4401	6	26406



66501S 66502S 66503S 66508S 66504S 66504S 66507S
66551S 66552S 66555S 66601S 66602S 66603S 66557S
66604S 66644S 66606S 66605 66605 66605 66605
66608S 66712S 66609S
66711S 66716S 66715S 66717S 66718S
66701S 66702S (Indoor Unit) (Outdoor Unit)
66704S 66705S 66706S / 66766S / 66607S
66778S / 66779S 66707S 66707S 66707S

ltem	Description	HSN	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
	FAN REGULATO	RS & DIMN	/IERS		
665015	100W, Step Fan Regulator, 1 Module	84149030	556	20	11120
66502S	100W, Step Fan Regulator, 2 Module	84149030	744	10	7440
66503S	100W, Step Fan Regulator, 2 Module (ISI)	84149030	756	10	7560
66504S	100W, Step Fan Regulator (For High Speed Fans)	84149030	744	10	7440
66508S	100W, 7 Step Fan Regulator, 2 Module	85365090	744	10	7440
66505S	450W, Dimmer, 1 Module (Incandescent Lamp)	85365020	507	20	10140
66506S	650W, Dimmer, 2 Module (Incandes- cent Lamp)	85365020	684	10	6840
66507S	150W, Dimmer for LED 2 Module	85365090	1608	10	16080
	SUPPORT	MODULES			
66551S	RJ11, Tel Jack, Single with Shutter, 1 Module	85366910	170	20	3400
66552S	RJ11, Tel Jack, Double w/o Shutter, 1 Module	85366910	243	20	4860
66555S	RJ45, Receptor With Shutter, 1 Module	85366910	173	20	3460
66556S	RJ45, Computer Socket, Cat 5e, 1 Module	85366910	628	20	12560
66557S	RJ45, Computer Socket, Cat 6, 1 Module	85366910	717	20	14340
66601S	Cord Outlet with Grip, 1 Module	85366910	145	20	2900
66602S	TV Socket Outlet, 1 Module	85365090	174	20	3480
66603S	Buzzer, Dura, 2 Module	85318000	218	10	2180
66604S	Blank Plate, 1 Module	85389000	42	40	1680
66644S	Blank Plate, 2 Module	85389000	72	20	1440
66606S	6A, Overload Protection - Manual Resettable Fuse, 1 Module	85361010	222	20	4440
66616S	16A, Overload Protection - Manual Resettable Fuse, 1 Module	85361020	222	20	4440
66605R	Indicator - LED (Red), 1 Module	85395000	197	20	3940
66605N	Indicator - LED (Natural), 1 Module	85395000	197	20	3940
66605G	Indicator - LED (Green), 1 Module	85395000	197	20	3940
666085	Satellite Socket	85365090	332	10	3320
66712S 66609S	Audio Video Socket, 1 Module Bluetooth Speaker, 2 Module	85366910 85182900	551 3015	10 6	5510 18090
667115	High-Definition Multimedia Interface,	85444999	1720	10	17200
667165	1 Module Projector Socket, 1 Module	85444999	1911	10	19110
66715S	USB-A Charger, Single Port(2.1A, 5V	85044090	1313	20	26260
66717S	DC), 1 Module (CRS Certified) 18W, USB Power Delivery	85365090	1534	20	30680
66718S	Charger(USB-C), 1 Module 18W, USB Type-A Fast Charger, 1	85044090	1461	20	29220
	Module				
	HOSPITALI	TY RANGE			
66701S	20A, Electronic Keycard Unit with 30 Sec time delay, 3 Module	85365090	2456	6	14736
66702S	DND MMR Internal unit (DND Switch, MMR Switch), 2 Module	85365090	648	5	3240
66703S	DND MMR External unit (DND Indicator, MMR Indicator & Bell Push Switch), 2 Module	85365090	869	5	4345
66704S	20VA, Shaver Socket with Transformer (With 4 Module Curve Plate), White	85365090	2889	1	2889
66705S	Bell Call Indicator, 1 Module	85318000	408	20	8160
66706S	Foot Light,Led Based(Cool Day Light),3 Module	94054090	638	6	3828
66766S	Foot Light,Led Based(Warm White Light),3 Module	94054090	638	6	3828
66607S	Emergency LED Light Unit	94056010	1020	6	6120
667785	Foot Light, Led Based (Cool Day Light), 4 Module	94054090	699	6	4194
667795	Foot Light, Led Based (Warm White Light),4 Module	94054090	699	6	4194
66707S	Foot Light with PIR (Cool Day Light) , 2 Module	94054090	5055	6	30330
66777S	Foot Light with PIR (Warm White) , 2 Module	94054090	5055	6	30330
667085	PIR Sensor, 2 Module	90318000	4401	6	26406

GRAPHITE BLACK

				GRAPHI	
Item	Description	HSN	Unit Sale Price Rs per number	Quantity	Maximum Retail Pric (Inclusive of all taxes) R
	SWITCHES	, 10AX (ISI)			
66101GB	10AX, 1Way Switch, 1 Module	85361010	152	20	3040
66111GB	10AX, 1Way Switch with Indicator, 1 Module	85361010	174	20	3480
66102GB	10AX, 2Way Switch, 1 Module	85361010	169	20	3380
66201GB	10AX, 1Way Switch, 2 Module	85361010	177	10	1770
66211GB	10AX, 1Way Switch with Indicator, 2 Module	85361010	202	10	2020
66202GB	10AX, 2Way Switch, 2 Module	85361010	202	10	2020
	BELL PI	JSH (ISI)			
66103GB	10A, Bell Push Switch, 1 Module	85361010	175	20	3500
66133GB	10A, Bell Push Switch with Indicator, 1 Module	85361010	188	20	3760
66203GB	10A, Bell Push Switch, 2 Module	85361010	202	10	2020
66233GB	10A, Bell Push Switch with Indicator, 2 Module	85361010	220	10	2200
66333GB	10A, Bell Push Switch with Indicator, 3 Module	85361010	251	5	1255
	SMITCHE	5 20A (ISI)			
66104GB	20A, 1Way Switch, 1 Module	85361020	197	20	3940
66144GB	20A, 1Way Switch with Indicator, 1	85361020	234	20	4680
66105GB	Module 20A, 2Way Switch, 1 Module	85361020	215	20	4300
66204GB	20A, 1Way Switch, 2 Module	85361020	242	10	2420
66244GB	20A, 1Way Switch with Indicator, 2	85361020	268	10	2680
66205GB	Module	85361020	259	10	2590
	20A, 2Way Switch, 2 Module				
66301GB	20A, 1Way Switch, 3 Module 20A, 1Way Switch with Indicator, 3	85361020	299	5	1495
66311GB	Module	85361020	375	5	1875
66302GB	20A, 2Way Switch, 3 Module	85361020	369	5	1845
	POWER SW	ITCHES (ISI	1)		
66325GB	25A, S.P, 1Way Switch with Indicator, 1 Module	85361020	282	10	2820
66332GB	32A, D.P, 1Way Switch with Indicator, 2 Module	85361020	360	10	3600
	MOTOR STAR	TED SWITC	uec		
66020GB	20A, Motor Starter Switch, 2 Module	85361020	526	10	5260
66025GB	25A, Motor Starter Switch, 2 Module	85369010	526	10	5260
	SOCKETS WITH S	SAFETY SH	UTTER		
66402GB	6A, 3Pin Round Socket, 2 Module, ISI	85366910	180	10	1800
66404GB	16A, 3Pin Round Socket, 2 Module, ISI	85366910	291	10	2910
66455GB	6A/16A, Twin Socket, 2 Module, ISI	85366910	354	10	3540
66406GB	6A/16A, Twin Socket, 3 Module, ISI	85366910	360	5	1800

		_
66101	IGB 66111GB 66	102GB
	-	-
		X
	_	1
66201GB	66211GB	66202GB
		4
		4
builted builted builted		
66103GB 66133GB 6620	3GB 66233GB	66333GB
661040	GB 66144GB 6	6105GB
_		
Anthodenthan	Andread and and	Authoritant Authoritant
66204GB	66244GB	66205GB
		× ×
66301GB	66311GB	66302GB
0 0		
		7
41 1		
66335CB 663336	6602060	6602FCB
66325GB 66332G	GB 66020GB	66025GB
terffeelfleeffeel		
•	0	
-	25	
-		4 9
66402GB	66404GB	66455GB
	6	
	U	
	60	
	66406GB	
	20.0000	

GRAPHITE BLACK

66501GB 66502GB 66503GB 66508GB 66505GB 66506GB 66507GB
66551GB 66552GB 66555GB 66601GB 66602GB 66603GB 66603GB
66604GB 66644GB 66606GB 66605 66605 66605 66605
66608GB 66712GB 66609GB
66711GB 66716GB 66715GB 66717GB 66718GB
66701GB 66702GB 66703GB
(Indoor Unit) (Outdoor Unit) 66704GB 66705GB 66706GB / 66766GB / 66607GB
66778GB / 66779GB 66707GB 66707GB 66707GB

					L DLACK
ltem	Description	HSN	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
	FAN REGULATO	RS & DIMN	MERS		
66501GB	100W, Step Fan Regulator, 1 Module	84149030	556	20	11120
66502GB	100W, Step Fan Regulator, 2 Module	84149030	744	10	7440
66503GB	100W, Step Fan Regulator, 2 Module (ISI)	84149030	756	10	7560
66504GB	100W, Step Fan Regulator (For High	84149030	744	10	7440
66508GB	Speed Fans) 100W, 7 Step Fan Regulator, 2 Module	85365090	744	10	7440
66505GB	450W, Dimmer, 1 Module (Incandes-	85365020	507	20	10140
66506GB	cent Lamp) 650W, Dimmer, 2 Module (Incandes-	85365020	684	10	6840
66507GB	cent Lamp) 150W, Dimmer for LED 2 Module	85365090	1608	10	16080
00307.03	13011, 2 miner 101 223 2 module	03303070			10000
	CURRORT	MODULES			
	RJ11, Tel Jack, Single with Shutter, 1				
66551GB	Module	85366910	170	20	3400
66552GB	RJ11, Tel Jack, Double w/o Shutter, 1 Module	85366910	243	20	4860
66555GB	RJ45, Receptor With Shutter, 1 Module	85366910	173	20	3460
66556GB	RJ45, Computer Socket, Cat 5e, 1 Module	85366910	628	20	12560
66557GB	RJ45, Computer Socket, Cat 6, 1 Module	85366910	717	20	14340
66601GB	Cord Outlet with Grip, 1 Module	85366910	145	20	2900
66602GB	TV Socket Outlet, 1 Module	85365090	174	20	3480
66603GB	Buzzer, Dura, 2 Module	85318000	218	10	2180
66604GB	Blank Plate, 1 Module	85389000	42	40	1680
66644GB	Blank Plate, 2 Module	85389000	72	20	1440
66606GB	6A, Overload Protection - Manual Resettable Fuse, 1 Module	85361010	222	20	4440
66616GB	16A, Overload Protection - Manual Resettable Fuse, 1 Module	85361020	222	20	4440
66605R	Indicator - LED (Red), 1 Module	85395000	197	20	3940
66605N	Indicator - LED (Natural), 1 Module	85395000	197	20	3940
66605G	Indicator - LED (Green), 1 Module	85395000	197	20	3940
66608GB	Satellite Socket	85365090	332	10	3320
66712GB	Audio Video Socket, 1 Module	85366910	551	10	5510
66609GB	Bluetooth Speaker, 2 Module	85182900	3015	6	18090
66711GB	High-Definition Multimedia Interface, 1 Module	85444999	1720	10	17200
66716GB	Projector Socket, 1 Module USB-A Charger, Single Port(2.1A, 5V	85444999	1911	10	19110
66715GB	DC), 1 Module (CRS Certified)	85044090	1313	20	26260
66717GB	18W, USB Power Delivery Charger(USB-C), 1 Module	85365090	1534	20	30680
66718GB	18W, USB Type-A Fast Charger, 1 Module	85044090	1461	20	29220
	HOSPITALI	ITY RANGE			
66701GB	20A, Electronic Keycard Unit with 30	85365090	2456	6	14736
66702GB	Sec time delay, 3 Module DND MMR Internal unit (DND Switch,	85365090	648	5	3240
66703GB	MMR Switch), 2 Module DND MMR External unit (DND Indicator, MMR Indicator & Bell Push Switch), 2 Module	85365090	869	5	4345
66704GB	20VA, Shaver Socket with Transformer (With 4 Module Curve Plate), White	85365090	2889	1	2889
66705GB	Bell Call Indicator, 1 Module	85318000	408	20	8160
66706GB	Foot Light,Led Based(Cool Day Light),3 Module	94054090	638	6	3828
66766GB	Foot Light,Led Based(Warm White Light),3 Module	94054090	638	6	3828
66607GB	Emergency LED Light Unit	94056010	1020	6	6120
66778GB	Foot Light, Led Based (Cool Day Light), 4 Module	94054090	699	6	4194
66779GB	Foot Light, Led Based (Warm White Light),4 Module	94054090	699	6	4194
66707GB	Foot Light with PIR (Cool Day Light) , 2 Module	94054090	5055	6	30330
66777GB	Foot Light with PIR (Warm White) , 2 Module	94054090	5055	6	30330
66708GB	PIR Sensor, 2 Module	90318000	4401	6	26406


COVER PLATE WITH BASE FRAME 1 Module 2 Module 3 Module 4 Module 6 Module Horizontal 8 Module Square 9 Module 12 Module 16 Module 18 Module Horizontal MODULE COLOUR White CODE 66801WH 66802WH 66803WH 66804WH 66806WH 66808WH 66888WH 66809WH 66812WH 66816WH 66818WH Curve Design Unit Sale Price Rs per number

Maximum Retail Price (Inclusive of all taxes) Rs.

Standards Packing Quantity (Number)

COVER PLA	TE WITH B	BASE FRA	ME										(HSN Code - 85381
BO	LD											Black	
COLOUR	MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal		9 Module Horizontal	12 Module	16 Module	18 Module	
Black Curve Design	CODE	66801BL	66802BL	66803BL	66804BL	66806BL	66808BL	66888BL	66809BL	66812BL	66816BL	66818BL	
Unit Sale Pr		157	157	195	227	318	411	411	505	554	569	588	
Maximum R (Inclusive of a		1570	1570	1950	2270	3180	4110	2055	5050	2770	2845	2940	
Standards Quantity (I	Packing Number)	10	10	10	10	10	10	5	10	5	5	5	

COVER PLATE WITH BASE FRAME 1 Module 2 Module 3 Module 4 Module 6 Module Horizontal 8 Module Square 9 Module Horizontal 12 Module 16 Module 18 Module COLOUR MODULE Silver Curve Design CODE 66801SL 66802SL 66803SL 66804SL 66806SL 66808SL 66888SL 66809SL 66812SL 66816SL 66818SL Unit Sale Price Rs per number Maximum Retail Price (Inclusive of all taxes) Rs. Standards Packing Quantity (Number)























COL	0 D D	A-70 - 14/19	II COLL AD
			H COLLAR

COLOUR	MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Square	9 Module Horizontal	12 Module	16 Module	18 Module
Sea Blue	CODE	66801SBG	66802SBG	66803SBG	66804SBG	66806SBG	66808SBG	66888SBG	66809SBG	66812SBG	66816SBG	66818SBG
Oriental Maroon	CODE	66801OMS	66802OMS	66803OMS	66804OMS	66806OMS	66808OMS	66888OMS	66809OMS	66812OMS	66816OMS	66818OMS
Cooper White	CODE	66801WHC	66802WHC	66803WHC	66804WHC	66806WHC	66808WHC	66888WHC	66809WHC	66812WHC	66816WHC	66818WHC
Lamp Black	CODE	66801LBC	66802LBC	66803LBC	66804LBC	66806LBC	66808LBC	66888LBC	66809LBC	66812LBC	66816LBC	66818LBC
Chrome white	CODE	66801CWH	66802CWH	66803CWH	66804CWH	66806CWH	66808CWH	66888CWH	66809CWH	66812CWH	66816CWH	66818CWH
Gold White	CODE	66801GWH	66802GWH	66803GWH	66804GWH	66806GWH	66808GWH	66888GWH	66809GWH	66812GWH	66816GWH	66818GWH
Gold Black	CODE	66801GBC	66802GBC	66803GBC	66804GBC	66806GBC	66808GBC	66888GBC	66809GBC	66812GBC	66816GBC	66818GBC
Unit Sale P		203	203	259	298	416	528	528	653	727	733	766
Maximum F (Inclusive of		1015	1015	1295	1490	2080	2640	2640	3265	3635	3665	3830
Woody	CODE	66801WDB	66802WDB	66803WDB	66804WDB	66806WDB	66808WDB	66888WDB	66809WDB	66812WDB	66816WDB	66818WDB
Unit Sale P		318	318	411	472	663	846	846	1043	1161	1173	1228
Maximum F (Inclusive of		1590	1590	2055	2360	3315	4230	4230	5215	5805	5865	6140
Standards Ouantity (5	5	5	5	5	5	5	5	5	5	5























COLOR PLATE WITHOUT CROME COLLAR

COLOUR I	MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Square	9 Module Horizontal	12 Module	16 Module	18 Module
Sapphire Blue metallic	CODE	66801SB	66802SB	66803SB	66804SB	66806SB	66808SB	66888SB	66809SB	66812SB	66816SB	66818SB
Azure Blue Metallic	CODE	66801AB	66802AB	66803AB	66804AB	66806AB	66808AB	66888AB	66809AB	66812AB	66816AB	66818AB
Pistachio Green Metallic	CODE	66801PG	66802PG	66803PG	66804PG	66806PG	66808PG	66888PG	66809PG	66812PG	66816PG	66818PG
Champaign Gold Metallic	CODE	66801CG	66802CG	66803CG	66804CG	66806CG	66808CG	66888CG	66809CG	66812CG	66816CG	66818CG
Caramine Red Metallic	CODE	66801CR	66802CR	66803CR	66804CR	66806CR	66808CR	66888CR	66809CR	66812CR	66816CR	66818CR
Olive Green Metallic	CODE	66801OG	66802OG	66803OG	66804OG	66806OG	66808OG	66888OG	66809OG	66812OG	66816OG	66818OG
Charcoal Black	CODE	66801CB	66802CB	66803CB	66804CB	66806CB	66808CB	66888CB	66809CB	66812CB	66816CB	66818CB
Rose Gold Metallic	CODE	66801RG	66802RG	66803RG	66804RG	66806RG	66808RG	66888RG	66809RG	66812RG	66816RG	66818RG
Unit Sale Price numbe		170	170	217	257	352	451	451	557	608	624	648
Maximum Ret (Inclusive of all		1700	1700	2170	2570	3520	4510	2255	5570	3040	3120	3240
Dark Walnut	CODE	66801DW	66802DW	66803DW	66804DW	66806DW	66808DW	66888DW	66809DW	66812DW	66816DW	66818DW
Oak Wood	CODE	66801OW	66802OW	66803OW	66804OW	66806OW	66808OW	66888OW	66809OW	66812OW	66816OW	66818OW
Unit Sale Price numbe		251	251	319	379	520	666	666	822	898	922	958
Maximum Ret (Inclusive of all		2510	2510	3190	3790	5200	6660	3330	8220	4490	4610	4790
Standards Pa Quantity (Nu		10	10	10	10	10	10	5	10	5	5	5








CLEAR

GLASS PLATE	MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Square	12 Module	16 Module	18 Module
Pure White	CODE	66901GPW	66902GPW	66903GPW	66904GPW	66906GPW	66908GPW	66988GPW	66912GPW	66916GPW	66918GPW
Space Black	CODE	66901GSB	66902GSB	66903GSB	66904GSB	66906GSB	66908GSB	66988GSB	66912GSB	66916GSB	66918GSB
Aqua Blue	CODE	66901GAB	66902GAB	66903GAB	66904GAB	66906GAB	66908GAB	66988GAB	66912GAB	66916GAB	66918GAB
Unit Sale Pi num		798	798	1028	1186	1693	2114	2114	2627	2953	3082
Maximum F (Inclusive of a		3990	3990	5140	5930	8465	10570	10570	13135	14765	15410
Starline Copper	CODE	66901MSC	66902MSC	66903MSC	66904MSC	66906MSC	66908MSC	66988MSC	66912MSC	66916MSC	66918MSC
Starline Grey	CODE	66901MSG	66902MSG	66903MSG	66904MSG	66906MSG	66908MSG	66988MSG	66912MSG	66916MSG	66918MSG
Unit Sale Price Rs per number		798	798	1,028	1,186	1,693	2,114	2,114	2,627	2,953	3082
Maximum F (Inclusive of a		3990	3990	5140	5930	8465	10570	10570	13135	14765	15410
Standards Quantity (5	5	5	5	5	5	5	5	5	5

COVER PLATE WITH BASE FRAME

SHEEN









Item	Description	HSN	Unit Sale Price Rs per number	Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
66662	2M, Weatherproof Box (IP55), Grey Colour	85365090	1120	1	1120
66663	3M, Weatherproof Box (IP55), Grey Colour	85365090	1199	1	1199
66664	4M, Weatherproof Box (IP55), Grey Colour	85365090	1280	1	1280
	FLOOR JUNCT				
66770	18Module Floor Junction Box	85381090	7545	1	7545









Roma Mini MCB DP



Roma Mini MCB SP



Roma Mini MCB DP



Roma Mini MCB SP



Roma Mini MCB DP



Roma Mini MCB SP




Roma Mini MCB DP

ltem	Description	HSN	Unit Sale Price Rs per number	Standard Packing Quantity (Number)	Maximum Retail Price (Inclusive of all taxes) Rs.
	ROMA MINI MODULAR MC	B 'C'TYPE (WHITE)		
66151	ROMA 6A SP 'C' MINI MCB	85362030	293	12	3516
66152	ROMA 10A SP 'C' MINI MCB	85362030	293	12	3516
66153	ROMA 16A SP 'C' MINI MCB	85362030	293	12	3516
66154	ROMA 20A SP 'C' MINI MCB	85362030	293	12	3516
66155	ROMA 25A SP 'C' MINI MCB	85362030	293	12	3516
66156	ROMA 32A SP 'C' MINI MCB	85362030	293	12	3516
66157	ROMA 6A DP 'C' MINI MCB	85362030	595	6	3570
66158	ROMA 10A DP 'C' MINI MCB	85362030	595	6	3570
66159	ROMA 16A DP 'C' MINI MCB	85362030	595	6	3570
66160	ROMA 20A DP 'C' MINI MCB	85362030	595	6	3570
66161	ROMA 25A DP 'C' MINI MCB	85362030	595	6	3570
66162	ROMA 32A DP 'C' MINI MCB	85362030	595	6	3570
	ROMA MINI MODULAR MC	B 'C'TYPE (I	BLACK)		
66151B	ROMA 6A SP 'C' MINI MCB (BLACK)	85362030	321	12	3852
66152B	ROMA 10A SP 'C' MINI MCB (BLACK)	85362030	321	12	3852
66153B	ROMA 16A SP 'C' MINI MCB (BLACK)	85362030	321	12	3852
66154B	ROMA 20A SP 'C' MINI MCB (BLACK)	85362030	321	12	3852
66155B	ROMA 25A SP 'C' MINI MCB (BLACK)	85362030	321	12	3852
66156B	ROMA 32A SP 'C' MINI MCB (BLACK)	85362030	321	12	3852
66157B	ROMA 6A DP 'C' MINI MCB (BLACK)	85362030	640	6	3840
66158B	ROMA 10A DP 'C' MINI MCB (BLACK)	85362030	640	6	3840
66159B	ROMA 16A DP 'C' MINI MCB (BLACK)	85362030	640	6	3840
66160B	ROMA 20A DP 'C' MINI MCB (BLACK)	85362030	640	6	3840
66161B	ROMA 25A DP 'C' MINI MCB (BLACK)	85362030	640	6	3840
66162B	ROMA 32A DP 'C' MINI MCB (BLACK)	85362030	640	6	3840
	ROMA MINI MODULAR MC	B 'C'TYPE (SILVER)		
661515	ROMA 6A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
66152S	ROMA 10A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
66153S	ROMA 16A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
66154S	ROMA 20A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
66155S	ROMA 25A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
66156S	ROMA 32A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
66157S	ROMA 6A DP 'C' MINI MCB (SILVER)	85362030	640	6	3840
661585	ROMA 10A DP 'C' MINI MCB (SILVER)	85362030	640	6	3840
66159S	ROMA 16A DP 'C' MINI MCB (SILVER)	85362030	640	6	3840
66160S	ROMA 20A DP 'C' MINI MCB (SILVER)	85362030	640	6	3840
661615	ROMA 25A DP 'C' MINI MCB (SILVER)	85362030	640	6	3840
66162S	ROMA 32A DP 'C' MINI MCB (SILVER)	85362030	640	6	3840
	ROMA MINI MODULAR MC	B 'C'TYPE (SILVER)		
66151GB	ROMA 6A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
66152GB	ROMA 10A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
66153GB	ROMA 16A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
66154GB	ROMA 20A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
66155GB	ROMA 25A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
66156GB	ROMA 32A SP 'C' MINI MCB (SILVER)	85362030	321	12	3852
66157GB	ROMA 6A DP 'C' MINI MCB (SILVER)	85362030	640	6	3840
66158GB	ROMA 10A DP 'C' MINI MCB (SILVER)	85362030	640	6	3840
66159GB	ROMA 16A DP 'C' MINI MCB (SILVER)	85362030	640	6	3840
66160GB	ROMA 20A DP 'C' MINI MCB (SILVER)	85362030	640	6	3840
66161GB	ROMA 25A DP 'C' MINI MCB (SILVER)	85362030	640	6	3840

66162GB ROMA 32A DP 'C' MINI MCB (SILVER)

85362030

3840



Item	Description	HSN	Unit Sale Price Rs per number		Maximum Retail Price (Inclusive of all taxes) Rs.
	MODULAR TOUCH SW	/ITCH - WHI	ΓE		
71001	1Way 1 Switch, 400W, 240V ~	85365020	700	4	2800
71002	1Way 2 Switches, 400W, 240V ~	85365020	874	4	3496
71003	1Way 3 Switches, 400W, 240V ~	85361010	1095	4	4380
71004	1Way 4 Switches, 400W, , 240V ~	85365020	1242	4	4968
71005	2Way 1 Switch, 400W, 240V ~	85361020	847	4	3388
71006	1 Switch, 16A, 240V ~	84149030	948	4	3792
71007	1 Switch, 25A, 240V ~	85365020	1150	4	4600
71008	Fan Regulator, 100W, 240V ~	85365020	1334	4	5336
71009	Dimmer, 300W, 240V ~	85365020	1334	4	5336
71010	Curtain Control, 50W, 240V ~	85365090	1049	4	4196
71011	Bell Switch, 240V ~	85365090	727	4	2908
	MODULAR TOUCH SW	ITCH - BLAC	CK		
71001B	1Way 1 Switch, 400W, 240V ~	85365020	773	4	3092
71002B	1Way 2 Switches, 400W, 240V ~	85365020	966	4	3864
71003B	1Way 3 Switches, 400W, 240V ~	85361010	1206	4	4824
71004B	1Way 4 Switches, 400W, , 240V ~	85365020	1371	4	5484
71005B	2Way 1 Switch, 400W, 240V ~	85361020	939	4	3756
71006B	1 Switch, 16A, 240V ~	84149030	1049	4	4196
71007B	1 Switch, 25A, 240V ~	85365020	1270	4	5080
71008B	Fan Regulator, 100W, 240V ~	85365020	1472	4	5888
71009B	Dimmer, 300W, 240V ~	85365020	1472	4	5888
71010B	Curtain Control, 50W, 240V ~	85365090	1160	4	4640
71011B	Bell Switch, 240V ~	85365090	801	4	3204
	MODULAR TOUCH SW	UTCH SILVI	ED.		
71001S	1Way 1 Switch, 400W, 240V ~	85365020	773	4	3092
71002S	1Way 2 Switches, 400W, 240V ~	85365020	966	4	3864
71003S	1Way 3 Switches, 400W, 240V ~	85361010	1206	4	4824
71004S	1Way 4 Switches, 400W, 240V ~	85365020	1371	4	5484
71005S	2Way 1 Switch, 400W, 240V ~	85361020	939	4	3756
71006S	1 Switch, 16A, 240V ~	84149030	1049	4	4196
71007S	1 Switch, 25A, 240V ~	85365020	1270	4	5080
71008S	Fan Regulator, 100W, 240V ~	85365020	1472	4	5888
71009S	Dimmer, 300W, 240V ~	85365020	1472	4	5888
71010S	Curtain Control, 50W, 240V ~	85365090	1160	4	4640
710115	Bell Switch, 240V ~	85365090	801	4	3204



ltem	Description	HSN	Unit Sale Price Rs per number		Maximum Retail Price (Inclusive of all taxes) Rs.
	MODULAR TOUCH SWITCH WI	TH REMOT	E - WHITE		
71001-RC	1Way 1 Switch, 400W, 240V ~	85365020	828	4	3312
71002-RC	1Way 2 Switches, 400W, 240V ~	85365020	1035	4	4140
71003-RC	1Way 3 Switches, 400W, 240V ~	85361010	1242	4	4968
71004-RC	1Way 4 Switches, 400W, 240V ~	85365020	1380	4	5520
71005-RC	2Way 1 Switch, 400W, 240V ~	85361020	966	4	3864
71006-RC	1 Switch, 16A, 240V ~	84149030	1035	4	4140
71007-RC	1 Switch, 25A, 240V ~	85365020	1173	4	4692
71008-RC	Fan Regulator, 100W, 240V ~	85365020	1449	4	5796
71009-RC	Dimmer, 300W, 240V ~	85365020	1449	4	5796
71010-RC	Curtain Control, 50W, 240V ~	85365090	1104	4	4416
	MODULAR TOUGH SWITSHAW	TU DEMO	T DI ACK		
	MODULAR TOUCH SWITCH WI				
71001B-RC	1Way 1 Switch, 400W, 240V ~	85365020	916	4	3664
71002B-RC	1Way 2 Switches, 400W, 240V ~	85365020	1146	4	4584
71003B-RC	1Way 3 Switches, 400W, 240V ~	85361010	1376	4	5504
71004B-RC	1Way 4 Switches, 400W, 240V ~	85365020	1518	4	6072
71005B-RC	2Way 1 Switch, 400W, 240V ~	85361020	1068	4	4272
71006B-RC	1 Switch, 16A, 240V ~	84149030	1146	4	4584
71007B-RC	1 Switch, 25A, 240V ~	85365020	1298	4	5192
71008B-RC	Fan Regulator, 100W, 240V ~	85365020	1597	4	6388
71009B-RC	Dimmer, 300W, Black, 240V ~, Remote Controlled	85365020	1597	4	6388
71010B-RC	Curtain Control, 50W, 240V ~	85365090	1219	4	4876
	MODULAR TOUCH SWITCH WI	TH REMOT	F- SII VFR		
71001S-RC	1Way 1 Switch, 400W, 240V ~	85365020	916	4	3664
	1Way 2 Switches, 400W, 240V ~	85365020	1146	4	4584
	1Way 3 Switches, 400W, 240V ~	85361010	1376	4	5504
	1Way 4 Switches, 400W, 240V ~	85365020	1518	4	6072
71005S-RC	2Way 1 Switch, 400W, 240V ~	85361020	1068	4	4272
71006S-RC	1 Switch, 16A, 240V ~	84149030	1146	4	4584
71007S-RC	1 Switch, 25A, 240V ~	85365020	1298	4	5192
71008S-RC	Fan Regulator, 100W, 240V ~	85365020	1597	4	6388
71009S-RC	Dimmer, 300W, 240V ~	85365020	1597	4	6388
71010S-RC	Curtain Control, 50W, 240V ~	85365090	1219	4	4876
	MODULAR TOUCH SWIT	CH_REMA)TF		
71020-RC	Remote control for Roma Urban Touch	85365090	847	4	3300
, 1020-KC	Switch	იაათას90	04/	4	3388



TERMS AND CONDITIONS

- 1) Prices are in INR (₹).
- 2) All prices are subject to the general terms and conditions of our business.
- 3) Prices are subject to change without prior notice.
- 4) This price list supersedes all our previous price lists.
- 5) If any dispute should arise it will be subject to Thane jurisdiction.
- 6) Company reserves the right to issue amendments which may arise due to any errors in the price list.
- 7) Colour in images are for reference purpose only, please see product for actual colour.

Due to continuous improvements in product design and development and manufacturing methods, the product may differ in some aspects from the details provided herein.

PANASONIC LIFE SOLUTIONS INDIA PVT. LTD.

Corporate & Head Office: 3rd Floor, B Wing, I-Think Techno Campus, Pokharan Road No.2, Thane (W), Thane - 400 607, Maharashtra.

Tel. 022 4222 8888 | Fax. 022 4222 8884


Customer Care no.: 022-41304130 | WhatsApp: 9136028606 Email: wecare@in.panasonic.com | www.lsin.panasonic.com

Registered Office: 12th Floor, Ambience Tower, Ambience Island,

NH-48, Gurugram - 122 002, Haryana.

www.facebook.com/ AnchorPanasonic







Distributor / Dealer Stamp